

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
AMMONIUM PICRATE dry or wetted with less than 10% water, by mass	0004	1.1D	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS with bursting charge	0005	1.1F	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS with bursting charge	0006	1.1E	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS with bursting charge	0007	1.2F	-	-	1	√	√	X
AMMUNITION INCENDIARY with or without burster, expelling charge or propelling charge	0009	1.2G	-	-	1	√	√	X
AMMUNITION INCENDIARY with or without burster, expelling charge or propelling charge	0010	1.3G	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS INERT PROJECTILE or CARTRIDGES, SMALL ARMS	0012	1.4S	-	-	2	√	√	X
CARTRIDGES FOR WEAPONS, BLANK OR CARTRIDGES SMALL ARMS, BLANK or CARTRIDGES FOR TOOLS, BLANK	0014	1.4S	-	-	2	√	√	X
AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge	0015	1.2G	-	-	1	√	√	X
AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge	0016	1.3G	-	-	1	√	√	X
AMMUNITION, TEAR-PRODUCING with burster, expelling charge or propelling charge	0018	1.2G	6.1/8	-	1	√	√	X
AMMUNITION, TEAR-PRODUCING with burster, expelling charge or propelling charge	0019	1.3G	6.1/8	-	1	√	√	X
AMMUNITION, TOXIC with burster, expelling charge or propelling charge	0020	1.2K	6.1	-	1	√	√	X
AMMUNITION, TOXIC with burster, expelling charge or propelling charge	0021	1.3K	6.1	-	1	√	√	X
BLACK POWDER (GUNPOWDER) granular, or as a metal	0027	1.1D	-	-	1	√	√	X
BLACK POWDER (GUNPOWDER), COMPRESSED or BLACK POWDER (GUNPOWDER) IN PELLETS	0028	1.1D	-	-	1	√	√	X
DETONATORS, NON-ELECTRIC for blasting	0029	1.1B	-	-	1	√	√	X
DETONATORS, ELECTRIC for blasting	0030	1.1B	-	-	1	√	√	X
BOMBS with bursting charge	0033	1.1F	-	-	1	√	√	X
BOMBS with bursting charge	0034	1.1D	-	-	1	√	√	X
BOMBS with bursting charge	0035	1.2D	-	-	1	√	√	X
BOMBS, PHOTO-FLASH	0037	1.1F	-	-	1	√	√	X
BOMBS, PHOTO-FLASH	0038	1.1D	-	-	1	√	√	X
BOMBS, PHOTO-FLASH	0039	1.2G	-	-	1	√	√	X
BOOSTERS without detonator	0042	1.1D	-	-	1	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
BURSTERS explosive	0043	1.1D	-	-	1	√	√	X
PRIMERS, CAP TYPE	0044	1.4S	-	-	2	√	√	X
CHARGES, DEMOLITION	0048	1.1D	-	-	1	√	√	X
CATRRIDGES, FLASH	0049	1.1G	-	-	1	√	√	X
CARTRIDGES, FLASH	0050	1.3G	-	-	1	√	√	X
CARTRIDGES, SIGNAL	0054	1.3G	-	-	1	√	√	X
CASES, CARTRIDGE, EMPTY, WITH PRIMER	0055	1.4S	-	-	2	√	√	X
CHARGES, DEPTH	0056	1.1D	-	-	1	√	√	X
CHARGES, SHAPED without detonator	0059	1.1D	-	-	1	√	√	X
CHARGES, SUPPLEMENTARY, EXPLOSIVE	0060	1.1D	-	-	1	√	√	X
CORD, DETONATING flexible	0065	1.1D	-	-	1	√	√	X
CORD, IGNITER	0066	1.4G	-	-	1	√	√	X
CUTTERS, CABLE, EXPLOSIVE	0070	1.4S	-	-	2	√	√	X
CYCLOTRIMETHYLENE-TRINITRAMINE (CYCLONITE), (RDX), (HEXOGEN), WETTED with not less than 15% water, by mass	0072	1.1D	-	-	1	√	√	X
DETONATORS FOR AMMUNITION	0073	1.1B	-	-	1	√	√	X
DIAZODINITROPHENOL, WETTED with not less than 40% water or mixture of alcohol and water, by mass	0074	1.1A	-	-	1	√	√	X
DIETHYLENEGLYCOL DINITRATE, DESENSITIZED with not less than 25% non-volatile water-insoluble phlegmatizer, by mass	0075	1.1D	-	-	1	√	√	X
DINITROPHENOL dry or wetted with less than 15% water, by mass	0076	1.1D	6.1/P	-	1	√	√	X
DINOTROPHENATES alkali metals, dry or wetted with less than 15% water, by mass	0077	1.3C	6.1/P	-	1	√	√	X
DINITRORESORCINOL dry or wetted with less than 15% water, by mass	0078	1.1D	-	-	1	√	√	X
HEXANITRODIPHENYLAMINE(DIPICRYLAMINE), (HEXYL)	0079	1.1D	-	-	1	√	√	X
EXPLOSIVE, BLASTING, TYPE A	0081	1.1D	-	-	1	√	√	X
EXPLOSIVE, BLASTING, TYPE B	0082	1.1D	-	-	1	√	√	X
EXPLOSIVE, BLASTING, TYPE C	0083	1.1D	-	-	1	√	√	X
EXPLOSIVE, BLASTING, TYPE D	0084	1.1D	-	-	1	√	√	X
FLARES, SURFACE	0092	1.3G	-	-	1	√	√	X
FLARES, AERIAL	0093	1.3G	-	-	1	√	√	X
FLASH POWDER	0094	1.1G	-	-	1	√	√	X
FRACTURING DEVICES EXPLOSIVE for oil wells, without detonator	0099	1.1D	-	-	1	√	√	X



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
less than 25% water by mass or PENTAERYTHRITOL TETRANITRATE (PENTAERYTHRITOL TETRANITRATE; PETN), DESENSITIZED with not less than 15% phlegmatizer, by mass	0150	1.1D	-	-	1	√	√	X
PENTOLITE dry or wetted with less than 15% water by, mass	0151	1.1D	-	-	1	√	√	X
TRINITROANILINE (PICRAMIDE)	0153	1.1D	-	-	1	√	√	X
TRINITROPHENOL (PICRIC ACID) dry or wetted with less than 30% water, by mass	0154	1.1D	-	-	1	√	√	X
TRINITROCHLOROBENZENE (PICRYL CHLORIDE)	0155	1.1D	-	-	1	√	√	X
POWDER CAKE (POWDER PASTE), WETTED with not less than 25% water by mass	0159	1.3C	-	-	1	√	√	X
POWDER ,SMOKELESS	0160	1.1C	-	-	1	√	√	X
POWDER, SMOKELESS	0161	1.3C	-	-	1	√	√	X
PROJECTILES with bursting charge	0167	1.1F	-	-	1	√	√	X
PROJECTILES with bursting charge	0168	1.1D	-	-	1	√	√	X
PROJECTILES with bursting charge	0169	1.2D	-	-	1	√	√	X
AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge	0171	1.2G	-	-	1	√	√	X
RELEASE DEVICES, EXPLOSIVE	0173	1.4S	-	-	2	√	√	X
RIVETS, EXPLOSIVE	0174	1.4S	-	-	2	√	√	X
ROCKETS with bursting charge	0180	1.1F	-	-	1	√	√	X
ROCKETS with bursting charge	0181	1.1E	-	-	1	√	√	X
ROCKETS with bursting charge	0182	1.2E	-	-	1	√	√	X
ROCKETS with inert head	0183	1.3C	-	-	1	√	√	X
ROCKET MOTORS	0186	1.3C	-	-	1	√	√	X
SAMPLES, EXPLOSIVE other than initiating explosive	0190	1	-	-	1	√	√	X
SIGNAL DEVICES, HAND	0191	1.4G	-	-	1	√	√	X
SIGNALS, RAILWAY TRACK, EXPLOSIVE	0192	1.1G	-	-	1	√	√	X
SIGNALS, RAILWAY TRACK, EXPLOSIVE	0193	1.4S	-	-	2	√	√	X
SIGNALS, DISTRESS, ship	0194	1.1G	-	-	1			X
SIGNALS, DISTRESS, ship	0195	1.3G	-	-	1	√	√	X
SIGNALSM, SMOKE	0196	1.1G	-	-	1	√	√	X
SIGNALS, SMOKE	0197	1.4G	-	-	1	√	√	X
SOUNDING DEVICES, EXPLOSIVE	0204	1.2F	-	-	1	√	√	X
TETRANITROANILINE	0207	1.1D	-	-	1	√	√	X
TRINITROPHENYLMETHYL-NITRAMINE (TETRYL)	0208	1.1D	-	-	1	√	√	X
TRINITROTOLUENE (TNT) dry or wetted with less than 30% water, by mass	0209	1.1D	-	-	1	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
TRACERS FOR AMMUNITION	0212	1.3G	-	-	1	√	√	X
TRINITROANISOLE	0213	1.1D	-	-	1	√	√	X
TRINITROBENZENE dry or wetted with less than 30% water, by mass	0214	1.1D	-	-	1	√	√	X
TRINITROBENZOIC ACID dry or wetted with less than 30% water, by mass	0215	1.1D	-	-	1	√	√	X
TRINITRO- <i>m</i> -CRESOL	0216	1.1D	-	-	1	√	√	X
TRINITRONAPHTHALENE	0217	1.1D	-	-	1	√	√	X
TRINITROPHENETOLE	0218	1.1D	-	-	1	√	√	X
TRINITRORESORCINOL (STYPHNIC ACID) dry or wetted with less than 20% water, or mixture of alcohol and water, by mass	0219	1.1D	-	-	1	√	√	X
UREA NITRATE dry or wetted with less than 20% water, by mass	0220	1.1D	-	-	1	√	√	X
WARHEADS, TORPEDO with bursting charge	0221	1.1D	-	-	1	√	√	X
AMMONIUM NITRATE	0222	1.1D	-	-	1	√	√	X
BARIUM AZIDE, dry or wetted with less than 50% water, by mass	0224	1.1A	6.1	-	1	√	√	X
BOOSTERS WITH DETONATORS	0225	1.1B	-	-	1	√	√	X
CYCLOTETRAMETHYLENE-TETRANITRAMINE (HMX; OCTOGEN), WETTED with not less than 15% water, by mass	0226	1.1D	-	-	1	√	√	X
SODIUM DINITRO- <i>o</i> -CRESOLATE dry or wetted with less than 15% water, by mass	0234	1.3C	6.1/P	-	1	√	√	X
SODIUM PICRAMATE dry or wetted with less than 20% water, by mass	0235	1.3C	-	-	1	√	√	X
ZIRCONIUM PICRAMATE dry or wetted with less than 20% water, by mass	0236	1.3C	-	-	1	√	√	X
CHARGES, SHAPED, FLEXIBLE, LINEAR	0237	1.4D	-	-	1	√	√	X
ROCKETS, LINE-THROWING	0238	1.2G	-	-	1	√	√	X
ROCKETS, LINE-THROWING	0240	1.3G	-	-	1	√	√	X
EXPLOSIVE, BLASTING, TYPE E	0241	1.1D	-	-	1	√	√	X
CHARGES, PROPELLING, FOR CANNON	0242	1.3C	-	-	1	√	√	X
AMMUNITION, INCENDIARY, WHITE PHOSPHOROUS with burster, expelling charge or propelling charge	0243	1.2H	-	-	1	√	√	X
AMMUNITION, INCENDIARY, WHITE PHOSPHOROUS with burster, expelling charge or propelling charge	0244	1.3H	-	-	1	√	√	X
AMMUNITION, SMOKE, WHITE PHOSPHOROUS with burster, expelling charge or propelling charge	0245	1.2H	-	-	1	√	√	X
AMMUNITION, SMOKE, WHITE PHOSPHOROUS with burster, expelling charge or propelling charge	0246	1.3H	-	-	1	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
AMMUNITION, INCENDIARY liquid or gel, with burster, expelling charge or propelling charge	0247	1.3J	-	-	1	√	√	X
CONTRIVANCES, WATER-ACTIVATED with burster, expelling charge or propelling charge	0248	1.2L	4.3	-	1	√	√	X
CONTRIVANCES, WATER-ACTIVATED with burster, expelling charge or propelling charge	0249	1.3L	4.3	-	1	√	√	X
ROCKET MOTORS WITH HYPERGOLIC LIQUIDS with or without expelling charge	0250	1.3L	-	-	1	√	√	X
AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge	0254	1.3G	-	-	1	√	√	X
DETONATORS, ELECTRIC for blasting	0255	1.4B	-	-	1	√	√	X
FUZES, DETONATING	0257	1.4B	-	-	1	√	√	X
OCTOLITE (OCTOL) dry or wetted with less than 15% water, by mass	0266	1.1D	-	-	1	√	√	X
DETONATORS, NON-ELECTRIC for blasting	0267	1.4B	-	-	1	√	√	X
BOOSTERS WITH DETONATOR	0268	1.2B	-	-	1	√	√	X
CHARGES, PROPELLING	0271	1.1C	-	-	1	√	√	X
CHARGES, PROPELLING	0272	1.3C	-	-	1	√	√	X
CARTRIDGES, POWER DEVICE	0275	1.3C	-	-	1	√	√	X
CARTRIDGES, POWER DEVICE	0276	1.4C	-	-	1	√	√	X
CARTRIDGES, OIL WELL	0277	1.3C	-	-	1	√	√	X
CARTRIDGES, OIL WELL	0278	1.4C	-	-	1	√	√	X
CHARGES, PROPELLING, FOR CANNON	0279	1.1C	-	-	1	√	√	X
ROCKET MOTORS	0280	1.1C	-	-	1	√	√	X
ROCKET MOTOR	0281	1.2C	-	-	1	√	√	X
NITROGUANIDINE (PICRITE) dry or wetted with less than 20% water, by mass	0282	1.1D	-	-	1	√	√	X
BOOSTERS without detonator	0283	1.2D	-	-	1	√	√	X
GRENADES hand or rifle with, bursting charge	0284	1.1D	-	-	1	√	√	X
GRENADES hand or rifle with, bursting charge	0285	1.2D	-	-	1	√	√	X
WARHEADS, ROCKET with bursting charge	0286	1.1D	-	-	1	√	√	X
WARHEADS, ROCKET with bursting charge	0287	1.2D	-	-	1	√	√	X
CHARGES, SHAPED, FLEXIBLE, LINEAR	0288	1.1D	-	-	1	√	√	X
CORD, DETONATING flexible	0289	1.4D	-	-	1	√	√	X
CORD (FUZE), DETONATING metal-clad	0290	1.1D	-	-	1	√	√	X
BOMBS with bursting charge	0291	1.2F	-	-	1	√	√	X
GRENADES hand or rifle, with bursting charge	0292	1.1F	-	-	1	√	√	X
GRENADES hand or rifle, with bursting charge	0293	1.2F	-	-	1	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
MINES with bursting charge	0294	1.2F	-	-	1	√	√	X
ROCKETS with bursting charge	0295	1.2F	-	-	1	√	√	X
SOUNDING DEVICES, EXPLOSIVE	0296	1.1F	-	-	1	√	√	X
AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge	0297	1.4G	-	-	1	√	√	X
BOMBS, PHOTO-FLASH	0299	1.3G	-	-	1	√	√	X
AMMUNITION, INCENDIARY with or without burster, expelling charge or propelling charge	0300	1.4G	-	-	1	√	√	X
AMMUNITION, TEAR-PRODUCING with burster, expelling charge or propelling charge	0301	1.4G	6.1/8	-	1	√	√	X
AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge	0303	1.4G	-	-	1	√	√	X
FLASH POWDER	0305	1.3G	-	-	1	√	√	X
TRACERS FOR AMMUNITION	0306	1.4G	-	-	1	√	√	X
CARTRIDGES, SIGNAL	0312	1.4G	-	-	1	√	√	X
SIGNALS, SMOKE	0313	1.2G	-	-	1	√	√	X
IGNITERS	0314	1.2G	-	-	1	√	√	X
IGNITERS	0315	1.3G	-	-	1	√	√	X
FUZES, IGNITING	0316	1.3G	-	-	1	√	√	X
FUZES, IGNITING	0317	1.4G	-	-	1	√	√	X
GRENADES, PRACTICE hand or rifle	0318	1.3G	-	-	1	√	√	X
PRIMERS, TUBULAR	0319	1.3G	-	-	1	√	√	X
PRIMERS, TUBULAR	0320	1.4G	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS with bursting charge	0321	1.2E	-	-	1	√	√	X
ROCKET MOTORS WITH HYPERGOLIC LIQUIDS with or without expelling charge	0322	1.2L	-	-	1	√	√	X
CARTRIDGES, POWER DEVICE	0323	1.4S	-	-	2	√	√	X
PROJECTILES with bursting charge	0324	1.2F	-	-	1	√	√	X
IGNITERS	0325	1.4G	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS, BLANK	0326	1.1C	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS, BLANK or CARTRIDGES, SMALL ARMS, BLANK	0327	1.3C	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS, INERT PROJECTILE	0328	1.2C	-	-	1	√	√	X
TORPEDOES with bursting charge	0329	1.1E	-	-	1	√	√	X
TORPEDOES with bursting charge	0330	1.1F	-	-	1	√	√	X
EXPLOSIVE, BLASTING, Type B (AGENT, BLASTING, TYPE B)	0331	1.5D	-	-	1	√	√	X
EXPLOSIVE, BLASTING, Type E (AGENT, BLASTING, TYPE E)	0332	1.5D	-	-	1	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
FIREWORKS	0333	1.1G	-	-	1	√	√	X
FIREWORKS	0334	1.2G	-	-	1	√	√	X
FIREWORKS	0335	1.3G	-	-	1	√	√	X
FIREWORKS	0336	1.4G	-	-	1	√	√	X
FIREWORKS	0337	1.4S	-	-	2	√	√	X
CARTRIDGES FOR WEAPONS, BLANK or CARTRIDGES, SMALL ARMS, BLANK	0338	1.4C	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS, INERT PROJECTILE or CARTRIDGES, SMALL ARMS	0339	1.4C	-	-	1	√	√	X
NITROCELLULOSE dry or wetted with less than 25% water (or alcohol), by mass	0340	1.1D	-	-	1	√	√	X
NITROCELLULOSE unmodified or plasticized with less than 18% plasticizing substance, by mass	0341	1.1D	-	-	1	√	√	X
NITROCELLULOSE, WETTED with not less than 25% alcohol, by mass	0342	1.3C	-	-	1	√	√	X
NITROCELLULOSE, PLASTICIZED with not less than 18% plasticizing substance, by mass	0343	1.3C	-	-	1	√	√	X
PROJECTILES with bursting charge	0344	1.4D	-	-	1	√	√	X
PROJECTILES inert, with tracer	0345	1.4S	-	-	2	√	√	X
PROJECTILES with burster or expelling charge	0346	1.2D	-	-	1	√	√	X
PROJECTILES with burster or expelling charge	0347	1.4D	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS with bursting charge	0348	1.4F	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0349	1.4S	-	-	2	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0350	1.4B	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0351	1.4C	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0352	1.4D	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0353	1.4G	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0354	1.1L	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0355	1.2L	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0356	1.3L	-	-	1	√	√	X
SUBSTANCES, EXPLOSIVE, N.O.S.	0357	1.1L	-	-	1	√	√	X
SUBSTANCES, EXPLOSIVE, N.O.S.	0358	1.2L	-	-	1	√	√	X
SUBSTANCES,EXPLOSIVE, N.O.S.	0359	1.3L	-	-	1	√	√	X
DETONATORS ASSEMBLIES, NON-ELECTRIC for blasting	0360	1.1B	-	-	1	√	√	X
DETONATORS ASSEMBLIES, NON-ELECTRIC FOR electric for blasting	0361	1.4B	-	-	1	√	√	X
AMMUNITION, PRACTICE	0362	1.4G	-	-	1	√	√	X
AMMUNITION, PROOF	0363	1.4G	-	-	1	√	√	X



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
DETONATORS FOR AMMUNITION	0364	1.2B	-	-	1	√	√	X
DETONATORS FOR AMMUNITION	0365	1.4B	-	-	1	√	√	X
DETONATORS FOR AMMUNITION	0366	1.4S	-	-	2	√	√	X
FUZES, DETONATING	0367	1.4S	-	-	2	√	√	X
FUZES, IGNITING	0368	1.4S	-	-	2	√	√	X
WARHEADS, ROCKET with bursting charge	0369	1.1F	-	-	1	√	√	X
WARHEADS, ROCKET with burster or expelling charge	0370	1.4D	-	-	1	√	√	X
WARHEADS, ROCKET with burster or expelling charge	0371	1.4F	-	-	1	√	√	X
GRENADES, PRACTICE hand or rifle	0372	1.2G	-	-	1	√	√	X
SIGNAL DEVICES, HAND	0373	1.4S	-	-	2	√	√	X
SOUNDING DEVICES, EXPLOSIVE	0374	1.1D	-	-	1	√	√	X
SOUNDING DEVICES, EXPLOSIVE	0375	1.2D	-	-	1	√	√	X
PRIMERS, TUBULAR	0376	1.4S	-	-	2	√	√	X
PRIMERS, CAP TYPE	0377	1.1B	-	-	1	√	√	X
PRIMERS, CAP TYPE	0378	1.4B	-	-	1	√	√	X
CASES, CARTRIDGE, EMPTY, WITH PRIMER	0379	1.4C	-	-	1	√	√	X
ARTICLES, PYROPHORIC	0380	1.2L	-	-	1	√	√	X
CARTRIDGES, POWER DEVICE	0381	1.2C	-	-	1	√	√	X
COMPONENTS, EXPLOSIVE TRAIN, N.O.S.	0382	1.2B	-	-	1	√	√	X
COMPONENTS, EXPLOSIVE TRAIN, N.O.S	0383	1.4B	-	-	1	√	√	X
COMPONENTS, EXPLOSIVE TRAIN, N.O.S	0384	1.4S	-	-	2	√	√	X
5-NITROBENZOTRIAZOL	0385	1.1D	-	-	1	√	√	X
TRINITROBENZENE-SULPHONIC ACID	0386	1.1D	-	-	1	√	√	X
TRINITROFLUORENONE	0387	1.1D	-	-	1	√	√	X
TRINITROTOLUENE (TNT) AND TRINITROBENZENE MIXTURE OR TRINITROTOLUENE (TNT) AND HEXANITROSTILBENE MIXTURE	0388	1.1D	-	-	1	√	√	X
TRINITROTOLUENE (TNT) MIXTURE CONTAINING TRINITROBENZENE AND HEXANITROSTILBENE	0389	1.1D	-	-	1	√	√	X
TRITONAL	0390	1.1D	-	-	1	√	√	X
CYCLOTTRIMETHYLENE-TRINITRAMINE (CYCLONITE; HEXOGEN; RDX) AND CYCLOTETRAMETHYLENE-TETRANITRAMINE (HMX; OCTOGEN) MIXTURE, WETTED, with not less than 15% water, by mass or CYCLOTTRIMETHYLENE-TRINITRAMINE (CYCLONITE; HEXOGEN; RDX) AND CYCLOTETRAMETHYLENE-TETRANITRAMINE (HMX; OCTOGEN) MIXTURE, DESENSITIZED, with not less than 10% phlegmatizer, by mass	0391	1.1D	-	-	1	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
HEXANITROSTILBENE	0392	1.1D	-	-	1	√	√	X
HEXOTONAL	0393	1.1D	-	-	1	√	√	X
TRINITRORESORCINOL (STYPHNIC ACID), WETTED with not less than 20% water, or mixture of alcohol and water, by mass	0394	1.1D	-	-	1	√	√	X
ROCKET MOTORS, LIQUID FUELLED	0395	1.2J	-	-	1	√	√	X
ROCKET MOTORS, LIQUID FUELLED	0396	1.3J	-	-	1	√	√	X
ROCKETS, LIQUID FUELLED with bursting charge	0397	1.1J	-	-	1	√	√	X
ROCKETS, LIQUID FUELLED with bursting charge	0398	1.2J	-	-	1	√	√	X
BOMBS WITH FLAMMABLE LIQUID with bursting charge	0399	1.1J	-	-	1	√	√	X
BOMBS WITH FLAMMABLE LIQUID with bursting charge	0400	1.2J	-	-	1	√	√	X
DIPICRYL SULPHIDE dry or wetted with less 10% water, by mass	0401	1.1D	-	-	1	√	√	X
AMMONIUM PERCHLORATE	0402	1.1D	-	-	1	√	√	X
FLARES, AERIAL	0403	1.4G	-	-	1	√	√	X
FLARES, AERIAL	0404	1.4S	-	-	2	√	√	X
CARTRIDGES, SIGNAL	0405	1.4S	-	-	2	√	√	X
DINITROSOBENZENE	0406	1.3C	-	-	1	√	√	X
TETRAZOL-1-ACETIC ACID	0407	1.4C	-	-	1	√	√	X
FUZES, DETONATING with protective features	0408	1.1D	-	-	1	√	√	X
FUZES, DETONATING with protective features	0409	1.2D	-	-	1	√	√	X
FUZES, DETONATING, with protective features	0410	1.4D	-	-	1	√	√	X
PENTAERYTHRITATE TETRANITRATE (PENTAERYTHRITOL TETRANITRATE; PETN) with not less than 7% wax, by mass	0411	1.1D	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS with bursting charge	0412	1.4E	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS, BLANK	0413	1.2C	-	-	1	√	√	X
CHARGES, PROPELLING, FOR CANNON	0414	1.2C	-	-	1	√	√	X
CHARGES, PROPELLING	0415	1.2C	-	-	1	√	√	X
CARTRIDGES FOR WEAPONS, INERT PROJECTILE or CARTRIDGES, SMALL ARMS	0417	1.3C	-	-	1	√	√	X
FLARES, SURFACE	0418	1.1G	-	-	1	√	√	X
FLARES, SURFACE	0419	1.2G	-	-	1	√	√	X
FLARES, AERIAL	0420	1.1G	-	-	1	√	√	X
FLARES, AERIAL	0421	1.2G	-	-	1	√	√	X
PROJECTILES inert, with tracer	0424	1.3G	-	-	1	√	√	X
PROJECTILES inert, with tracer	0425	1.4G	-	-	1	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
PROJECTILES with burster or expelling charge	0426	1.2F	-	-	1	√	√	X
PROJECTILES with burster or expelling charge	0427	1.4F	-	-	1	√	√	X
ARTICLES, PYROTECHNIC for technical purposes	0428	1.1G	-	-	1	√	√	X
ARTICLES, PYROTECHNIC for technical purposes	0429	1.2G	-	-	1	√	√	X
ARTICLES, PYROTECHNIC for technical purposes	0430	1.3G	-	-	1	√	√	X
ARTICLES, PYROTECHNIC for technical purposes	0431	1.4G	-	-	1	√	√	X
ARTICLES, PYROTECHNIC for technical purposes	0432	1.4S	-	-	2	√	√	X
POWDER CAKE (POWDER PASTE), WETTED with not less than 17% alcohol, by mass	0433	1.1C	-	-	1	√	√	X
PROJECTILES with burster or expelling charge	0434	1.2G	-	-	1	√	√	X
PROJECTILES with burster or expelling charge	0435	1.4G	-	-	1	√	√	X
ROCKET with expelling charge	0436	1.2C	-	-	1	√	√	X
ROCKET with expelling charge	0437	1.3C	-	-	1	√	√	X
ROCKETS with expelling charge	0438	1.4C	-	-	1	√	√	X
CHARGES, SHAPED without detonator	0439	1.2D	-	-	1	√	√	X
CHARGES, SHAPED without detonator	0440	1.4D	-	-	1	√	√	X
CHARGES, SHAPED without detonator	0441	1.4S	-	-	1	√	√	X
CHARGES, EXPLOSIVE, COMMERCIAL without detonator	0442	1.1D	-	-	1	√	√	X
CHARGES, EXPLOSIVE, COMMERCIAL without detonator	0443	1.2D	-	-	1	√	√	X
CHARGES, EXPLOSIVE, COMMERCIAL without detonator	0444	1.4D	-	-	1	√	√	X
CHARGES, EXPLOSIVE, COMMERCIAL without detonator	0445	1.4S	-	-	2	√	√	X
CASES, COMBUSTIBLE, EMPTY, WITHOUT PRIMER	0446	1.4C	-	-	1	√	√	X
CASES, COMBUSTIBLE, EMPTY, WITHOUT PRIMER	0447	1.3C	-	-	1	√	√	X
5-MERCAPTOTETRAZOL-1-ACETIC ACID	0448	1.4C	-	-	1	√	√	X
TORPEDOES, LIQUID-FUELLED with or without bursting charge	0449	1.1J	-	-	1	√	√	X
TORPEDOES, LIQUID-FUELLED, with inert head	0450	1.3J	-	-	1	√	√	X
TORPEDOES, with bursting charge	0451	1.1D	-	-	1	√	√	X
GRENADES, PRACTICE, hand or rifle	0452	1.4G	-	-	1	√	√	X
ROCKETS, LINE-THROWING	0453	1.4G	-	-	1	√	√	X
IGNITERS	0454	1.4S	-	-	2	√	√	X
DETONATORS, NON-ELECTRIC for blasting	0455	1.4S	-	-	2	√	√	X
DETONATORS, ELECTRIC for blasting	0456	1.4S	-	-	2	√	√	X
CHARGES, BURSTING, PLASTIC-BONDED	0457	1.1D	-	-	1	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
CHARGES, BURSTING, PLASTIC-BONDED	0458	1.2D	-	-	1	√	√	X
CHARGES, BURSTING, PLASTIC-BONDED	0459	1.4D	-	-	1	√	√	X
CHARGES, BURSTING, PLASTIC-BONDED	0460	1.4S	-	-	2	√	√	X
COMPONENTS, EXPLOSIVE TRAIN, N.O.S.	0461	1.1B	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0462	1.1C	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0463	1.1D	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0464	1.1E	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0465	1.1F	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0466	1.2C	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0467	1.2D	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0468	1.2E	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0469	1.2F	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0470	1.3C	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0471	1.4E	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, N.O.S.	0472	1.4F	-	-	1	√	√	X
SUBSTANCES, EXPLOSIVE, N.O.S	0473	1.1A	-	-	1	√	√	X
SUBSTANCES, EXPLOSIVE, N.O.S	0474	1.1C	-	-	1	√	√	X
SUBSTANCES, EXPLOSIVE, N.O.S	0475	1.1D	-	-	1	√	√	X
SUBSTANCES, EXPLOSIVE, N.O.S	0476	1.1G	-	-	1	√	√	X
SUBSTANCES, EXPLOSIVE, N.O.S	0477	1.3C	-	-	1	√	√	X
SUBSTANCES, EXPLOSIVE, N.O.S	0478	1.3G	-	-	1	√	√	X
SUBSTANCES, EXPLOSIVE, N.O.S	0479	1.4C	-	-	1	√	√	X
SUBSTANCES, EXPLOSIVE, N.O.S	0480	1.4D	-	-	1	√	√	X
SUBSTANCES, EXPLOSIVE, N.O.S	0481	1.4S	-	-	2	√	√	X
SUBSTANCES, EXPLOSIVE, VERY INSENSITIVE, (SUBSTANCES, EVI), N.O.S.	0482	1.5D	-	-	1	√	√	X
CYCLOTTRIMETHYLENE-TRINITRAMINE (CYCLONITE; HEXOGEN; RDX) DESENSITIZED	0483	1.1D	-	-	1	√	√	X
CYCLOTETRAMETHYLENE-TETRANITRAMINE (OCTOGEN; HMX) DESENSITIZED	0484	1.1D	-	-	1	√	√	X
SUBSTANCES, EXPLOSIVE, N.O.S	0485	1.4G	-	-	1	√	√	X
ARTICLES, EXPLOSIVE, EXTREMELY INSENSITIVE (ARTICLE, EEI)	0486	1.6N	-	-	1	√	√	X
SIGNALS, SMOKE	0487	1.3G	-	-	1	√	√	X
AMMUNITION, PRACTICE	0488	1.3G	-	-	1	√	√	X
DINITROGLYCOLURIL (DINGU)	0489	1.1D	-	-	1	√	√	X
NITROTRIAZOLONE (NTO)	0490	1.1D	-	-	1	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
CHARGES, PROPELLING	0491	1.4C	-	-	1	√	√	X
SIGNALS, RAILWAY TRACK, EXPLOSIVE	0492	1.3G	-	-	1	√	√	X
SIGNALS, RAILWAY TRACK, EXPLOSIVE	0493	1.4G	-	-	1	√	√	X
JET PERFORATING GUNS, CHARGED oil well, without detonator	0494	1.4D	-	-	1	√	√	X
PROPELLANT, LIQUID	0495	1.3C	-	-	1	√	√	X
OCTONAL	0496	1.1D	-	-	1	√	√	X
PROPELLANT, LIQUID	0497	1.1C	-	-	1	√	√	X
PROPELLANT, SOLID	0498	1.1C	-	-	1	√	√	X
PROPELLANT, SOLID	0499	1.3C	-	-	1	√	√	X
DETONATOR ASSEMBLIES, NON-ELECTRIC for blasting	0500	1.4S	-	-	2	√	√	X
PROPELLANT, SOLID	0501	1.4C	-	-	1	√	√	X
ROCKETS with inert head	0502	1.2C	-	-	1	√	√	X
SAFETY DEVICES, PYROTECHNIC	0503	1.4G	-	-	1	√	√	X
1H -TETRAZOLE	0504	1.1D	-	-	1	√	√	X
SIGNALS, DISTRESS, ship	0505	1.4G	-	-	1	√	√	X
SIGNALS, DISTRESS, ship	0506	1.4S	-	-	2	√	√	X
SIGNALS, SMOKE	0507	1.4S	-	-	2	√	√	X
1-HYDROXYBENZOTRIAZOLE, ANHYDROUS, dry or wetted with less than 20% water, by mass	0508	1.3C	-	-	1	√	√	X
POWDER, SMOKELESS	0509	1.4C	-	-	1	√	√	X
ACETYLENE, DISSOLVED	1001	2.1	-	-	2	√	√	√
AIR, COMPRESSED	1002	2.2	-	-	3	√	√	√
AIR, REFRIGERATED LIQUID	1003	2.2	5.1	-	2	√	√	√
AMMONIA, ANHYDROUS	1005	2.3	8/P	-	2	√	√	X
ARGON, COMPRESSED	1006	2.2	-	-	3	√	√	√
BORON TRIFLUORIDE	1008	2.3	8	-	2	√	√	X
BROMOTRIFLUOROMETHANE (REFRIGERANT GAS R 13B1)	1009	2.2	-	-	3	√	√	√
BUTADIENES, STABILIZED or BUTADIENES AND HYDROCARBON MIXTURE, STABILIZED, containing more than 40% butadienes	1010	2.1	-	-	2	√	√	√
BUTANE	1011	2.1	-	-	2	√	√	√
BUTYLENE	1012	2.1	-	-	2	√	√	√
CARBON DIOXIDE	1013	2.2	-	-	3	√	√	√
CARBON MONOXIDE, COMPRESSED	1016	2.3	2.1	-	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
CHLORINE	1017	2.3	5.1/8/P	-	2	√	√	X
CHLORODIFLUOROMETHANE(REFRIGERANT GAS R 22)	1018	2.2	-	-	3	√	√	√
CHLOROPENTAFLURO-ETHANE (REFRIGERANT GAS R 115)	1020	2.2	-	-	3	√	√	√
1-CHLORO-1,2,2,2-TETRA-FLUROETHANE (REFRIGERANT GAS R 124)	1021	2.2	-	-	3	√	√	√
CHLOROTRIFLUOROMETHANE (REFRIGERANT GAS R 13)	1022	2.2	-	-	3	√	√	√
COAL GAS, COMPRESSED	1023	2.3	2.1	-	2	√	√	X
CYANOGEN	1026	2.3	2.1	-	2	√	√	X
CYCLOPROPANE	1027	2.1	-	-	2	√	√	√
DICHLORODIFLUOROMETHANE (REFRIGERANT GAS R 12)	1028	2.2	-	-	3	√	√	√
DICHLOROFLUOROMETHANE (REFRIGERANT GAS R 21)	1029	2.2	-	-	3	√	√	√
1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)	1030	2.1	-	-	2	√	√	√
DIMETHYLAMINE, ANHYDROUS	1032	2.1	-	-	2	√	√	√
DIMETHYL ETHER	1033	2.1	-	-	2	√	√	√
ETHANE	1035	2.1	-	-	2	√	√	√
ETHYLAMINE	1036	2.1	-	-	2	√	√	√
ETHYL CHLORIDE	1037	2.1	-	-	2	√	√	√
ETHYLENE, REFRIGERATED LIQUID	1038	2.1	-	-	2	√	√	√
ETHYL METHYL ETHER	1039	2.1	-	-	2	√	√	√
ETHYLENE OXIDE or ETHYLENE OXIDE WITH NITROGEN up to a total pressure of 1MPa (10 bar) at 50°C	1040	2.3	2.1	-	2	√	√	X
ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with more than 9% but not more than 87% ethylene oxide	1041	2.1	-	-	2	√	√	√
FERTILIZER AMMONIATING SOLUTION with free ammonia	1043	2.2	-	-	3	√	√	√
FIRE EXTINGUISHERS with compressed or liquefied gas	1044	2.2	-	-	3	√	√	√
FLUORINE, COMPRESSED	1045	2.3	5.1/8	-	2	√	√	X
HELIUM, COMPRESSED	1046	2.2	-	-	3	√	√	√
HYDROGEN BROMIDE, ANHYDROUS	1048	2.3	8	-	2	√	√	X
HYDROGEN, COMPRESSED	1049	2.1	-	-	2	√	√	√
HYDROGEN CHLORIDE, ANHYDROUS	1050	2.3	8	-	2	√	√	X
HYDROGEN CYANIDE, STABILIZED containing less than 3% water	1051	6.1	3/P	I	2	√	√	X
HYDROGEN FLUORIDE, ANHYDROUS	1052	8	6.1	I	2	√	√	X
HYDROGEN SULPHIDE	1053	2.3	2.1	-	2	√	√	X
ISOBUTYLENE	1055	2.1	-	-	2	√	√	√
KRYPTON, COMPRESSED	1056	2.2	-	-	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
LIGHTER or LIGHTER REFILLS containing flammable gas	1057	2.1	-	-	2	√	√	√
LIQUEFIED GASES non-flammable, charged with nitrogen, carbon dioxide or air	1058	2.2	-	-	3	√	√	√
METHYLACETYLENE AND PROPADIENE MIXTURE, STABILIZED	1060	2.1	-	-	2	√	√	√
METHYLAMINE, ANHYDROUS	1061	2.1	-	-	2	√	√	√
METHYL BROMIDE with not more than 2.0% chloropicrin	1062	2.3	-	-	2	√	√	X
METHYL CHLORIDE (REFRIGERANT GAS R 40)	1063	2.1	-	-	2	√	√	√
METHYL MERCAPTAN	1064	2.3	2.1/P	-	2	√	√	X
NEON, COMPRESSED	1065	2.2	-	-	3	√	√	√
NITROGEN, COMPRESSED	1066	2.2	-	-	3	√	√	√
DINITROGEN TETROXIDE (NITROGEN DIOXIDE)	1067	2.3	5.1/8	-	2	√	√	X
NITROSYL CHLORIDE	1069	2.3	8	-	2	√	√	X
NITROUS OXIDE	1070	2.2	5.1	-	2	√	√	√
OIL GAS, COMPRESSED	1071	2.3	2.1	-	2	√	√	X
OXYGEN, COMPRESSED	1072	2.2	5.1	-	2	√	√	√
OXYGEN, REFRIGERATED LIQUID	1073	2.2	5.1	-	2	√	√	√
PETROLEUM GASES, LIQUEFIED	1075	2.1	-	-	2	√	√	√
PHOSGENE	1076	2.3	8	-	2	√	√	X
PROPYLENE	1077	2.1	-	-	2	√	√	√
REFRIGERANT GASES, N.O.S	1078	2.2	-	-	3	√	√	√
SULPHUR DIOXIDE	1079	2.3	8	-	2	√	√	X
SULPHUR HEXAFLUORIDE	1080	2.2	-	-	3	√	√	√
TETRAFLUOROETHYLENE, STABILIZED	1081	2.1	-	-	2	√	√	√
TRIFLUOROCHLORO-ETHYLENE, STABILIZED	1082	2.3	2.1	-	2	√	√	X
TRIMETHYLAMINE, ANHYDROUS	1083	2.1	-	-	2	√	√	√
VINYL BROMIDE, STABILIZED	1085	2.1	-	-	2	√	√	√
VINYL CHLORIDE, STABILIZED	1086	2.1	-	-	2	√	√	√
VINYL METHYL ETHER, STABILIZED	1087	2.1	-	-	2	√	√	√
ACETAL	1088	3	-	II	2	√	√	√
ACETALDEHYDE	1089	3	-	I	2	√	√	X
ACETONE	1090	3	-	II	2	√	√	√
ACETONE OILS	1091	3	-	II	2	√	√	√
ACROLEIN, STABILIZED	1092	6.1	3/P	I	2	√	√	X
ACRYLONITRILE, STABILIZED	1093	3	6.1	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ALLYL ALCOHOL	1098	6.1	3/P	I	2	√	√	X
ALLYL BROMIDE	1099	3	6.1/P	I	2	√	√	X
ALLYL CHLORIDE	1100	3	6.1	I	2	√	√	X
AMYL ACETATES	1104	3	-	III	3	√	√	√
PENTANOLS	1105	3	-	II	2	√	√	√
PENTANOLS	1105	3	-	III	3	√	√	√
AMYLAMINES	1106	3	8	II	2	√	√	√
AMYLAMINES	1106	3	8	III	2	√	√	√
AMYL CHLORIDE	1107	3	-	II	2	√	√	√
1-PENTENE ( <i>n</i> -AMYLENE)	1108	3	-	I	2	√	√	X
AMYL FORMATES	1109	3	-	III	3	√	√	√
<i>n</i> - AMYL METHYL KETONE	1110	3	-	III	3	√	√	√
AMYL MERCAPTANS	1111	3	-	II	2	√	√	√
AMYL NITRATE	1112	3	-	III	3	√	√	√
AMYL NITRITE	1113	3	-	II	2	√	√	√
BENZENE	1114	3	-	II	2	√	√	√
BUTANOLS	1120	3	-	II	2	√	√	√
BUTANOLS	1120	3	-	III	3	√	√	√
BUTYL ACETATES	1123	3	-	II	2	√	√	√
BUTYL ACETATES	1123	3	-	III	3	√	√	√
<i>n</i> - BUTYLAMINE	1125	3	8	II	2	√	√	√
1-BROMOBUTANE	1126	3	-	II	2	√	√	√
CHLOROBUTANES	1127	3	-	II	2	√	√	√
<i>n</i> -BUTYL FORMATE	1128	3	-	II	2	√	√	√
BUTYRALDENYDE	1129	3	-	II	2	√	√	√
CAMPHOR OIL	1130	3	-	III	3	√	√	√
CARBON DISULPHIDE	1131	3	6.1	I	2	√	√	X
ADHESIVE containing flammable liquid	1133	3	-	I	2	√	√	X
ADHESIVE containing flammable liquid	1133	3	-	II	2	√	√	√
ADHESIVE containing flammable liquid	1133	3	-	III	3	√	√	√
CHLOROBENZENE	1134	3	-	III	3	√	√	√
ETHLENE CHLOROHYDRIN	1135	6.1	3	I	2	√	√	X
COAL TAR DISTILLATE, FLAMMABLE	1136	3	-	II	2	√	√	√



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
COAL TAR DISTILLATE, FLAMMABLE	1136	3	-	III	3	√	√	√
COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under-coating, drum or barrel lining)	1139	3	-	I	2	√	√	X
COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under-coating, drum or barrel lining)	1139	3	-	II	2	√	√	√
COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under-coating, drum or barrel lining)	1139	3	-	III	3	√	√	√
CROTONALDEHYDE or CROTONALDEHYDE, STABILIZED	1143	6.1	3/P	I	2	√	√	X
CROTONYLENE	1144	3	-	I	2	√	√	X
CYCLOHEXANE	1145	3	-	II	2	√	√	√
CYCLOPENTANE	1146	3	-	II	2	√	√	√
DECAHYDRONAPHTHALENE	1147	3	-	III	3	√	√	√
DIACETONE ALCOHOL	1148	3	-	II	2	√	√	√
DIACETONE ALCOHOL	1148	3	-	III	3	√	√	√
DIBUTYL ETHERS	1149	3	-	III	3	√	√	√
1,2-DICHLOROETHYLENE	1150	3	-	II	2	√	√	√
DICHLOROPENTANES	1152	3	-	III	3	√	√	√
ETHYLENE GLYCOL DIETHYL ETHER	1153	3	-	II	2	√	√	√
ETHYLENE GLYCOL DIETHYL ETHER	1153	3	-	III	3	√	√	√
DIETHYLAMINE	1154	3	8	II	2	√	√	√
DIETHYL ETHER (ETHYL ETHER)	1155	3	-	I	2	√	√	X
DIETHYL KETONE	1156	3	-	II	2	√	√	√
DIISOBUTYL KETONE	1157	3	-	III	3	√	√	√
DIISOPROPYLAMINE	1158	3	8	II	2	√	√	√
DIISOPROPYL ETHER	1159	3	-	II	2	√	√	√
DIMETHYLAMINE, AQUEOUS SOLUTION	1160	3	8	II	2	√	√	√
DIMETHYL CARBONATE	1161	3	-	II	2	√	√	√
DIMETHYLDICHLOROSILANE	1162	3	8	II	2	√	√	√
DIMETHYLHYDRAZINE, UNSYMMETRICAL	1163	6.1	3/8/P	I	2	√	√	X
DIMETHYL SULPHIDE	1164	3	-	II	2	√	√	√
DIOXANE	1165	3	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
DIOXOLANE	1166	3	-	II	2	√	√	√
DIVINYL ETHER, STABILIZED	1167	3	-	I	2	√	√	X
EXTRACTS, AROMATIC, LIQUID	1169	3	-	II	2	√	√	√
EXTRACTS, AROMATIC, LIQUID	1169	3	-	III	3	√	√	√
ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	1170	3	-	II	2	√	√	√
ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	1170	3	-	III	3	√	√	√
ETHYLENE GLYCOL MONOETHYL ETHER	1171	3	-	III	3	√	√	√
ETHYLENE GLYCOL MONOETHYLEETHER ACETATE	1172	3	-	III	3	√	√	√
ETHYL ACETATE	1173	3	-	II	2	√	√	√
ETHYLBENZENE	1175	3	-	II	2	√	√	√
ETHYL BORATE	1176	3	-	II	2	√	√	√
2-ETHYLBUTYL ACETATE	1177	3	-	III	3	√	√	√
2-ETHYLBUTRALDEHYDE	1178	3	-	II	2	√	√	√
ETHYL BUTYL ETHER	1179	3	-	II	2	√	√	√
ETHYL BUTYRATE	1180	3	-	III	3	√	√	√
ETHYL CHLOROACETATE	1181	6.1	3	II	2	√	√	√
ETHYL CHLOROFORMATE	1182	6.1	3/8	I	2	√	√	X
ETHYLDICHLOROSILANE	1183	4.3	3/8	I	2	√	√	X
ETHYLENE DICHLORIDE	1184	3	6.1	II	2	√	√	√
ETHYLENEIMINE, STABILIZED	1185	6.1	3	I	2	√	√	X
ETHYLENE GLYCOL MONOMETHYL ETHER	1188	3	-	III	3	√	√	√
ETHYLENE GLYCOL MONOMETHYL ETHER ACETATE	1189	3	-	III	3	√	√	√
ETHYL FORMATE	1190	3	-	II	2	√	√	√
OCTYL ALDEHYDES	1191	3	-	III	3	√	√	√
ETHYL LACTATE	1192	3	-	III	3	√	√	√
ETHYL METHYL KETONE (METHYL ETHYL KETONE)	1193	3	-	II	2	√	√	√
ETHYL NITRITE SOLUTION	1194	3	6.1	I	2	√	√	X
ETHYL PROPIONATE	1195	3	-	II	2	√	√	√
ETHYLTRICHLOROSILANE	1196	3	8	II	2	√	√	√
EXTRACTS, FLAVOURING, LIQUID	1197	3	-	II	2	√	√	√
EXTRACTS, FLAVOURING, LIQUID	1197	3	-	III	3	√	√	√
FORMALDEHYDE SOLUTION, FLAMMABLE	1198	3	8	III	2	√	√	√
FURALDEHYDES	1199	6.1	3	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
FUSEL OIL	1201	3	-	II	2	√	√	√
FUSEL OIL	1201	3	-	III	3	√	√	√
GAS OIL or DIESEL FUEL or HEATING OIL,LIGHT	1202	3	-	III	3	√	√	√
MOTOR SPIRIT or GASOLINE or PETROL	1203	3	-	II	2	√	√	√
NITROGLYCERIN SOLUTION IN ALCOHOL with not more than 1% nitroglycerin	1204	3	-	II	2	√	√	√
HEPTANES	1206	3	P	II	2	√	√	√
HEXALDEHYDE	1207	3	-	III	3	√	√	√
HEXANES	1208	3	-	II	2	√	√	√
PRINTING INK flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable	1210	3	-	I	2	√	√	X
PRINTING INK flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable	1210	3	-	II	2	√	√	√
PRINTING INK flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable	1210	3	-	III	3	√	√	√
ISOBUTANOL (ISOBUTYL ALCOHOL)	1212	3	-	III	3	√	√	√
ISOBUTYL ACETATE	1213	3	-	II	2	√	√	√
ISOBUTYLAMINE	1214	3	8	II	2	√	√	√
ISOOCTENES	1216	3	-	II	2	√	√	√
ISOPRENE, STABILIZED	1218	3	-	I	2	√	√	X
ISOPROPANOL(ISOPROPYL ALCOHOL)	1219	3	-	II	2	√	√	√
ISOPROPYL ACETATE	1220	3	-	II	2	√	√	√
ISOPROPYLAMINE	1221	3	8	I	2	√	√	X
ISOPROPYL NITRATE	1222	3	-	II	2	√	√	√
KEROSENE	1223	3	-	III	3	√	√	√
KETONES, LIQUID, N.O.S.	1224	3	-	II	2	√	√	√
KETONES, LIQUID, N.O.S.	1224	3	-	III	3	√	√	√
MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	1228	3	6.1	II	2	√	√	√
MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	1228	3	6.1	III	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
MESITY OXIDE	1229	3	-	III	3	√	√	√
METHANOL	1230	3	6.1	II	2	√	√	√
METHYL ACETATE	1231	3	-	II	2	√	√	√
METHYLAMYL ACETATE	1233	3	-	III	3	√	√	√
METHYLAL	1234	3	-	II	2	√	√	√
METHYLAMINE, AQUEOUS SOLUTION	1235	3	8	II	2	√	√	√
METHYL BUTYRATE	1237	3	-	II	2	√	√	√
METHYL CHLOROFORMATE	1238	6.1	3/8	I	2	√	√	X
METHYL CHLOROMETHYL ETHER	1239	6.1	3	I	2	√	√	X
METHYLDICHLOROSILANE	1242	4.3	3/8	I	2	√	√	X
METHYL FORMATE	1243	3	-	I	2	√	√	X
METHYLHYDRAZINE	1244	6.1	3/8	I	2	√	√	X
METHYL ISOBUTYL KETONE	1245	3	-	II	2	√	√	√
METHYL ISOPROPENYL KETONE, STABILIZED	1246	3	-	II	2	√	√	√
METHYL METHACRYLATE MONOMER, STABILIZED	1247	3	-	II	2	√	√	√
METHYL PROPIONATE	1248	3	-	II	2	√	√	√
METHYL PROPYL KETONE	1249	3	-	II	2	√	√	√
METHYLTRICHLOROSILANE	1250	3	8	II	2	√	√	√
METHYL VINYL KETONE, STABILIZED	1251	6.1	3/8	I	2	√	√	X
NICKEL CARBONYL	1259	6.1	3/P	I	2	√	√	X
NITROMETHANE	1261	3	-	II	2	√	√	√
OCTANES	1262	3	P	II	2	√	√	√
PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning or reducing compound)	1263	3	-	I	2	√	√	X
PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning or reducing compound)	1263	3	-	II	2	√	√	√
PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning or reducing compound)	1263	3	-	III	3	√	√	√
PARALDEHYDE	1264	3	-	III	3	√	√	√
PENTANES, liquid	1265	3	-	I	2	√	√	X
PENTANES, liquid	1265	3	-	II	2	√	√	√
PERFUMERY PRODUCTS with flammable solvents	1266	3	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
PERFUMERY PRODUCTS with flammable solvents	1266	3	-	III	3	√	√	√
PETROLEUM CRUDE OIL	1267	3	-	I	2	√	√	X
PETROLEUM CRUDE OIL	1267	3	-	II	2	√	√	√
PETROLEUM CRUDE OIL	1267	3	-	III	3	√	√	√
PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S	1268	3	P	I	2	√	√	X
PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S	1268	3	P	II	2	√	√	√
PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S	1268	3	P	III	3	√	√	√
PINE OIL	1272	3	P	III	3	√	√	√
<i>n</i> - PROPANOL (PROPYL ALCOHOL, NORMAL)	1274	3	-	II	2	√	√	√
<i>n</i> - PROPANOL (PROPYL ALCOHOL, NORMAL)	1274	3	-	III	3	√	√	√
PROPIONALDEHYDE	1275	3	-	II	2	√	√	√
<i>n</i> - PROPYL ACETATE	1276	3	-	II	2	√	√	√
PROPYLAMINE	1277	3	8	II	2	√	√	√
1-CHLOROPROPANE	1278	3	-	II	2	√	√	√
1,2-DICHLOROPROPANE	1279	3	-	II	2	√	√	√
PROPYLENE OXIDE	1280	3	-	I	2	√	√	X
PROPYL FORMATES	1281	3	-	II	2	√	√	√
PYRIDINE	1282	3	-	II	2	√	√	√
ROSIN OIL	1286	3	-	II	2	√	√	√
ROSIN OIL	1286	3	-	III	3	√	√	√
RUBBER SOLUTION	1287	3	-	II	2	√	√	√
RUBBER SOLUTION	1287	3	-	III	3	√	√	√
SHALE OIL	1288	3	-	II	2	√	√	√
SHALE OIL	1288	3	-	III	3	√	√	√
SODIUM METHYLATE SOLUTION in alcohol	1289	3	8	II	2	√	√	√
SODIUM METHYLATE SOLUTION in alcohol	1289	3	8	III	3	√	√	√
TETRAETHYL SILICATE	1292	3	-	III	3	√	√	√
TINCTURES, MEDICINAL	1293	3	-	II	2	√	√	√
TINCTURES, MEDICINAL	1293	3	-	III	3	√	√	√
TOLUENE	1294	3	-	II	2	√	√	√
TRICHLOROSILANE	1295	4.3	03-Aug	I	2	√	√	X
TRIETHYLAMINE	1296	3	8	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
TRIMETHYLAMINE, AQUEOUS SOLUTION, not more than 50% trimethylamine, by mass	1297	3	8	I	2	√	√	X
TRIMETHYLAMINE, AQUEOUS SOLUTION, not more than 50% trimethylamine, by mass	1297	3	8	II	2	√	√	√
TRIMETHYLAMINE, AQUEOUS SOLUTION, not more than 50% trimethylamine, by mass	1297	3	8	III	2	√	√	√
TRIMETHYLCHLOROSILANE	1298	3	8	II	2	√	√	√
TURPENTINE	1299	3	P	III	3	√	√	√
TURPENTINE SUBSTITUTE	1300	3	-	II	2	√	√	√
TURPENTINE SUBSTITUTE	1300	3	-	III	3	√	√	√
VINYL ACETATE, STABILIZED	1301	3	-	II	2	√	√	√
VINYL ETHYL ETHER, STABILIZED	1302	3	-	I	2	√	√	X
VINYLDENE CHLORIDE , STABILIZED	1303	3	P	I	2	√	√	X
VINYL ISOBUTYL ETHER, STABILIZED	1304	3	-	II	2	√	√	√
VINYLTRICHLOROSILANE	1305	3	8	II	2	√	√	√
WOOD PRESERVATIVES, LIQUID	1306	3	-	II	2	√	√	√
WOOD PRESERVATIVES, LIQUID	1306	3	-	III	3	√	√	√
XYLENES	1307	3	-	II	2	√	√	√
XYLENES	1307	3	-	III	3	√	√	√
ZIRCONIUM, SUSPENDED IN A FLAMMABLE LIQUID	1308	3	-	I	2	√	√	X
ZIRCONIUM, SUSPENDED IN A FLAMMABLE LIQUID	1308	3	-	II	2	√	√	√
ZIRCONIUM, SUSPENDED IN A FLAMMABLE LIQUID	1308	3	-	III	3	√	√	√
ALUMINIUM POWDER, COATED	1309	4.1	-	II	2	√	√	√
ALUMINIUM POWDER, COATED	1309	4.1	-	III	3	√	√	√
AMMONIUM PICRATE WETTED with not less than 10% water by mass	1310	4.1	-	I	2	√	√	X
BORNEOL	1312	4.1	-	III	3	√	√	√
CALCIUM RESINATE	1313	4.1	-	III	3	√	√	√
CALCIUM RESINATE, FUSED	1314	4.1	-	III	3	√	√	√
COBALT RESINATE, PRECIPITATED	1318	4.1	-	III	3	√	√	√
DINITROPHENOL WETTED with not less than 15% water by mass	1320	4.1	6.1/P	I	2	√	√	X
DINITROPHENOLATES WETTED with not less than 15% water by mass	1321	4.1	6.1/P	I	2	√	√	X
DINITRORESORCINOL WETTED with not less than 15% water by mass	1322	4.1	-	I	2	√	√	X
FERROCERIUM	1323	4.1	-	II	2	√	√	√
FILM NITROCELLULOSE gelatin coated except scrap	1324	4.1	-	III	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
FLAMMABLE SOLID, ORGANIC,N.O.S.	1325	4.1	-	II	2	√	√	√
FLAMMABLE SOLID, ORGANIC,N.O.S.	1325	4.1	-	III	2	√	√	√
HAFNIUM POWDER WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, having a particle size less than 53 microns, (b) chemically produced, having a particle size less than 840 microns	1326	4.1	-	II	2	√	√	√
HAY, STRAW or BHUSA	1327	4.1	-	-	3	√	√	√
HEXAMETHYLENETETRAMINE	1328	4.1	-	III	3	√	√	√
MANGANESE RESINATE	1330	4.1	-	III	3	√	√	√
MATCHES, "STRIKE ANYWHERE"	1331	4.1	-	III	3	√	√	√
METALDEHYDE	1332	4.1	-	III	3	√	√	√
CERIUM slabs, ingots or rods	1333	4.1	-	II	2	√	√	√
NAPHTHALENE,CRUDE or NAPHTHALENE, REFINED	1334	4.1	P	III	3	√	√	√
NITROGUANIDINE(PICRITE) WETTED with not less than 20% water, by mass	1336	4.1	-	I	2	√	√	X
NITROSTARCH WETTED with not less than 20% water by mass	1337	4.1	-	I	2	√	√	X
PHOSPHORUS, AMORPHOUS	1338	4.1	-	III	3	√	√	√
PHOSPHORUS HEPTASULPHIDE free from yellow or white phosphorus	1339	4.1	-	II	2	√	√	√
PHOSPHORUS PENTASULPHIDE free from yellow or white phosphorus	1340	4.3	4.1	II	2	√	√	√
PHOSPHORUS SESQUISULPHIDE free from yellow or white phosphorus	1341	4.1	-	II	2	√	√	√
PHOSPHORUS TRISULPHIDE free from yellow or white phosphorus	1343	4.1	-	II	2	√	√	√
TRINITROPHENOL (PICRIS ACID), WETTED with not less than 30% water by mass	1344	4.1	-	I	2	√	√	X
RUBBER SCRAP powdered or granulated, not exceeding 840 microns and rubber content exceeding 45% or RUBBER SHODDY powdered or granulated, not exceeding 840 microns and rubber content exceeding 45%	1345	4.1	-	II	2	√	√	√
SILICON POWDER, AMORPHOUS	1346	4.1	-	III	3	√	√	√
SILVER PICRATE, WETTED with not less than 30% water, by mass	1347	4.1	-	I	2	√	√	X
SODIUM DINITRO- <i>o</i> -CRESOLATE WETTED With not less than 15% water by mass	1348	4.1	6.1/P	I	2	√	√	X
SODIUM PICRAMATE WETTED with not less than 20% water by mass	1349	4.1	-	I	2	√	√	X
SULPHUR	1350	4.1	-	III	3	√	√	√
TITANIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns	1352	4.1	-	II	2	√	√	√
FIBRES or FABRICS IMPREGNATED WITH WEAKLY NITRATED NITROCELLULOSE, N.O.S.	1353	4.1	-	III	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
TRINITROBENZENE WETTED with not less than 30% water by mass	1354	4.1	-	I	2	√	√	X
TRINITROBENZOIC ACID WETTED with not less than 30% water by mass	1355	4.1	-	I	2	√	√	X
TRINITROLUENE (TNT) WETED with not less than 30% water, by mass	1356	4.1	-	I	2	√	√	X
UREA NITRATE WETTED with not less than 20% water by mass	1357	4.1	-	I	2	√	√	X
ZIRCONIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, having a particle size less than 53 microns, (b) chemically produced, having a particle size less than 840 microns	1358	4.1	-	II	2	√	√	√
CALCIUM PHOSPHIDE	1360	4.3	6.1	I	2	√	√	X
CARBON , animal or vegetable origin	1361	4.2	-	II	2	√	√	√
CARBON , animal or vegetable origin	1361	4.2	-	III	3	√	√	√
CARBON, ACTIVATED	1362	4.2	-	III	3	√	√	√
COPRA	1363	4.2	-	III	3	√	√	√
COTTON WASTE, OILY	1364	4.2	-	III	3	√	√	√
COTTON, WET	1365	4.2	-	III	3	√	√	√
p-NITROSODIMETHYLANILINE	1369	4.2	-	II	2	√	√	√
FIBRES ANIMAL or FIBRES VEGETABLE burnt, wet or damp	1372	4.2	-	III	3	√	√	√
FIBRES or FABRIC, ANIMAL or VEGETABLE OR SYNTHETIC N.O.S. with oil	1373	4.2	-	III	3	√	√	√
FISHMEAL, UNSTABILIZED or FISHSCRAP, UNSTABILIZED High hazard. Unrestricted moisture content, Unrestricted fat content in excess of 12%, by mass; unrestricted fat content in excess of 15%, by mass, in the case of anti-oxidant treated fishmeal or fishscrap.	1374	4.2	-	II	2	√	√	√
FISHMEAL, UNSTABILIZED or FISHSCRAP, UNSTABILIZED Not anti-oxidant treated. Moisture content: more than 5% but not more than 12%, by mass. Fat content: not more than 12%, by mass	1374	4.2	-	III	3	√	√	√
IRON OXIDE, SPENT or IRON SPONGE, SPENT obtained from coal gas purification	1376	4.2	-	III	3	√	√	√
METAL CATALYST WETTED with a visible excess of liquid	1378	4.2	-	II	2	√	√	√
PAPER, UNSATURATED OILS TREATED incompletely dried (including carbon paper)	1379	4.2	-	III	3	√	√	√
PENTABORANE	1380	4.2	6.1	I	2	√	√	X
PHOSPHORUS, WHITE or YELLOW, DRY or UNDER WATER or IN SOLUTION	1381	4.2	6.1/P	I	2	√	√	X
POTASSIUM SULPHIDE, ANHYDROUS or POTASSIUM SULPHIDE with less than 30% water of crystallization	1382	4.2	-	II	2	√	√	√
PYROPHORIC METAL N.O.S. or PYROPHORIC ALLOY N.O.S.	1383	4.2	-	I	2	√	√	X



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
SODIUM DITHIONITE (SODIUM HYDROSULPHITE)	1384	4.2	-	II	2	√	√	√
SODIUM SULPHIDE ANHYDROUS or SODIUM SULPHIDE with less than 30% water of crystallization	1385	4.2	-	II	2	√	√	√
SEED CAKE, containing vegetable oil (a) mechanically expelled seeds, containing more than 10% oil or more than 20% oil and moisture combined	1386	4.2	-	III	3	√	√	√
SEED CAKE, containing vegetable oil (b) solvent extractions and expelled seeds, containing not more than 10% of oil and when the amount of moisture is higher than 10%, not more than 20% of oil and moisture combined	1386	4.2	-	III	3	√	√	√
WOOL WASTE, WET	1387	4.2	-	III	3	√	√	√
ALKALI METAL AMALGAM, LIQUID	1389	4.3	-	I	2	√	√	X
ALKALI METAL AMIDE	1390	4.3	-	II	2	√	√	√
ALKALI METAL DISPERSIONS or ALKALINE EARTH METAL DISPERSION	1391	4.3	-	I	2	√	√	X
ALKALINE EARTH METAL AMALGAM, LIQUID	1392	4.3	-	I	2	√	√	X
ALKALINE EARTH METALS ALLOYS, N.O.S.	1393	4.3	-	II	2	√	√	√
ALUMINIUM CARBIDE	1394	4.3	-	II	2	√	√	√
ALUMINIUM FERROSILICON POWDER	1395	4.3	6.1	II	2	√	√	√
ALUMINIUM POWDER, UNCOATED	1396	4.3	-	II	2	√	√	√
ALUMINIUM POWDER, UNCOATED	1396	4.3	-	III	2	√	√	√
ALUMINIUM PHOSPHIDE	1397	4.3	6.1	I	2	√	√	X
ALUMINIUM SILICON POWDER UNCOATED	1398	4.3	-	III	2	√	√	√
BARIUM	1400	4.3	-	II	2	√	√	√
CALCIUM	1401	4.3	-	II	2	√	√	√
CALCIUM CARBIDE	1402	4.3	-	I	2	√	√	X
CALCIUM CARBIDE	1402	4.3	-	II	2	√	√	√
CALCIUM CYANAMIDE with more than 0.1% calcium carbide	1403	4.3	-	III	2	√	√	√
CALCIUM HYDRIDE	1404	4.3	-	I	2	√	√	X
CALCIUM SILICIDE	1405	4.3	-	II	2	√	√	√
CALCIUM SILICIDE	1405	4.3	-	III	2	√	√	√
CAESIUM	1407	4.3	-	I	2	√	√	X
FERROSILICON with 30% or more but less than 90% silicon	1408	4.3	6.1	III	2	√	√	√
METAL HYDRIDES, WATER-REACTIVE, N.O.S.	1409	4.3	-	I	2	√	√	X
METAL HYDRIDES, WATER-REACTIVE, N.O.S.	1409	4.3	-	II	2	√	√	√
LITHIUM ALUMINIUM HYDRIDE	1410	4.3	-	I	2	√	√	X
LITHIUM ALUMINIUM HYDRIDE, ETHEREAL	1411	4.3	3	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
LITHIUM BOROHYDRIDE	1413	4.3	-	I	2	√	√	X
LITHIUM HYDRIDE	1414	4.3	-	I	2	√	√	X
LITHIUM	1415	4.3	-	I	2	√	√	X
LITHIUM SILICON	1417	4.3	-	II	2	√	√	√
MAGNESIUM POWDER OR MAGNESIUM ALLOYS POWDER	1418	4.3	4.2	I	2	√	√	X
MAGNESIUM POWDER OR MAGNESIUM ALLOYS POWDER	1418	4.3	4.2	II	2	√	√	√
MAGNESIUM POWDER OR MAGNESIUM ALLOYS POWDER	1418	4.3	4.2	III	2	√	√	√
MAGNESIUM ALUMINIUM PHOSPHIDE	1419	4.3	6.1	I	2	√	√	X
POTASSIUM METAL ALLOYS, LIQUID	1420	4.3	-	I	2	√	√	X
ALKALI METAL ALLOY, LIQUID, N.O.S.	1421	4.3	-	I	2	√	√	X
POTASSIUM SODIUM ALLOYS, LIQUID	1422	4.3	-	I	2	√	√	X
RUBIDIUM	1423	4.3	-	I	2	√	√	X
SODIUM BOROHYDRIDE	1426	4.3	-	I	2	√	√	X
SODIUM HYDRIDE	1427	4.3	-	I	2	√	√	X
SODIUM	1428	4.3	-	I	2	√	√	X
SODIUM METHYLATE	1431	4.2	8	II	2	√	√	√
SODIUM PHOSPHIDE	1432	4.3	6.1	I	2	√	√	X
STANNIC PHOSPHIDE	1433	4.3	6.1	I	2	√	√	X
ZINC ASHES	1435	4.3	-	III	2	√	√	√
ZINC POWDER or ZINC DUST	1436	4.3	4.2	I	2	√	√	X
ZINC POWDER or ZINC DUST	1436	4.3	4.2	II	2	√	√	√
ZINC POWDER or ZINC DUST	1436	4.3	4.2	III	2	√	√	√
ZIRCONIUM HYDRIDE	1437	4.1	-	II	2	√	√	√
ALUMINIUM NITRATE	1438	5.1	-	III	2	√	√	√
AMMONIUM DICHROMATE	1439	5.1	-	II	2	√	√	√
AMMONIUM PERCHLORATE	1442	5.1	-	II	2	√	√	√
AMMONIUM PERSULPHATE	1444	5.1	-	III	2	√	√	√
BARIUM CHLORATE, SOLID	1445	5.1	6.1	II	2	√	√	√
BARIUM NITRATE	1446	5.1	6.1	II	2	√	√	√
BARIUM PERCHLORATE, SOLID	1447	5.1	6.1	II	2	√	√	√
BARIUM PERMANGANATE	1448	5.1	6.1	II	2	√	√	√
BARIUM PEROXIDE	1449	5.1	6.1	II	2	√	√	√
BROMATES, INORGANIC, N.O.S.	1450	5.1	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
CAESIUM NITRATE	1451	5.1	-	III	2	√	√	√
CALCIUM CHLORATE	1452	5.1	-	II	2	√	√	√
CALCIUM CHLORITE	1453	5.1	-	II	2	√	√	√
CALCIUM NITRATE	1454	5.1	-	III	2	√	√	√
CALCIUM PERCHLORATE	1455	5.1	-	II	2	√	√	√
CALCIUM PERMANGANATE	1456	5.1	-	II	2	√	√	√
CALCIUM PEROXIDE	1457	5.1	-	II	2	√	√	√
CHLORATE AND BORATE MIXTURES	1458	5.1	-	II	2	√	√	√
CHLORATE AND BORATE MIXTURES	1458	5.1	-	III	2	√	√	√
CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID	1459	5.1	-	II	2	√	√	√
CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID	1459	5.1	-	III	2	√	√	√
CHLORATES, INORGANIC, N.O.S.	1461	5.1	-	II	2	√	√	√
CHLORITES, INORGANIC, N.O.S.	1462	5.1	-	II	2	√	√	√
CHROMIUM TRIOXIDE, ANHYDROUS	1463	5.1	6.1/8	II	2	√	√	√
DIDYMIUM NITRATE	1465	5.1	-	III	2	√	√	√
FERRIC NITRATE	1466	5.1	-	III	2	√	√	√
GUANIDINE NITRATE	1467	5.1	-	III	2	√	√	√
LEAD NITRATE	1469	5.1	6.1/P	II	2	√	√	√
LEAD PERCHLORATE, SOLID	1470	5.1	6.1/P	II	2	√	√	√
LITHIUM HYPOCHLORITE, DRY or LITHIUM HYPOCHLORITE MIXTURE	1471	5.1	-	II	2	√	√	√
LITHIUM HYPOCHLORITE, DRY or LITHIUM HYPOCHLORITE MIXTURE	1471	5.1	-	III	3	√	√	√
LITHIUM PEROXIDE	1472	5.1	-	II	2	√	√	√
MAGNESIUM BROMATE	1473	5.1	-	II	2	√	√	√
MAGNESIUM NITRATE	1474	5.1	-	III	2	√	√	√
MAGNESIUM PERCHLORATE	1475	5.1	-	II	2	√	√	√
MAGNESIUM PEROXIDE	1476	5.1	-	II	2	√	√	√
NITRATES, INORGANIC, N.O.S.	1477	5.1	-	II	2	√	√	√
NITRATES, INORGANIC, N.O.S.	1477	5.1	-	III	2	√	√	√
OXIDIZING SOLID, N.O.S.	1479	5.1	-	I	2	√	√	X
OXIDIZING SOLID, N.O.S.	1479	5.1	-	II	2	√	√	√
OXIDIZING SOLID, N.O.S.	1479	5.1	-	III	2	√	√	√
PERCHLORATES, INORGANIC N.O.S.	1481	5.1	-	II	2	√	√	√
PERCHLORATES, INORGANIC N.O.S.	1481	5.1	-	III	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
PERMANGANATES, INORGANIC,N.O.S.	1482	5.1	-	II	2	√	√	√
PERMANGANATES, INORGANIC,N.O.S.	1482	5.1	-	III	2	√	√	√
PEROXIDES, INORGANIC,N.O.S.	1483	5.1	-	II	2	√	√	√
PEROXIDES, INORGANIC,N.O.S.	1483	5.1	-	III	2	√	√	√
POTASSIUM BROMATE	1484	5.1	-	II	2	√	√	√
POTASSIUM CHLORATE	1485	5.1	-	II	2	√	√	√
POTASSIUM NITRATE	1486	5.1	-	III	2	√	√	√
POTASSIUM NITRATE AND SODIUM NITRITE MIXTURE	1487	5.1	-	II	2	√	√	√
POTASSIUM NITRITE	1488	5.1	-	II	2	√	√	√
POTASSIUM PERCHLORATE	1489	5.1	-	II	2	√	√	√
POTASSIUM PERMANGANATE	1490	5.1	-	II	2	√	√	√
POTASSIUM PEROXIDE	1491	5.1	-	I	2	√	√	X
POTASSIUM PERSULPHATE	1492	5.1	-	III	2	√	√	√
SILVER NITRATE	1493	5.1	-	II	2	√	√	√
SODIUM BROMATE	1494	5.1	-	II	2	√	√	√
SODIUM CHLORATE	1495	5.1	-	II	2	√	√	√
SODIUM CHLORITE	1496	5.1	-	II	2	√	√	√
SODIUM NITRATE	1498	5.1	-	III	2	√	√	√
SODIUM NITRATE AND POTASSIUM NITRATE MIXTURE	1499	5.1	-	III	2	√	√	√
SODIUM NITRITE	1500	5.1	6.1	III	2	√	√	√
SODIUM PERCHLORATE	1502	5.1	-	II	2	√	√	√
SODIUM PERMANGANATE	1503	5.1	-	II	2	√	√	√
SODIUM PEROXIDE	1504	5.1	-	I	2	√	√	X
SODIUM PERSULPHATE	1505	5.1	-	III	2	√	√	√
STRONTIUM CHLORATE	1506	5.1	-	II	2	√	√	√
STRONTIUM NITRATE	1507	5.1	-	III	2	√	√	√
STRONTIUM PERCHLORATE	1508	5.1	-	II	2	√	√	√
STRONTIUM PEROXIDE	1509	5.1	-	II	2	√	√	√
TETRANITROMETHANE	1510	6.1	5.1	I	2	√	√	X
UREA HYDROGEN PEROXIDE	1511	5.1	8	III	2	√	√	√
ZINC AMMONIUM NITRITE	1512	5.1	-	-	-	-	-	
ZINC CHLORATE	1513	5.1	-	II	2	√	√	√
ZINC NITRATE	1514	5.1	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ZINC PERMANGANATE	1515	5.1	-	II	2	√	√	√
ZINC PEROXIDE	1516	5.1	-	II	2	√	√	√
ZIRCONIUM PICRAMATE WETTED with not less than 20% water by mass	1517	4.1	-	I	2	√	√	X
ACETONE CYANOHYDRIN, STABILIZED	1541	6.1	P	I	2	√	√	X
ALKALOIDS,SOLID, N.O.S. or ALKALOID SALTS, SOLID,N.O.S.	1544	6.1	-	I	2	√	√	X
ALKALOIDS,SOLID, N.O.S. or ALKALOID SALTS, SOLID,N.O.S.	1544	6.1	-	II	2	√	√	√
ALKALOIDS,SOLID, N.O.S. or ALKALOID SALTS, SOLID,N.O.S.	1544	6.1	-	III	2	√	√	√
ALLYL ISOTHIOCYANATE, STABILIZED	1545	6.1	3	II	2	√	√	√
AMMONIUM ARSENATE	1546	6.1	-	II	2	√	√	√
ANILINE	1547	6.1	P	II	2	√	√	√
ANILINE HYDROCHLORIDE	1548	6.1	-	III	3	√	√	√
ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.	1549	6.1	-	III	2	√	√	√
ANTIMONY LACTATE	1550	6.1	-	III	3	√	√	√
ANTIMONY POTASSIUM TARTRATE	1551	6.1	-	III	3	√	√	√
ARSENIC ACID, LIQUID	1553	6.1	-	I	2	√	√	X
ARSENIC ACID, SOLID	1554	6.1	-	II	2	√	√	√
ARSENIC BROMIDE	1555	6.1	-	II	2	√	√	√
ARSENIC COMPOUND, LIQUID, N.O.S. inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s.	1556	6.1	-	I	2	√	√	X
ARSENIC COMPOUND, LIQUID, N.O.S. inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s.	1556	6.1	-	II	2	√	√	√
ARSENIC COMPOUND, LIQUID, N.O.S. inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s.	1556	6.1	-	III	2	√	√	√
ARSENIC COMPOUNDS,SOLID N.O.S. inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s.	1557	6.1	-	I	2	√	√	X
ARSENIC COMPOUNDS,SOLID N.O.S. inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s.	1557	6.1	-	II	2	√	√	√
ARSENIC COMPOUNDS,SOLID N.O.S. inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s.	1557	6.1	-	III	2	√	√	√
ARSENIC	1558	6.1	-	II	2	√	√	√
ARSENIC PENTOXIDE	1559	6.1	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ARSENIC TRICHLORIDE	1560	6.1	-	I	2	√	√	X
ARSENIC TRIOXIDE	1561	6.1	-	II	2	√	√	√
ARSENICAL DUST	1562	6.1	-	II	2	√	√	√
BARIUM COMPOUND, N.O.S.	1564	6.1	-	II	2	√	√	√
BARIUM COMPOUND, N.O.S.	1564	6.1	-	III	2	√	√	√
BARIUM CYANIDE	1565	6.1	P	I	2	√	√	X
BERYLLIUM COMPOUND, N.O.S.	1566	6.1	-	II	2	√	√	√
BERYLLIUM COMPOUND, N.O.S.	1566	6.1	-	III	2	√	√	√
BERYLLIUM POWDER	1567	6.1	4.1	II	2	√	√	√
BROMOACETONE	1569	6.1	3/P	II	2	√	√	√
BRUCINE	1570	6.1	-	I	2	√	√	X
BARIUM AZIDE WETTED with not less than 50% water, by mass	1571	4.1	6.1	I	2	√	√	X
CACODYLIC ACID	1572	6.1	-	II	2	√	√	√
CALCIUM ARSENATE	1573	6.1	P	II	2	√	√	√
CALCIUM ARSENATE AND CALCIUM ARSENITE MIXTURE,SOLID	1574	6.1	P	II	2	√	√	√
CALCIUM CYANIDE	1575	6.1	P	I	2	√	√	X
CHLORODINITROBENZENES, LIQUID	1577	6.1	P	II	2	√	√	√
CHLORONITROBENZENES, SOLID	1578	6.1	-	II	2	√	√	√
4-CHLORO- <i>o</i> -TOLUIDINE HYDROCHLORITE, SOLID	1579	6.1	-	III	3	√	√	√
CHLOROPICRIN	1580	6.1	P	I	2	√	√	X
CHLOROPICRIN AND METHYL BROMIDE MIXTURE with more than 2% chloropicrin	1581	2.3	-	-	2	√	√	X
CHLOROPICRIN AND METHYL CHLORIDE MIXTURE	1582	2.3	-	-	2	√	√	X
CHLOROPICRIN MIXTURE N.O.S.	1583	6.1	-	I	2	√	√	X
CHLOROPICRIN MIXTURE N.O.S.	1583	6.1	-	II	2	√	√	√
CHLOROPICRIN MIXTURE N.O.S.	1583	6.1	-	III	2	√	√	√
COPPER ACETOARSENITE	1585	6.1	P	II	2	√	√	√
COPPER ARSENITE	1586	6.1	P	II	2	√	√	√
COPPER CYANIDE	1587	6.1	P	II	2	√	√	√
CYANIDES, INORGANIC, SOLID, N.O.S.	1588	6.1	P	I	2	√	√	X
CYANIDES, INORGANIC, SOLID, N.O.S.	1588	6.1	P	II	2	√	√	√
CYANIDES, INORGANIC, SOLID, N.O.S.	1588	6.1	P	III	2	√	√	√
CYANOGEN CHLORIDE STABILIZED	1589	2.3	8/P	-	2	√	√	X
DICHLOROANILINES, LIQUID	1590	6.1	P	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
<i>o</i> -DICHLOROBENZENE	1591	6.1	-	III	3	√	√	√
DICHLOROMETHANE	1593	6.1	-	III	3	√	√	√
DIETHYL SULPHATE	1594	6.1	-	II	2	√	√	√
DIMETHYL SULFATE	1595	6.1	8	I	2	√	√	X
DINITROANILINES	1596	6.1	-	II	2	√	√	√
DINITROBENZENES, LIQUID	1597	6.1	-	II	2	√	√	√
DINITROBENZENES, LIQUID	1597	6.1	-	III	3	√	√	√
DINITRO- <i>o</i> -CRESOL	1598	6.1	P	II	2	√	√	√
DINITROPHENOL SOLUTION	1599	6.1	P	II	2	√	√	√
DINITROPHENOL SOLUTION	1599	6.1	P	III	3	√	√	√
DINITROTOLUENES, MOLTEN	1600	6.1	-	II	2	√	√	√
DISINFECTANT, SOLID, TOXIC, N.O.S.	1601	6.1	-	I	2	√	√	X
DISINFECTANT, SOLID, TOXIC, N.O.S.	1601	6.1	-	II	2	√	√	√
DISINFECTANT, SOLID, TOXIC, N.O.S.	1601	6.1	-	III	2	√	√	√
DYE, LIQUID, TOXIC, N.O.S. or DYE INTERMEDIATE, LIQUID,TOXIC,N.O.S.	1602	6.1	-	I	2	√	√	X
DYE, LIQUID, TOXIC, N.O.S. or DYE INTERMEDIATE, LIQUID,TOXIC,N.O.S.	1602	6.1	-	II	2	√	√	√
DYE, LIQUID, TOXIC, N.O.S. or DYE INTERMEDIATE, LIQUID,TOXIC,N.O.S.	1602	6.1	-	III	2	√	√	√
ETHYL BROMOACETATE	1603	6.1	3	II	2	√	√	√
ETHYLENEDIAMINE	1604	8	3	II	2	√	√	√
ETHYLENE DIBROMIDE	1605	6.1	-	I	2	√	√	X
FERRIC ARSENATE	1606	6.1	P	II	2	√	√	√
FERRIC ARSENITE	1607	6.1	P	II	2	√	√	√
FERROUS ARSENATE	1608	6.1	P	II	2	√	√	√
HEXAETHYL TETRAPHOSPHATE	1611	6.1	P	II	2	√	√	√
HEXAETHLY TETRAPHOSPHATE AND COMPRESSED GAS MIXTURE	1612	2.3	-	-	2	√	√	X
HYDROCYANIC ACID, AQUEOUS SOLUTION (HYDROGEN CYANIDE, AQUEOUS SOLUTION) with not more than 20% hydrogen cyanide	1613	6.1	P	I	2	√	√	X
HYDROGEN CYANIDE, STABILIZED containing less than 3% water and absorbed in a porous inert material	1614	6.1	P	I	2	√	√	X
LEAD ACETATE	1616	6.1	P	III	3	√	√	√
LEAD ARSENATES	1617	6.1	P	II	2	√	√	√
LEAD ARSENITES	1618	6.1	P	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
LEAD CYANIDE	1620	6.1	P	II	2	√	√	√
LONDON PURPLE	1621	6.1	P	II	2	√	√	√
MAGNESIUM ARSENATE	1622	6.1	P	II	2	√	√	√
MERCURIC ARSENATE	1623	6.1	P	II	2	√	√	√
MERCURIC CHLORIDE	1624	6.1	P	II	2	√	√	√
MERCURIC NITRATE	1625	6.1	P	II	2	√	√	√
MERCURIC POTASSIUM CYANIDE	1626	6.1	P	I	2	√	√	X
MERCUROUS NITRATE	1627	6.1	P	II	2	√	√	√
MERCURY ACETATE	1629	6.1	P	II	2	√	√	√
MERCURY AMMONIUM CHLORIDE	1630	6.1	P	II	2	√	√	√
MERCURY BENZOATE	1631	6.1	P	II	2	√	√	√
MERCURY BROMIDES	1634	6.1	P	II	2	√	√	√
MERCURY CYANIDE	1636	6.1	P	II	2	√	√	√
MERCURY GLUCONATE	1637	6.1	P	II	2	√	√	√
MERCURY IODIDE	1638	6.1	P	II	2	√	√	√
MERCURY NUCLEATE	1639	6.1	P	II	2	√	√	√
MERCURY OLEATE	1640	6.1	P	II	2	√	√	√
MERCURY OXIDE	1641	6.1	P	II	2	√	√	√
MERCURY OXYCYANIDE, DESENSITIZED	1642	6.1	P	II	2	√	√	√
MERCURY POTASSIUM IODIDE	1643	6.1	P	II	2	√	√	√
MERCURY SALICYLATE	1644	6.1	P	II	2	√	√	√
MERCURIC SULPHATE	1645	6.1	P	II	2	√	√	√
MERCURY THIOCYANATE	1646	6.1	P	II	2	√	√	√
METHYL BROMIDE AND ETHYLENE DIBROMIDE MIXTURE, LIQUID	1647	6.1	P	I	2	√	√	X
ACETONITRILE	1648	3	-	II	2	√	√	√
MOTOR FUEL ANTI-KNOCK MIXTURE	1649	6.1	P	I	2	√	√	X
<i>beta</i> -NAPHTHYLAMINE, SOLID	1650	6.1	-	II	2	√	√	√
NAPHTHYLTHIOUREA	1651	6.1	-	II	2	√	√	√
NAPHTHYLUREA	1652	6.1	-	II	2	√	√	√
NICKEL CYANIDE	1653	6.1	P	II	2	√	√	√
NICOTINE	1654	6.1	-	II	2	√	√	√
NICOTINE COMPOUND ,SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S	1655	6.1	-	I	2	√	√	X
NICOTINE COMPOUND ,SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S	1655	6.1	-	II	2	√	√	√



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
NICOTINE COMPOUND ,SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S	1655	6.1	-	III	2	√	√	√
NICOTINE HYDROCHLORITE, LIQUID or SOLUTION	1656	6.1	-	II	2	√	√	√
NICOTINE HYDROCHLORITE, LIQUID or SOLUTION	1656	6.1	-	III	3	√	√	√
NICOTINE SALICYLATE	1657	6.1	-	II	2	√	√	√
NICOTINE SULPHATE, SOLUTION	1658	6.1	-	II	2	√	√	√
NICOTINE SULPHATE, SOLUTION	1658	6.1	-	III	3	√	√	√
NICOTINE TARTRATE	1659	6.1	-	II	2	√	√	√
NITRIC OXIDE, COMPRESSED	1660	2.3	5.1/8	-	2	√	√	X
NITROANILINES ( <i>o</i> -, <i>m</i> -, <i>p</i> -)	1661	6.1	-	II	2	√	√	√
NITROBENZENE	1662	6.1	-	II	2	√	√	√
NITROPHENOLS ( <i>o</i> -, <i>m</i> -, <i>p</i> -)	1663	6.1	-	III	3	√	√	√
NITROTOLUENES, LIQUID	1664	6.1	-	II	2	√	√	√
NITROXYLENE, LIQUID	1665	6.1	-	II	2	√	√	√
PENTACHLOROETHANE	1669	6.1	P	II	2	√	√	√
PERCHLOROMETHYL MERCAPTAN	1670	6.1	P	I	2	√	√	X
PHENOL,SOLID	1671	6.1	-	II	2	√	√	√
PHENYL CARBYLAMINE CHLORIDE	1672	6.1	-	I	2	√	√	X
PHENYLENEDIAMINES ( <i>o</i> -, <i>m</i> -, <i>p</i> -)	1673	6.1	-	III	3	√	√	√
PHENYLMERCURIC ACETATE	1674	6.1	P	II	2	√	√	√
POTASSIUM ARSENATE	1677	6.1	-	II	2	√	√	√
POTASSIUM ARSENITE	1678	6.1	-	II	2	√	√	√
POTASSIUM CUPROCYANIDE	1679	6.1	P	II	2	√	√	√
POTASSIUM CYANIDE, SOLID	1680	6.1	P	I	2	√	√	X
SILVER ARSENITE	1683	6.1	P	II	2	√	√	√
SILVER CYANIDE	1684	6.1	P	II	2	√	√	√
SODIUM ARSENATE	1685	6.1	-	II	2	√	√	√
SODIUM ARSENITE, AQUEOUS SOLUTIONS	1686	6.1	-	II	2	√	√	√
SODIUM ARSENITE, AQUEOUS SOLUTIONS	1686	6.1	-	III	3	√	√	√
SODIUM AZIDE	1687	6.1	-	II	2	√	√	√
SODIUM CACODYLATE	1688	6.1	-	II	2	√	√	√
SODIUM CYANIDE, SOLID	1689	6.1	P	I	2	√	√	X
SODIUM FLOURIDE, SOLID	1690	6.1	-	III	3	√	√	√
STRONTIUM ARSENITE	1691	6.1	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
STRYCHNINE or STRYCHNINE SALTS	1692	6.1	P	I	2	√	√	X
TEAR GAS SUBSTANCE, LIQUID, N.O.S.	1693	6.1	-	I	2	√	√	X
TEAR GAS SUBSTANCE, LIQUID, N.O.S.	1693	6.1	-	II	2	√	√	√
BROMOBENZYL CYANIDE, LIQUID	1694	6.1	-	I	2	√	√	X
CHLOROACETONE, STABILIZED	1695	6.1	3/8/P	I	2	√	√	X
CHLOROACETOPHENONE, SOLID	1697	6.1	-	II	2	√	√	√
DIPHENYLAMINE CHLOROARSINE	1698	6.1	P	I	2	√	√	X
DIPHENYLCHLOROARSINE, LIQUID	1699	6.1	P	I	2	√	√	X
TEAR GAS CANDLES	1700	6.1	4.1	-	2	√	√	√
XYLYL BROMIDE, LIQUID	1701	6.1	-	II	2	√	√	√
1,1,2, 2 -TETRACHLOROETHANE	1702	6.1	P	II	2	√	√	√
TETRAETHYL DITHIOPHROPHOSPHATE	1704	6.1	P	II	2	√	√	√
THALLIUM COMPOUNDS N.O.S.	1707	6.1	P	II	2	√	√	√
TOLUIDINE, LIQUID	1708	6.1	P	II	2	√	√	√
2,4-TOLUYLENEDIAMINE, SOLID	1709	6.1	-	III	3	√	√	√
TRICHLOROETHYLENE	1710	6.1	-	III	3	√	√	√
XYLIDINES, LIQUID	1711	6.1	-	II	2	√	√	√
ZINC ARSENATE or ZINC ARSENITE or ZINC ARSENATE, ZINC ARSENITE MIXTURE	1712	6.1	-	II	2	√	√	√
ZINC CYANIDE	1713	6.1	P	I	2	√	√	X
ZINC PHOSPHIDE	1714	4.3	6.1	I	2	√	√	X
ACETIC ANHYDRIDE	1715	8	3	II	2	√	√	√
ACETYL BROMIDE	1716	8	-	II	2	√	√	√
ACETYL CHLORIDE	1717	3	8	II	2	√	√	√
BUTYL ACID PHOSPHATE	1718	8	-	III	3	√	√	√
CAUSTIC ALKALI LIQUIDS N.O.S.	1719	8	-	II	2	√	√	√
CAUSTIC ALKALI LIQUIDS N.O.S.	1719	8	-	III	2	√	√	√
ALLYL CHLOROFORMATE	1722	6.1	3/8	I	2	√	√	X
ALLYL IODIDE	1723	3	8	II	2	√	√	√
ALLYLTRICHLOROSILANE, STABILIZED	1724	8	3	II	2	√	√	√
ALUMINIUM BROMIDE, ANHYDROUS	1725	8	-	II	2	√	√	√
ALUMINIUM CHLORIDE, ANHYDROUS	1726	8	-	II	2	√	√	√
AMMONIUM HYDROGENDIFLUORIDE, SOLID	1727	8	-	II	2	√	√	√
AMYLTRICHLOROSILANE	1728	8	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ANISOYL CHLORIDE	1729	8	-	II	2	√	√	√
ANTIMONY PENTACHLORIDE, LIQUID	1730	8	-	II	2	√	√	√
ANTIMONY PENTACHLORIDE SOLUTION	1731	8	-	II	2	√	√	√
ANTIMONY PENTACHLORIDE SOLUTION	1731	8	-	III	3	√	√	√
ANTIMONY PENTAFLUORIDE	1732	8	6.1	II	2	√	√	√
ANTIMONY TRICHLORIDE	1733	8	-	II	2	√	√	√
BENZOYL CHLORIDE	1736	8	-	II	2	√	√	√
BENZYL BROMIDE	1737	6.1	8	II	2	√	√	√
BENZYL CHLORIDE	1738	6.1	8	II	2	√	√	√
BENZYL CHLOROFORMATE	1739	8	P	I	2	√	√	X
HYDROGENDIFLUORIDES, SOLID, N.O.S.	1740	8	-	II	2	√	√	√
HYDROGENDIFLUORIDES, SOLID, N.O.S.	1740	8	-	III	2	√	√	√
BORON TRICHLORIDE	1741	2.3	8	-	2	√	√	X
BORON TRIFLUORIDE ACETIC ACID COMPLEX, LIQUID	1742	8	-	II	2	√	√	√
BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, LIQUID	1743	8	-	II	2	√	√	√
BROMINE or BROMINE SOLUTION	1744	8	6.1	I	2	√	√	X
BROMINE PENTAFLUORIDE	1745	5.1	6.1/8	I	2	√	√	X
BROMINE TRIFLUORIDE	1746	5.1	6.1/8	I	2	√	√	X
BUTYLTRICHLOROSILANE	1747	8	3	II	2	√	√	√
CALCIUM HYPOCHLORITE, DRY or CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)	1748	5.1	P	II	2	√	√	√
CALCIUM HYPOCHLORITE, DRY or CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)	1748	5.1	P	III	2	√	√	√
CHLORINE TRIFLUORIDE	1749	2.3	5.1/8	-	2	√	√	X
CHLOROACETIC ACID, SOLUTION	1750	6.1	8	II	2	√	√	√
CHLOROACETIC ACID, SOLID	1751	6.1	8	II	2	√	√	√
CHLOROACETYL CHLORIDE	1752	6.1	8	I	2	√	√	X
CHLOROPHENYL - TRICHLOROSILANE	1753	8	P	II	2	√	√	√
CHLOROSULPHONIC ACID (with or without sulphur trioxide)	1754	8	-	I	2	√	√	X
CHROMIC ACID SOLUTION	1755	8	-	II	2	√	√	√
CHROMIC ACID SOLUTION	1755	8	-	III	3	√	√	√
CHROMIC FLUORIDE, SOLID	1756	8	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
CHROMIC FLUORIDE SOLUTION	1757	8	-	II	2	√	√	√
CHROMIC FLUORIDE SOLUTION	1757	8	-	III	3	√	√	√
CHROMIUM OXYCHLORIDE	1758	8	-	I	2	√	√	X
CORROSIVE SOLID, N.O.S.	1759	8	-	I	2	√	√	X
CORROSIVE SOLID, N.O.S.	1759	8	-	II	2	√	√	√
CORROSIVE SOLID, N.O.S.	1759	8	-	III	2	√	√	√
CORROSIVE LIQUID, N.O.S.	1760	8	-	I	2	√	√	X
CORROSIVE LIQUID, N.O.S.	1760	8	-	II	2	√	√	√
CORROSIVE LIQUID, N.O.S.	1760	8	-	III	2	√	√	√
CUPRIETHYLENEDIAMINE SOLUTION	1761	8	6.1/P	II	2	√	√	√
CUPRIETHYLENEDIAMINE SOLUTION	1761	8	6.1/P	III	2	√	√	√
CYCLOHEXYLTRICHLOROSILANE	1762	8	-	II	2	√	√	√
CYCLOHEXYLTRICHLOROSILANE	1763	8	-	II	2	√	√	√
DICHLOROACETIC ACID	1764	8	-	II	2	√	√	√
DICHLOROACETYL CHLORIDE	1765	8	-	II	2	√	√	√
DICHLOROPHENYLTRICHLOROSILANE	1766	8	P	II	2	√	√	√
DIETHYLDICHLOROSILANE	1767	8	3	II	2	√	√	√
DIFLUOROPHOSPHORIC ACID, ANHYDROUS	1768	8	-	II	2	√	√	√
DIPHENYLDICHLOROSILANE	1769	8	-	II	2	√	√	√
DIPHENYLMETHYL BROMIDE	1770	8	-	II	2	√	√	√
DODECYLTRICHLOROSILANE	1771	8	-	II	2	√	√	√
FERRIC CHLORIDE, ANHYDROUS	1773	8	-	III	3	√	√	√
FIRE EXTINGUISHER CHARGES corrosive liquid	1774	8	-	II	2	√	√	√
FLOUBORIC ACID	1775	8	-	II	2	√	√	√
FLUOROPHOSPHORIC ACID, ANHYDROUS	1776	8	-	II	2	√	√	√
FLUOROSULPHONIC ACID	1777	8	-	I	2	√	√	X
FLUOSILICIC ACID	1778	8	-	II	2	√	√	√
FORMIC ACID with more than 85% acid, by mass	1779	8	3	II	2	√	√	√
FUMARYL CHLORIDE	1780	8	-	II	2	√	√	√
HEXADECYLTRICHLORO-SILANE	1781	8	-	II	2	√	√	√
HEXAFLUOROPHOSPHORIC ACID	1782	8	-	II	2	√	√	√
HEXAMETHYLENEDIAMINE SOLUTION	1783	8	-	II	2	√	√	√
HEXAMETHYLENEDIAMINE SOLUTION	1783	8	-	III	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
HEXYLTRICHLOROSILANE	1784	8	-	II	2	√	√	√
HYDROFLUORIC ACID AND SULPHURIC ACID MIXTURE	1786	8	6.1	I	2	√	√	X
HYDRIODIC ACID	1787	8	-	II	2	√	√	√
HYDRIODIC ACID	1787	8	-	III	3	√	√	√
HYDROBROMIC ACID	1788	8	-	II	2	√	√	√
HYDROBROMIC ACID	1788	8	-	III	3	√	√	√
HYDROCHLORIC ACID	1789	8	-	II	2	√	√	√
HYDROCHLORIC ACID	1789	8	-	III	3	√	√	√
HYDROFLOURIC ACID solution, with more than 60% hydrogen fluoride	1790	8	6.1	I	2	√	√	X
HYDROFLOURIC ACID solution, with not more than 60% hydrogen fluoride	1790	8	6.1	II	2	√	√	√
HYPOCHLORITE SOLUTION	1791	8	-	II	2	√	√	√
HYPOCHLORITE SOLUTION	1791	8	-	III	3	√	√	√
IODINE MONOCHLORIDE, SOLID	1792	8	-	II	2	√	√	√
ISOPROPYL ACID PHOSPHATE	1793	8	-	III	3	√	√	√
LEAD SULPHATE ,with more than 3% free acid	1794	8	-	II	2	√	√	√
NITRATING ACID MIXTURE with more than 50% nitric acid	1796	8	5.1	I	2	√	√	X
NITRATING ACID MIXTURE with not more than 50% nitric acid	1796	8	-	II	2	√	√	√
NITROHYDROCHLORIC ACID	1798	8	-	I	2	√	√	X
NONYLTRICHLOROSILANE	1799	8	-	II	2	√	√	√
OCTADECYLTRICHLORO-SILANE	1800	8	-	II	2	√	√	√
OCTYLTRICHLOROSILANE	1801	8	-	II	2	√	√	√
PERCHLORIC ACID with not more than 50% acid, by mass	1802	8	5.1	II	2	√	√	√
PHENOLSULPHONIC ACID, LIQUID	1803	8	-	II	2	√	√	√
PHENYLTRICHLOROSILANE	1804	8	-	II	2	√	√	√
PHOSPHORIC ACID SOLUTION	1805	8	-	III	3	√	√	√
PHOSPHOROUS PENTACHLORIDE	1806	8	-	II	2	√	√	√
PHOSPHORUS PENTOXIDE	1807	8	-	II	2	√	√	√
PHOSPHORUS TRIBROMIDE	1808	8	-	II	2	√	√	√
PHOSPHORUS TRICHLORIDE	1809	6.1	8	I	2	√	√	X
PHOSPHORUS OXYCHLORIDE	1810	6.1	8	I	2	√	√	X
POTASSIUM HYDROGEN DIFLUORIDE, SOLID	1811	8	6.1	II	2	√	√	√
POTASSIUM FLUORIDE, SOLID	1812	6.1	-	III	3	√	√	√
POTASSIUM HYDROXIDE, SOLID	1813	8	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
POTASSIUM HYDROXIDE, SOLUTION	1814	8	-	II	2	√	√	√
POTASSIUM HYDROXIDE, SOLUTION	1814	8	-	III	3	√	√	√
PROPIONYL CHLORIDE	1815	3	8	II	2	√	√	√
PROPYLTRICHLOROSILANE	1816	8	3	II	2	√	√	√
PYROSULPHURYL CHLORIDE	1817	8	-	II	2	√	√	√
SILICON TETRACHLORIDE	1818	8	-	II	2	√	√	√
SODIUM ALUMINATE SOLUTION	1819	8	-	II	2	√	√	√
SODIUM ALUMINATE SOLUTION	1819	8	-	III	3	√	√	√
SODIUM HYDROXIDE, SOLID	1823	8	-	II	2	√	√	√
SODIUM HYDROXIDE SOLUTION	1824	8	-	II	2	√	√	√
SODIUM HYDROXIDE SOLUTION	1824	8	-	III	3	√	√	√
SODIUM MONOXIDE	1825	8	-	II	2	√	√	√
NITRATING ACID, MIXTURE, SPENT with more than 50% nitric acid	1826	8	5.1	I	2	√	√	X
NITRATING ACID, MIXTURE, SPENT with not more than 50% nitric acid	1826	8	-	II	2	√	√	√
STANNIC CHLORIDE, ANHYDROUS	1827	8	-	II	2	√	√	√
SULPHUR CHLORIDES	1828	8	-	I	2	√	√	X
SULPHUR TRIOXIDE, STABILIZED	1829	8	-	I	2	√	√	X
SULPHURIC ACID with more than 51% acid	1830	8	-	II	2	√	√	√
SULPHURIC ACID FUMING	1831	8	6.1	I	2	√	√	X
SULPHURIC ACID, SPENT	1832	8	-	II	2	√	√	√
SULPHUROUS ACID	1833	8	-	II	2	√	√	√
SULPHURYL CHLORIDE	1834	6.1	8	I	2	√	√	X
TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION	1835	8	-	II	2	√	√	√
TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION	1835	8	-	III	3	√	√	√
THIONYL CHLORIDE	1836	8	-	I	2	√	√	X
THIOPHOSPHORYL CHLORIDE	1837	8	-	II	2	√	√	√
TITANIUM TETRACHLORIDE	1838	6.1	8	I	2	√	√	X
TRICHLOROACETIC ACID, SOLID	1839	8	-	II	2	√	√	√
ZINC CHLORIDE SOLUTION	1840	8	P	III	3	√	√	√
ACETALDEHYDE AMMONIA	1841	9	-	III	3	√	√	√
AMMONIUM DINITRO- <i>o</i> -CREOSOLATE, SOLID	1843	6.1	P	II	2	√	√	√
CARBON DIOXIDE, SOLID (DRY ICE)	1845	9	-	-	3	√	√	√
CARBON TETRACHLORIDE	1846	6.1	P	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
POTASSIUM SULPHIDE HYDRATED with not less than 30% water of crystallization	1847	8	-	II	2	√	√	√
PROPIONIC ACID with not less than 10% and less than 90% acid, by mass	1848	8	-	III	3	√	√	√
SODIUM SULPHIDE, HYDRATED with not less than 30% water	1849	8	-	II	2	√	√	√
MEDICINES, LIQUID, TOXIC, N.O.S	1851	6.1	-	II	2	√	√	√
MEDICINES, LIQUID, TOXIC, N.O.S	1851	6.1	-	III	2	√	√	√
BARIUM ALLOYS, PYROPHORIC	1854	4.2	-	I	2	√	√	X
CALCIUM, PYROPHORIC or CALCIUM ALLOYS, PYROPHORIC	1855	4.2	-	I	2	√	√	X
RAGS, OILY	1856	4.2	-	-	3	√	√	√
TEXTILE WASTE, WET	1857	4.2	-	III	3	√	√	√
HEXAFLUOROPROPYLENE (REFRIGERANT GAS R 1216)	1858	2.2	-	-	3	√	√	√
SILICON TETRAFLUORIDE	1859	2.3	8	-	2	√	√	X
VINYL FLUORIDE, STABILIZED	1860	2.1	-	-	2	√	√	√
ETHYL CROTONATE	1862	3	-	II	2	√	√	√
FUEL, AVIATION, TURBINE ENGINE	1863	3	-	I	2	√	√	X
FUEL, AVIATION, TURBINE ENGINE	1863	3	-	II	2	√	√	√
FUEL, AVIATION, TURBINE ENGINE	1863	3	-	III	3	√	√	√
<i>n</i> - PROPYL NITRATE	1865	3	-	II	2	√	√	√
RESIN SOLUTION flammable	1866	3	-	I	2	√	√	X
RESIN SOLUTION flammable	1866	3	-	II	2	√	√	√
RESIN SOLUTION flammable	1866	3	-	III	3	√	√	√
DECABORANE	1868	4.1	6.1	II	2	√	√	√
MAGNESIUM and MAGNESIUM ALLOY with more than 50% magnesium in pellet, turnings or ribbons	1869	4.1	-	III	3	√	√	√
POTASSIUM BOROXYDRIDE	1870	4.3	-	I	2	√	√	X
TITANIUM HYDRIDE	1871	4.1	-	II	2	√	√	√
LEAD DIOXIDE	1872	5.1	-	III	3	√	√	√
PERCHLORIC ACID with more than 50% but not more than 72% acid, by mass	1873	5.1	8	I	2	√	√	X
BARIUM OXIDE	1884	6.1	-	III	3	√	√	√
BENZIDINE	1885	6.1	-	II	2	√	√	√
BENZYLIDENE CHLORIDE	1886	6.1	-	II	2	√	√	√
BROMOCHLOROMETHANE	1887	6.1	-	III	3	√	√	√
CHLOROFORM	1888	6.1	-	III	3	√	√	√
CYANOGEN BROMIDE	1889	6.1	8/P	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ETHYL BROMIDE	1891	6.1	-	II	2	√	√	√
ETHYLDICHLOROARSINE	1892	6.1	P	I	2	√	√	X
PHENYLMERCURIC HYDROXIDE	1894	6.1	P	II	2	√	√	√
PHENYLMERCURIC NITRATE	1895	6.1	P	II	2	√	√	√
TETRACHLOROETHYLENE	1897	6.1	P	III	3	√	√	√
ACETYL IODIDE	1898	8	-	II	2	√	√	√
DIISOCTYL ACID PHOSPHATE	1902	8	-	III	3	√	√	√
DISINFECTANTS, LIQUID, CORROSIVE, N.O.S.	1903	8	-	I	2	√	√	X
DISINFECTANTS, LIQUID, CORROSIVE, N.O.S.	1903	8	-	II	2	√	√	√
DISINFECTANTS, LIQUID, CORROSIVE, N.O.S.	1903	8	-	III	2	√	√	√
SELENIC ACID	1905	8	-	I	2	√	√	X
SLUDGE ACID	1906	8	-	II	2	√	√	√
SODA LIME with more than 4% sodium hydroxide	1907	8	-	III	3	√	√	√
CHLORITE SOLUTION	1908	8	-	II	2	√	√	√
CHLORITE SOLUTION	1908	8	-	III	3	√	√	√
DIBORANE	1911	2.3	2.1	-	2	√	√	X
METHYL CHLORIDE and METHYLENE CHLORIDE MIXTURE	1912	2.1	-	-	2	√	√	√
NEON, REFRIGERATED LIQUID	1913	2.2	-	-	3	√	√	√
BUTYL PROPIONATES	1914	3	-	III	3	√	√	√
CYCLOHEXANONE	1915	3	-	III	3	√	√	√
2,2-DICHLOROETHYL ETHER	1916	6.1	3	II	2	√	√	√
ETHYL ACRYLATE, STABILIZED	1917	3	-	II	2	√	√	√
ISOPROPYLBENZENE	1918	3	-	III	3	√	√	√
METHYL ACRYLATE, STABILIZED	1919	3	-	II	2	√	√	√
NONANES	1920	3	P	III	3	√	√	√
PROPYLENEIMINE, STABILIZED	1921	3	6.1	I	2	√	√	X
PYRROLIDINE	1922	3	8	II	2	√	√	√
CALCIUM DITHIONITE (CALCIUM HYDROSULPHITE)	1923	4.2	-	II	2	√	√	√
METHYLMAGNESIUM BROMIDE IN ETHYL ETHER	1928	4.3	3	I	2	√	√	X
POTASSIUM DITHIONITE (POTASSIUM HYDROSULPHITE)	1929	4.2	-	II	2	√	√	√
ZINC DITHIONITE (ZINC HYDROSULPHITE)	1931	9	-	III	3	√	√	√
ZIRCONIUM, SCRAP	1932	4.2	-	III	2	√	√	√
CYANIDE SOLUTIONS,N.O.S.	1935	6.1	P	I	2	√	√	X



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
CYANIDE SOLUTIONS, N.O.S.	1935	6.1	P	II	2	√	√	√
CYANIDE SOLUTIONS, N.O.S.	1935	6.1	P	III	2	√	√	√
BROMOACETIC ACID SOLUTION	1938	8	-	II	2	√	√	√
BROMOACETIC ACID SOLUTION	1938	8	-	III	3	√	√	√
PHOSPHORUS OXYBROMIDE	1939	8	-	II	2	√	√	√
THIOGLYCOLIC ACID	1940	8	-	II	2	√	√	√
DIBROMODIFLUOROMETHANE	1941	9	-	III	3	√	√	√
AMMONIUM NITRATE with not more than 0.2% total combustible substances, including any organic substance, calculated as carbon, to the exclusion of any other added substance	1942	5.1	-	III	2	√	√	√
MATCHES, SAFETY (book, card or strike on box)	1944	4.1	-	III	3	√	√	√
MATCHES, WAX 'VESTA'	1945	4.1	-	III	3	√	√	√
AEROSOLS	1950	2	-	-	2	√	√	√
ARGON, REFRIGERATED LIQUID	1951	2.2	-	-	3	√	√	√
ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with not more than 9% ethylene oxide	1952	2.2	-	-	3	√	√	√
COMPRESSED GAS, TOXIC, FLAMMABLE, N.O.S.	1953	2.3	2.1	-	2	√	√	X
COMPRESSED GAS, FLAMMABLE, N.O.S.	1954	2.1	-	-	2	√	√	√
COMPRESSED GAS TOXIC, N.O.S.	1955	2.3	-	-	2	√	√	X
COMPRESSED GAS, N.O.S.	1956	2.2	-	-	2	√	√	√
DEUTERIUM, COMPRESSED	1957	2.1	-	-	2	√	√	√
1,2-DICHLORO-1,1,2,2,-TETRAFLUROETHANE (REFRIGERANT GAS R 114)	1958	2.2	-	-	3	√	√	√
1,1-DIFLUOROETHYLENE (REFRIGERANT GAS R 1132a)	1959	2.1	-	-	2	√	√	√
ETHANE, REFRIGERATED LIQUID	1961	2.1	-	-	2	√	√	√
ETHYLENE	1962	2.1	-	-	2	√	√	√
HELIUM, REFRIGERATED LIQUID	1963	2.2	-	-	3	√	√	√
HYDROCARBON GAS, MIXTURE, COMPRESSED, N.O.S.	1964	2.1	-	-	2	√	√	√
HYDROCARBON GAS MIXTURE, LIQUEFIED, N.OS.	1965	2.1	-	-	2	√	√	√
HYDROGEN, REFRIGERATED LIQUID	1966	2.1	-	-	2	√	√	√
INSECTICIDE GAS, TOXIC N.O.S.	1967	2.3	-	-	2	√	√	X
INSECTICIDE GAS, N.O.S.	1968	2.2	-	-	2	√	√	√
ISOBUTANE	1969	2.1	-	-	2	√	√	√
KRYPTON, REFRIGERATED LIQUID	1970	2.2	-	-	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
METHANE, COMPRESSED or NATURAL GAS, COMPRESSED with a high methane content	1971	2.1	-	-	2	√	√	√
METHANE, REFRIGERATED LIQUID or NATURAL GAS, REFRIGERATED LIQUID with a high methane content	1972	2.1	-	-	2	√	√	√
CHLORODIFLUOROMETHANE and CHLOROPENTAFLUOROETHANE, MIXTURE with a fixed boiling point, with approximately 49% chlorodifluoromethane (REFRIGERANT GAS R 502)	1973	2.2	-	-	3	√	√	√
CHLORODIFLUORBROMOMETHANE(REFRIGERANT GAS R 12B1)	1974	2.2	-	-	3	√	√	√
NITRIC OXIDE AND DINITROGEN TETROXIDE MIXTURE (NITRIC OXIDE AND NITROGEN DIOXIDE MIXTURE)	1975	2.3	5.1/8	-	2	√	√	X
OCTAFLUOROCYCLOBUTANE (REFRIGERANT GAS RC 318)	1976	2.2	-	-	3	√	√	√
NITROGEN, REFRIGERATED LIQUID	1977	2.2	-	-	3	√	√	√
PROPANE	1978	2.1	-	-	2	√	√	√
TETRAFLUOROMETHANE (REFRIGERANT GAS R 14)	1982	2.2	-	-	3	√	√	√
1-CHLORO-2,2,2-TRIFLUOROETHANE (REFRIGERANT GAS R 133a)	1983	2.2	-	-	3	√	√	√
TRIFLUOROMETHANE (REFRIGERANT GAS R 23)	1984	2.2	-	-	3	√	√	√
ALCOHOLS, FLAMMABLE, TOXIC,N.O.S.	1986	3	6.1	I	2	√	√	X
ALCOHOLS, FLAMMABLE, TOXIC,N.O.S.	1986	3	6.1	II	2	√	√	√
ALCOHOLS, FLAMMABLE, TOXIC,N.O.S.	1986	3	6.1	III	2	√	√	√
ALCOHOLS, N.O.S.	1987	3	-	II	2	√	√	√
ALCOHOLS, N.O.S.	1987	3	-	III	2	√	√	√
ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	1988	3	6.1	I	2	√	√	X
ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	1988	3	6.1	II	2	√	√	√
ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	1988	3	6.1	III	2	√	√	√
ALDEHYDES, N.O.S.	1989	3	-	I	2	√	√	X
ALDEHYDES, N.O.S.	1989	3	-	II	2	√	√	√
ALDEHYDES, N.O.S.	1989	3	-	III	2	√	√	√
BENZALDEHYDE	1990	9	-	III	3	√	√	√
CHLOROPRENE, STABILIZED	1991	3	6.1	I	2	√	√	X
FLAMMABLE LIQUID, TOXIC N.O.S.	1992	3	6.1	I	2	√	√	X
FLAMMABLE LIQUID, TOXIC N.O.S.	1992	3	6.1	II	2	√	√	√
FLAMMABLE LIQUID, TOXIC N.O.S.	1992	3	6.1	III	2	√	√	√
FLAMMABLE LIQUIDS N.O.S.	1993	3	-	I	2	√	√	X
FLAMMABLE LIQUIDS N.O.S.	1993	3	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
FLAMMABLE LIQUIDS N.O.S.	1993	3	-	III	2	√	√	√
IRON PENTACARBONYL	1994	6.1	3	I	2	√	√	X
TARS,LIQUIDS, including road oils, and cutback bitumens	1999	3	-	II	2	√	√	√
TARS,LIQUIDS, including road oils, and cutback bitumens	1999	3	-	III	3	√	√	√
CELLULOID in block, rods, rolls, sheets, tubes, etc., except scrap	2000	4.1	-	III	3	√	√	√
COBALT NAPHTHENATES, POWDER	2001	4.1	-	III	3	√	√	√
CELLULOID, SCRAP	2002	4.2	-	III	2	√	√	√
MAGNESIUM DIAMIDE	2004	4.2	-	II	2	√	√	√
PLASTICS, NITROCELLULOSE-BASED, SELF-HEATING, N.O.S.	2006	4.2	-	III	2	√	√	X
ZIRCONIUM POWDER, DRY	2008	4.2	-	I	2	√	√	X
ZIRCONIUM POWDER, DRY	2008	4.2	-	II	2	√	√	√
ZIRCONIUM POWDER, DRY	2008	4.2	-	III	3	√	√	√
ZIRCONIUM, DRY finished sheets, strip or coiled wire	2009	4.2	-	III	3	√	√	√
MAGNESIUM HYDRIDE	2010	4.3	-	I	2	√	√	X
MAGNESIUM PHOSPHIDE	2011	4.3	6.1	I	2	√	√	X
POTASSIUM PHOSPHIDE	2012	4.3	6.1	I	2	√	√	X
STRONTIUM PHOSPHIDE	2013	4.3	6.1	I	2	√	√	X
HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)	2014	5.1	8	II	2	√	√	√
HYDROGEN PEROXIDE, STABILIZED or HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED with more than 60% hydrogen peroxide	2015	5.1	8	I	2	√	√	X
AMMUNITION,TOXIC,NON-EXPLOSIVE without burster or expelling charge, non-fuzed	2016	6.1	-	-	2	√	√	√
CHLOROANILINES, SOLID	2018	6.1	-	II	2	√	√	√
CHLOROANILINES, LIQUID	2019	6.1	-	II	2	√	√	√
CHLOROPHENOLS, SOLID	2020	6.1	-	III	3	√	√	√
CHLOROPHENOLS, LIQUID	2021	6.1	-	III	3	√	√	√
CRESYLIC ACID	2022	6.1	8	II	2	√	√	√
EPICHLOROHYDRIN	2023	6.1	3/P	II	2	√	√	√
MERCURY COMPOUND,LIQUID,N.O.S.	2024	6.1	P	I	2	√	√	X
MERCURY COMPOUND,LIQUID,N.O.S.	2024	6.1	P	II	2	√	√	√
MERCURY COMPOUND,LIQUID,N.O.S.	2024	6.1	P	III	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
MERCURY COMPOUND,SOLID N.O.S.	2025	6.1	P	I	2	√	√	X
MERCURY COMPOUND,SOLID N.O.S.	2025	6.1	P	II	2	√	√	√
MERCURY COMPOUND,SOLID N.O.S.	2025	6.1	P	III	2	√	√	√
PHENYLMERCURIC COMPOUND,N.O.S.	2026	6.1	P	I	2	√	√	X
PHENYLMERCURIC COMPOUND,N.O.S.	2026	6.1	P	II	2	√	√	√
PHENYLMERCURIC COMPOUND,N.O.S.	2026	6.1	P	III	2	√	√	√
SODIUM ARSENITE, SOLID	2027	6.1	-	II	2	√	√	√
BOMBS, SMOKE, NON-EXPLOSIVE with corrosive liquid, without initiating device	2028	8	-	II	2	√	√	√
HYDRAZINE, ANHYDROUS	2029	8	3/6.1	I	2	√	√	X
HYDRAZINE, AQUEOUS SOLUTION with more than 37% hydrazine, by mass	2030	8	6.1	I	2	√	√	X
HYDRAZINE, AQUEOUS SOLUTION with more than 37% hydrazine, by mass	2030	8	6.1	II	2	√	√	√
HYDRAZINE, AQUEOUS SOLUTION with more than 37% hydrazine, by mass	2030	8	6.1	III	2	√	√	√
NITRIC ACID other than red fuming, with more than 70% nitric acid	2031	8	5.1	I	2	√	√	X
NITRIC ACID other than red fuming, with at least 65% but with not more than 70% nitric acid	2031	8	5.1	II	2	√	√	√
NITRIC ACID other than red fuming, with less than 65% nitric acid	2031	8	-	II	2	√	√	√
NITRIC ACID, RED FUMING	2032	8	5.1/6.1	I	2	√	√	X
POTASSIUM MONOXIDE	2033	8	-	II	2	√	√	√
HYDROGEN AND METHANE MIXTURE, COMPRESSED	2034	2.1	-	-	2	√	√	√
1,1,1-TRIFLUOROETHANE (REFRIGERANT GAS R 143a)	2035	2.1	-	-	2	√	√	√
XENON	2036	2.2	-	-	3	√	√	√
RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES) without a release device, non-refillable	2037	2	-	-	2	√	√	√
DINITROTOLUENES, LIQUID	2038	6.1	P	II	2	√	√	√
2,2-DIMETHYLPROPANE	2044	2.1	-	-	2	√	√	√
ISOBUTYL ALDEHYDE (ISOBUTYRALDEHYDE)	2045	3	-	II	2	√	√	√
CYMENES	2046	3	P	III	3	√	√	√
DICHLOROPROPENES	2047	3	-	II	2	√	√	√
DICHLOROPROPENES	2047	3	-	III	3	√	√	√
DICYCLOPENTADIENE	2048	3	-	III	3	√	√	√
DIETHYLBENZENE	2049	3	-	III	3	√	√	√
DIISOBUTYLENES, ISOMERIC COMPOUNDS	2050	3	-	II	2	√	√	√
2-DIMETHYLAMINOETHANOL	2051	8	3	II	2	√	√	√
DIPENTENE	2052	3	P	III	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
METHYL ISO BUTYL CARBINOL	2053	3	-	III	3	√	√	√
MORPHOLINE	2054	8	3	I	2	√	√	X
STYRENE MONOMER, STABILIZED	2055	3	-	III	3	√	√	√
TETRAHYDROFURAN	2056	3	-	II	2	√	√	√
TRIPROPYLENE	2057	3	-	II	2	√	√	√
TRIPROPYLENE	2057	3	-	III	3	√	√	√
VALERALDEHYDE	2058	3	-	II	2	√	√	√
NITROCELLULOSE SOLUTION, FLAMMABLE with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose	2059	3	-	I	2	√	√	X
NITROCELLULOSE SOLUTION, FLAMMABLE with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose	2059	3	-	II	2	√	√	√
NITROCELLULOSE SOLUTION, FLAMMABLE with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose	2059	3	-	III	3	√	√	√
AMMONIUM NITRATE BASED FERTILIZER	2067	5.1	-	III	2	√	√	√
AMMONIUM NITRATE BASED FERTILIZER	2071	9	-	III	3	√	√	√
AMMONIA SOLUTION relative density less than 0.880 at 15°C in water, with more than 35% but not more than 50% ammonia	2073	2.2	P	-	3	√	√	√
ACRYLAMIDE, SOLID	2074	6.1	-	III	2	√	√	√
CHLORAL, ANHYDROUS, STABILIZED	2075	6.1	-	II	2	√	√	√
CRESOLS, LIQUID	2076	6.1	8	II	2	√	√	√
<i>alpha</i> -NAPHTHYLAMINE	2077	6.1	-	III	3	√	√	√
TOLUENE DIISOCYANATE	2078	6.1	-	II	2	√	√	√
DIETHYLENETRIAMINE	2079	8	-	II	2	√	√	√
HYDROGEN CHLORIDE, REFRIGERATED LIQUID	2186	2.3	8	-	2	√	√	X
CARBON DIOXIDE, REFRIGERATED LIQUID	2187	2.2	-	-	3	√	√	√
ARSINE	2188	2.3	2.1	-	2	√	√	X
DICHLOROSILANE	2189	2.3	2.1/8	-	2	√	√	X
OXYGEN DIFLUORIDE, COMPRESSED	2190	2.3	5.1/8	-	2	√	√	X
SULPHURYL FLUORIDE	2191	2.3	-	-	2	√	√	X
GERMANE	2192	2.3	2.1	-	2	√	√	X
HEXAFLUOROETHANE (REFRIGERANT GAS R 116)	2193	2.2	-	-	3	√	√	√
SELENIUM HEXAFLUORIDE	2194	2.3	8	-	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
TELLURIUM HEXAFLUORIDE	2195	2.3	8	-	2	√	√	X
TUNGSTEN HEXAFLUORIDE	2196	2.3	8	-	2	√	√	X
HYDROGEN IODIDE, ANHYDROUS	2197	2.3	8	-	2	√	√	X
PHOSPHORUS PENTAFLUORIDE	2198	2.3	8	-	2	√	√	X
PHOSPHINE	2199	2.3	2.1	-	2	√	√	X
PROPADIENE, STABILIZED	2200	2.1	-	-	2	√	√	√
NITROUS OXIDE, REFRIGERATED LIQUID	2201	2.2	5.1	-	2	√	√	√
HYDROGEN SELENIDE, ANHYDROUS	2202	2.3	2.1	-	2	√	√	X
SILANE	2203	2.1	-	-	2	√	√	√
CARBONYL SULPHIDE	2204	2.3	2.1	-	2	√	√	X
ADIPONITRILE	2205	6.1	-	III	3	√	√	√
ISOCYANATES, TOXIC, N.O.S. or ISOCYANATE SOLUTION, TOXIC, N.O.S.	2206	6.1	-	II	2	√	√	√
ISOCYANATES, TOXIC, N.O.S. or ISOCYANATE SOLUTION, TOXIC, N.O.S.	2206	6.1	-	III	2	√	√	√
CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 10% but not more than 39% available chlorine	2208	5.1	P	III	2	√	√	X
FORMALDEHYDE SOLUTIONS with not less than 25% formaldehyde	2209	8	-	III	3	√	√	√
MANEB or MANEB PREPARATION with not less than 60% maneb	2210	4.2	4.3/P	III	2	√	√	√
POLYMERIC BEADS, EXPANDABLE evolving flammable vapour	2211	9	-	III	2	√	√	√
ASBESTOS, AMPHIBOLE (amosite, tremolite, actinolite, anthophyllite, crocidolite)	2212	9	-	II	3	√	√	√
PARAFORMALDEHYDE	2213	4.1	-	III	3	√	√	√
PHTHALIC ANHYDRIDE with more than 0.05% of maleic anhydride	2214	8	-	III	3	√	√	√
MALEIC ANHYDRIDE	2215	8	-	III	3	√	√	√
MALEIC ANHYDRIDE, MOLTEN	2215	8	-	III	3	√	√	√
FISH MEAL (FISH SCRAP),STABILIZED Anti-oxidant treated. Moisture content greater than 5% but not exceeding 12%, by mass. Fat content not more than 15%	2216	9	-	III	3	√	√	√
SEED CAKE with not more than 1.5% oil and not more than 11% moisture	2217	4.2	-	III	2	√	√	√
ACRYLIC ACID , STABILIZED	2218	8	3/P	II	2	√	√	√
ALLYL GLYCIDYL ETHER	2219	3	-	III	3	√	√	√
ANISOLE	2222	3	-	III	3	√	√	√
BENZONITRILE	2224	6.1	-	II	2	√	√	√
BENZENESULPHONYL CHLORIDE	2225	8	-	III	3	√	√	√
BENZOTRICHLORIDE	2226	8	-	II	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
<i>n</i> -BUTYL METHACRYLATE, STABILIZED	2227	3	-	III	3	√	√	√
2-CHLOROETHANAL	2232	6.1	-	I	2	√	√	X
CHLOROANISIDINES	2233	6.1	-	III	3	√	√	√
CHLOROBENZOTRIFLUORIDES	2234	3	-	III	2	√	√	√
CHLOROBENZYL CHLORIDES, LIQUID	2235	6.1	P	III	3	√	√	√
CHLOROTOLUIDINES, SOLID	2239	6.1	-	III	3	√	√	√
CHROMOSULPHURIC ACID	2240	8	-	I	2	√	√	X
CYCLOHEPTANE	2241	3	P	II	2	√	√	√
CYCLOHEPTENE	2242	3	-	II	2	√	√	√
CYCLOHEXYL ACETATE	2243	3	-	III	3	√	√	√
CYCLOPENTANOL	2244	3	-	III	3	√	√	√
CYCLOPENTANONE	2245	3	-	III	3	√	√	√
CYCLOPENTENE	2246	3	-	II	2	√	√	√
<i>n</i> - DECANE	2247	3	-	III	3	√	√	√
DI- <i>n</i> -BUTYL AMINE	2248	8	3	II	2	√	√	√
DICHLORODIMETHYL ETHER, SYMMETRICAL	2249	6.1	3	I	2	√	√	X
DICHLOROPHENYL ISOCYANATES	2250	6.1	-	II	2	√	√	√
BICYCLO[2.2.1]HEPTA-2,5-DIENE,STABILIZED (2,5-NORBORNADIENE, STABILIZED)	2251	3	-	II	2	√	√	√
1,2-DIMETHOXYETHANE	2252	3	-	II	2	√	√	√
N,N-DIMETHYLANILINE	2253	6.1	-	II	2	√	√	√
MATCHES, FUSEE	2254	4.1	-	III	3	√	√	√
CYCLOHEXENE	2256	3	-	II	2	√	√	√
POTASSIUM	2257	4.3	-	I	2	√	√	X
1,2-PROPYLENEDIAMINE	2258	8	3	II	2	√	√	√
TRIETHYLENETETRAMINE	2259	8	-	II	2	√	√	√
TRIPROPYLAMINE	2260	3	8	III	2	√	√	√
XYLENOLS, SOLID	2261	6.1	-	II	2	√	√	√
DIMETHYLCARBAMOYL CHLORIDE	2262	8	-	II	2	√	√	√
DIMETHYLCYCLOHEXANES	2263	3	-	II	2	√	√	√
N,N-DIMETHYLCYCLOHEXYLAMINE	2264	8	3	II	2	√	√	√
N,N-DIMETHYLFORMAMIDE	2265	3	-	III	3	√	√	√
DIMETHYL-N-PROPYLAMINE	2266	3	8	II	2	√	√	√
DIMETHYL THIOPHOSPHORYL CHLORIDE	2267	6.1	8	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
3,3'-IMINODIPROPYLAMINE	2269	8	-	III	3	√	√	√
ETHYLAMINE, AQUEOUS SOLUTION with not less than 50% but not more than 70% ethylamine	2270	3	8	II	2	√	√	√
ETHYL AMYL KETONES	2271	3	-	III	3	√	√	√
<i>N</i> -ETHYLANILINE	2272	6.1	-	III	3	√	√	√
2-ETHYLANILINE	2273	6.1	-	III	3	√	√	√
<i>N</i> -ETHYL-N-BENZYLANILINE	2274	6.1	-	III	3	√	√	√
2-ETHYLBUTANOL	2275	3	-	III	3	√	√	√
2-ETHYLHEXYLAMINE	2276	3	8	III	2	√	√	√
ETHYL METHACRYLATE, STABILIZED	2277	3	-	II	2	√	√	√
<i>n</i> - HEPTENE	2278	3	-	II	2	√	√	√
HEXACHLOROBUTADIENE	2279	6.1	P	III	3	√	√	√
HEXAMETHYLENEDIAMINE, MOLTEN	2280	8	-	III	2	√	√	√
HEXAMETHYLENEDIAMINE, SOLID	2280	8	-	III	2	√	√	√
HEXAMETHYLENE DIISOCYANATE	2281	6.1	-	II	2	√	√	√
HEXANOLS	2282	3	-	III	3	√	√	√
ISOBUTYL METHACRYLATE, STABILIZED	2283	3	-	III	3	√	√	√
ISOBUTYRONITRILE	2284	3	6.1	II	2	√	√	√
ISOCYANATOBENZOTRIFLUORIDES	2285	6.1	3	II	2	√	√	√
PENTAMETHYLHEPTANE	2286	3	-	III	3	√	√	√
ISOHEPTENES	2287	3	-	II	2	√	√	√
ISOHEXENES	2288	3	-	II	2	√	√	√
ISOPHORONEDIAMINE	2289	8	-	III	3	√	√	√
ISOPHORONE DIISOCYANATE	2290	6.1	-	III	3	√	√	√
LEAD COMPOUNDS SOLUBLE,N.O.S.	2291	6.1	P	III	3	√	√	√
4-MENTHOXY-4-METHYL PENTANE-2-ONE	2293	3	-	III	3	√	√	√
<i>N</i> - METHYLANINILE	2294	6.1	-	III	3	√	√	√
METHYL CHLOROACETATE	2295	6.1	3	I	2	√	√	X
METHYLCYCLOHEXANE	2296	3	-	II	2	√	√	√
METHYLCYCLOHEXANONE	2297	3	-	III	3	√	√	√
METHYLCYCLOPENTANE	2298	3	-	II	2	√	√	√
METHYL DICHLOROACETATE	2299	6.1	-	III	3	√	√	√
2-METHYL-5-ETHYL PYRIDINE	2300	6.1	-	III	3	√	√	√



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
2-METHYLFURAN	2301	3	-	II	2	√	√	√
5-METHYLHEXAN-2-ONE	2302	3	-	III	3	√	√	√
ISOPROPENYLBENZENE	2303	3	-	III	3	√	√	√
NAPHTHALENE, MOLTEN	2304	4.1	P	III	3	√	√	√
NITROBENZENESULPHONIC ACID	2305	8	-	II	2	√	√	√
NITROBENZOTRIFLUORIDES, LIQUID	2306	6.1	P	II	2	√	√	√
3-NITRO-4-CHLOROBENZOTRIFLUORIDE	2307	6.1	P	II	2	√	√	√
NITROSYLSULPHURIC ACID, LIQUID	2308	8	-	II	2	√	√	√
OCTADIENE	2309	3	-	II	3	√	√	√
PENTANE-2,4-DIONE	2310	3	6.1	III	2	√	√	√
PHENETIDINES	2311	6.1	-	III	3	√	√	√
PHENOL, MOLTEN	2312	6.1	-	II	2	√	√	√
PICOLINES	2313	3	-	III	3	√	√	√
POLYCHLORINATED BIPHENYLS, LIQUID	2315	9	P	II	3	√	√	√
SODIUM CUPROCYANIDE, SOLID	2316	6.1	P	I	2	√	√	X
SODIUM CUPROCYANIDE, SOLUTION	2317	6.1	P	I	2	√	√	X
SODIUM HYDROSULPHIDE with less than 25% water of crystallization	2318	4.2	-	II	2	√	√	√
TERPENE HYDROCARBONS, N.O.S.	2319	3	-	III	2	√	√	√
TETRAETHYLENEPENTAMINE	2320	8	-	III	3	√	√	√
TRICHLOROBENZENES, LIQUID	2321	6.1	P	III	3	√	√	√
TRICHLOROBUTENE	2322	6.1	P	II	2	√	√	√
TRIETHYL PHOSPHITE	2323	3	-	III	3	√	√	√
TRIISOBUTYLENE	2324	3	-	III	3	√	√	√
1,3, 5-TRIMETHYLBENZENE	2325	3	P	III	3	√	√	√
TRIMETHYLCYCLO HEXYLAMINE	2326	8	-	III	3	√	√	√
TRIMETHYLHEXAMETHYLENEDIAMINES	2327	8	-	III	3	√	√	√
TRIMETHYLHEXAMETHYLENE DIISOCYANATE	2328	6.1	-	III	3	√	√	√
TRIMETHYL PHOSPHITE	2329	3	-	III	3	√	√	√
UNDECANE	2330	3	-	III	3	√	√	√
ZINC CHLORIDE, ANHYDROUS	2331	8	P	III	3	√	√	√
ACETALDEHYDE OXIME	2332	3	-	III	3	√	√	√
ALLYL ACETATE	2333	3	6.1	II	2	√	√	√
ALLYLAMINE	2334	6.1	3	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ALLYL ETHYL ETHER	2335	3	6.1	II	2	√	√	√
ALLYL FORMATE	2336	3	6.1	I	2	√	√	X
PHENYL MERCAPTAN	2337	6.1	3	I	2	√	√	X
BENZOTRIFLUORIDE	2338	3	-	II	2	√	√	√
2-BROMOBUTANE	2339	3	-	II	2	√	√	√
2-BROMOETHYL ETHYL ETHER	2340	3	-	II	2	√	√	√
1-BROMO 3-METHYL BUTANE	2341	3	-	III	3	√	√	√
BROMOMETHYLPROPANES	2342	3	-	II	2	√	√	√
2-BROMOPENTANE	2343	3	-	II	2	√	√	√
BROMOPROPANES	2344	3	-	II	2	√	√	√
BROMOPROPANES	2344	3	-	III	3	√	√	√
3-BROMOPROPYNE	2345	3	-	II	2	√	√	√
BUTANEDIONE	2346	3	-	II	2	√	√	√
BUTYL MERCAPTAN	2347	3	-	II	2	√	√	√
BUTYL ACRYLATES , STABILIZED	2348	3	-	III	3	√	√	√
BUTYL METHYL ETHER	2350	3	-	II	2	√	√	√
BUTYL NITRITES	2351	3	-	II	2	√	√	√
BUTYL NITRITES	2351	3	-	III	3	√	√	√
BUTYL VINYL ETHER, STABILIZED	2352	3	-	II	2	√	√	√
BUTYRYL CHLORIDE	2353	3	8	II	2	√	√	√
CHLOROMETHYL ETHYL ETHER	2354	3	6.1	II	2	√	√	√
2-CHOLOPROPANE	2356	3	-	I	2	√	√	X
CYCLOHEXYLAMINE	2357	8	3	II	2	√	√	√
CYCLOOCTATETRAENE	2358	3	-	II	2	√	√	√
DIALLYLAMINE	2359	3	6.1/8	II	2	√	√	√
DIALLYL ETHER	2360	3	6.1	II	2	√	√	√
DIISOBUTYLAMINE	2361	3	8	III	2	√	√	√
1,1-DICHLOROETHANE	2362	3	-	II	2	√	√	√
ETHYL MERCAPTAN	2363	3	P	I	2	√	√	X
<i>n</i> - PROPYLBENZENE	2364	3	-	III	3	√	√	√
DIETHYL CARBONATE	2366	3	-	III	3	√	√	√
<i>alpha</i> -METHYL-VALERALDEHYDE	2367	3	-	II	2	√	√	√
<i>alpha</i> -PINENE	2368	3	P	III	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
1-HEXENE	2370	3	-	II	2	√	√	√
ISOPENTENES	2371	3	-	I	2	√	√	X
1,2-DI(DIMETHYLAMINO) ETHANE	2372	3	-	II	2	√	√	√
DIETHOXYMETHANE	2373	3	-	II	2	√	√	√
3,3-DIETHOXYPROPENE	2374	3	-	II	2	√	√	√
DIETHYL SULPHIDE	2375	3	-	II	2	√	√	√
2,3-DIHYDROPYRAN	2376	3	-	II	2	√	√	√
1,1-DIMETHOXYETHANE	2377	3	-	II	2	√	√	√
2-DIMETHYLAMINOACETONITRILE	2378	3	6.1	II	2	√	√	√
1,3-DIMETHYLBUTYLAMINE	2379	3	8	II	2	√	√	√
DIMETHYLDIETHOXSILANE	2380	3	-	II	2	√	√	√
DIMETHYL DISULPHIDE	2381	3	6.1/P	II	2	√	√	√
DIMETHYLHYDRAZINE, SYMMETRICAL	2382	6.1	3/P	I	2	√	√	X
DIPROPYLAMINE	2383	3	8	II	2	√	√	√
DI- <i>n</i> -PROPYL ETHER	2384	3	-	II	2	√	√	√
ETHYL ISOBUTYRATE	2385	3	-	II	2	√	√	√
1-ETHYLPYPERIDINE	2386	3	8	II	2	√	√	√
FLUOROBENZENE	2387	3	-	II	2	√	√	√
FLUOROTOLUENES	2388	3	-	II	2	√	√	√
FURAN	2389	3	-	I	2	√	√	X
2-IODOBUTANE	2390	3	-	II	2	√	√	√
IODOMETHYLPROPANES	2391	3	-	II	2	√	√	√
IODOPROPANES	2392	3	-	III	3	√	√	√
ISOBUTYL FORMATE	2393	3	-	II	2	√	√	√
ISOBUTYL PROPIONATE	2394	3	-	III	3	√	√	√
ISOBUTYRYL CHLORIDE	2395	3	8	II	2	√	√	√
METHACRYLALDEHYDE, STABILIZED	2396	3	6.1	II	2	√	√	√
3-METHYLBUTAN-2-ONE	2397	3	-	II	2	√	√	√
METHYL <i>tert</i> - BUTYL ETHER	2398	3	-	II	2	√	√	√
1-METHYLPYPERIDINE	2399	3	8	II	2	√	√	√
METHYL ISOVALERATE	2400	3	-	II	2	√	√	√
PIPERIDENE	2401	8	3	I	2	√	√	X
PROPANETHIOLS	2402	3	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ISOPROPENYL ACETATE	2403	3	-	II	2	√	√	√
PROPIONITRILE	2404	3	6.1	II	2	√	√	√
ISOPROPYL BUTYRATE	2405	3	-	III	3	√	√	√
ISOPROPY ISOBUTYRATE	2406	3	-	II	2	√	√	√
ISOPROPYL CHLOROFORMATE	2407	6.1	3/8	I	2	√	√	X
ISOPROPYL PROPIONATE	2409	3	-	II	2	√	√	√
1,2, 3, 6 -TETRAHYDROPYRIDINE	2410	3	-	II	2	√	√	√
BUTYRONITRILE	2411	3	6.1	II	2	√	√	√
TETRAHYDROTHIOPHENE	2412	3	-	II	2	√	√	√
TETRAPROPYL ORTHOTITANATE	2413	3	-	III	3	√	√	√
THIOPHENE	2414	3	-	II	2	√	√	√
TRIMETHYL BORATE	2416	3	-	II	2	√	√	√
CARBONYL FLUORIDE	2417	2.3	8	-	2	√	√	X
SULPHUR TETRAFLUORIDE	2418	2.3	8	-	2	√	√	X
BROMOTRIFLUOROETHYLENE	2419	2.1	-	-	2	√	√	√
HEXAFLUOROACETONE	2420	2.3	8	-	2	√	√	X
NITROGEN TRIOXIDE	2421	2.3	5.1/8	-	2	√	√	X
OCTAFLUOROBUT-2-ENE (REFREGERANT GAS R 1318)	2422	2.2	-	-	3	√	√	√
OCTAFLUOROPROPANE (REFREGERANT GAS R 218)	2424	2.2	-	-	3	√	√	√
AMMONIUM NITRATE LIQUID (hot concentrated solution)	2426	5.1	-	-	2	√	√	√
POTASSIUM CHLORATE, AQUEOUS SOLUTION	2427	5.1	-	II	2	√	√	√
POTASSIUM CHLORATE, AQUEOUS SOLUTION	2427	5.1	-	III	2	√	√	√
SODIUM CHLORATE, AQUEOUS SOLUTION	2428	5.1	-	II	2	√	√	√
SODIUM CHLORATE, AQUEOUS SOLUTION	2428	5.1	-	III	2	√	√	√
CALCIUM CHLORATE, AQUEOUS SOLUTION	2429	5.1	-	II	2	√	√	√
CALCIUM CHLORATE, AQUEOUS SOLUTION	2429	5.1	-	III	2	√	√	√
ALKYLPHENOLS,SOLID,N.O.S. (including C <sub>2</sub> – C <sub>12</sub> homologues)	2430	8	-	I	2	√	√	X
ALKYLPHENOLS,SOLID,N.O.S. (including C <sub>2</sub> – C <sub>12</sub> homologues)	2430	8	-	II	2	√	√	√
ALKYLPHENOLS,SOLID,N.O.S. (including C <sub>2</sub> – C <sub>12</sub> homologues)	2430	8	-	III	2	√	√	√
ANISIDINES	2431	6.1	-	III	3	√	√	√
N,N-DIETHYLANILINE	2432	6.1	-	III	3	√	√	√
CHLORONITROTOLUENE, LIQUID	2433	6.1	P	III	3	√	√	√
DIBENZYLDCHLOROSILANE	2434	8	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ETHYLPHENYLDICHLOROSILANE	2435	8	-	II	2	√	√	√
THIOACETIC ACID	2436	3	-	II	2	√	√	√
METHYLPHENYLDICHLOROSILANE	2437	8	-	II	2	√	√	√
TRIMETHYLACETYL CHLORIDE	2438	6.1	3/8	I	2	√	√	X
SODIUM HYDROGEN-DIFLUORIDE	2439	8	-	II	2	√	√	√
STANNIC CHLORIDE PENTAHYDRATE	2440	8	-	III	3	√	√	√
TITANIUM TRICHLORIDE, PYROPHORIC or TITANIUM TRICHLORIDE MIXTURE, PYROPHORIC	2441	4.2	8	I	2	√	√	X
TRICHLOROACETYL CHLORIDE	2442	8	-	II	2	√	√	√
VANADIAN OXYTRICHLORIDE	2443	8	-	II	2	√	√	√
VANADIUM TETRACHLORIDE	2444	8	-	I	2	√	√	X
NITROCRESOLS, SOLID	2446	6.1	-	III	3	√	√	√
PHOSPHORUS, WHITE, MOLTEN	2447	4.2	6.1/P	I	2	√	√	X
SULPHUR, MOLTEN	2448	4.1	-	III	3	√	√	√
NITROGEN TRIFLUORIDE	2451	2.2	5.1	-	2	√	√	√
ETHYLACETYLENE, STABILIZED	2452	2.1	-	-	2	√	√	√
ETHYL FLUORIDE (REFRIGERANT GAS R 161)	2453	2.1	-	-	2	√	√	√
METHYL FLUORIDE (REFRIGERANT GAS R 41)	2454	2.1	-	-	2	√	√	√
METHYL NITRITE	2455	2.2	-	-	3	√	√	√
2-CHLOROPROPENE	2456	3	-	I	2	√	√	X
2,3-DIMETHYLBUTANE	2457	3	-	II	2	√	√	√
HEXADIENES	2458	3	-	II	2	√	√	√
2-METHYL- 1-BUTENE	2459	3	-	I	2	√	√	X
2-METHYL-2-BUTENE	2460	3	-	II	2	√	√	√
METHYLPENTADIENES	2461	3	-	II	2	√	√	√
ALUMINIUM HYDRIDE	2463	4.3	-	I	2	√	√	X
BERYLLIUM NITRATE	2464	5.1	6.1	II	2	√	√	√
DICHLOROISOCYANURIC ACID, DRY or DICHLOROISOCYANURIC ACID, SALTS	2465	5.1	-	II	2	√	√	√
POTASSIUM SUPEROXIDE	2466	5.1	-	I	2	√	√	X
TRICHLOROISOCYANURIC ACID, DRY	2468	5.1	-	II	2	√	√	√
ZINC BROMATE	2469	5.1	-	III	2	√	√	√
PHENYLACETONITRILE, LIQUID	2470	6.1	-	III	3	√	√	√
OSMIUM TETROXIDE	2471	6.1	P	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
SODIUM ARSANILATE	2473	6.1	-	III	3	√	√	√
THIOPHOSGENE	2474	6.1	-	II	2	√	√	√
VANADIUM TRICHLORIDE	2475	8	-	III	3	√	√	√
METHYL ISOTHIOCYANATE	2477	6.1	3	I	2	√	√	X
ISOCYANATES, FLAMMABLE, TOXIC, N.O.S or ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.	2478	3	6.1	II	2	√	√	√
ISOCYANATES, FLAMMABLE, TOXIC, N.O.S or ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.	2478	3	6.1	III	2	√	√	√
METHYL ISOCYANATE	2480	6.1	3	I	2	√	√	X
ETHYL ISOCYANATE	2481	6.1	3	I	2	√	√	X
<i>n</i> - PROPYL ISOCYANATE	2482	6.1	3	I	2	√	√	X
ISOPROPYL ISOCYANATE	2483	6.1	3	I	2	√	√	X
<i>tert</i> -BUTYL ISOCYANATE	2484	6.1	3	I	2	√	√	X
<i>n</i> -BUTYL ISOCYANATE	2485	6.1	3	I	2	√	√	X
ISOBUTYL ISOCYANATE	2486	6.1	3	I	2	√	√	X
PHENYL ISOCYANATE	2487	6.1	3	I	2	√	√	X
CYCLOHEXYL ISOCYANATE	2488	6.1	3	I	2	√	√	X
DICHLOROISOPROPYL ETHER	2490	6.1	-	II	2	√	√	√
ETHANOLAMINE or ETHANOLAMINE SOLUTION	2491	8	-	III	3	√	√	√
HEXAMETHYLENEIMINE	2493	3	8	II	2	√	√	√
IODINE PENTAFLUORIDE	2495	5.1	6.1/8	I	2	√	√	X
PROPIONIC ANHYDRIDE	2496	8	-	III	3	√	√	√
1,2,3,6-TETRAHYDROBENZALDEHYDE	2498	3	-	III	3	√	√	√
TRIS-(1-AZIRIDINYL)- PHOSPHINE OXIDE SOLUTION	2501	6.1	-	II	2	√	√	√
TRIS-(1-AZIRIDINYL)- PHOSPHINE OXIDE SOLUTION	2501	6.1	-	III	3	√	√	√
VALERYL CHLORIDES	2502	8	3	II	2	√	√	√
ZIRCONIUM TETRACHLORIDE	2503	8	-	III	3	√	√	√
TETRABROMOETHANE	2504	6.1	P	III	3	√	√	√
AMMONIUM FLUORIDE	2505	6.1	-	III	3	√	√	√
AMMONIUM HYDROGEN SULPHATE	2506	8	-	II	2	√	√	√
CHLOROPLATINIC ACID, SOLID	2507	8	-	III	3	√	√	√
MOLYBDENUM PENTACHLORIDE	2508	8	-	III	3	√	√	√
POTASSIUM HYDROGEN SULPHATE	2509	8	-	II	2	√	√	√
2-CHLOROPROPIONIC ACID	2511	8	-	III	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
AMINOPHENOLS ( <i>o</i> -, <i>m</i> -, <i>p</i> -)	2512	6.1	-	III	3	√	√	√
BROMOACETYL BROMIDE	2513	8	-	II	2	√	√	√
BROMOBENZENE	2514	3	P	III	3	√	√	√
BROMOFORM	2515	6.1	P	III	3	√	√	√
CARBON TETRABROMIDE	2516	6.1	P	III	3	√	√	√
1-CHLORO-,1-DIFLUOROETHANE (REFRIGERANT GAS R 142b)	2517	2.1	-	-	2	√	√	√
1,5,9-CYCLODODECATRIENE	2518	6.1	P	III	3	√	√	√
CYCLOOCTADIENES	2520	3	-	III	3	√	√	√
DIKETENE, STABILIZED	2521	6.1	3	I	2	√	√	X
2-DIMETHYLAMINOETHYL METHACRYLATE	2522	6.1	-	II	2	√	√	√
ETHYL ORTOFORMATE	2524	3	-	III	3	√	√	√
ETHYL OXALATE	2525	6.1	-	III	3	√	√	√
FURFURYLAMINE	2526	3	8	III	2	√	√	√
ISOBUTYL ACRYLATE, STABILIZED	2527	3	-	III	3	√	√	√
ISOBUTYL ISOBUTYRATE	2528	3	-	III	3	√	√	√
ISOBUTYRIC ACID	2529	3	8	III	2	√	√	√
METHACRYLIC ACID, STABILIZED	2531	8	-	II	2	√	√	√
METHYL TRICHLOROACETATE	2533	6.1	-	III	3	√	√	√
METHYLCHLOROSILANE	2534	2.3	2.1/8	-	2	√	√	X
4-METHYLMORPHOLINE ( <i>N</i> -METHYLMORPHOLINE)	2535	3	8	II	2	√	√	√
METHYLTETRAHYDROFURAN	2536	3	-	II	2	√	√	√
NITRONAPHTHALENE	2538	4.1	-	III	3	√	√	√
TERPINOLENE	2541	3	-	III	3	√	√	√
TRIBUTYLAMINE	2542	6.1	-	II	2	√	√	√
HAFNIUM POWDER, DRY	2545	4.2	-	I	2	√	√	X
HAFNIUM POWDER, DRY	2545	4.2	-	II	2	√	√	√
HAFNIUM POWDER, DRY	2545	4.2	-	III	3	√	√	√
TITANIUM POWDER, DRY	2546	4.2	-	I	2	√	√	X
TITANIUM POWDER, DRY	2546	4.2	-	II	2	√	√	√
TITANIUM POWDER, DRY	2546	4.2	-	III	3	√	√	√
SODIUM SUPEROXIDE	2547	5.1	-	I	2	√	√	X
CHLORINE PENTAFLUORIDE	2548	2.3	5.1/8	-	2	√	√	X
HEXAFLUOROACETONE HYDRATE, LIQUID	2552	6.1	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
METHYL ALLYL CHLORIDE	2554	3	-	II	2	√	√	√
NITROCELLULOSE WITH WATER (not less than 25% water, by mass)	2555	4.1	-	II	2	√	√	√
NITROCELLULOSE WITH ALCOHOL (not less than 25% alcohol, by mass, and not more than 12.6% nitrogen, by dry mass)	2556	4.1	-	II	2	√	√	√
NITROCELLULOSE with not more than 12.6% nitrogen, by dry mass, MIXTURE WITH or WITHOUT PLASTICIZER, WITH or WITHOUT PIGMENT	2557	4.1	-	II	2	√	√	√
EPIBROMOHYDRIN	2558	6.1	3/P	I	2	√	√	X
2-METHYL PENTAN-2-OL	2560	3	-	III	3	√	√	√
3-METHYL-1-BUTENE	2561	3	-	I	2	√	√	X
TRICHLOROACETIC ACIDS SOLUTION	2564	8	-	II	2	√	√	√
TRICHLOROACETIC ACIDS SOLUTION	2564	8	-	III	3	√	√	√
DICYCLOHEXYLAMINE	2565	8	-	III	3	√	√	√
SODIUM PENTACHLOROPHENATE	2567	6.1	P	II	2	√	√	√
CADMIUM COMPOUND	2570	6.1	-	I	2	√	√	X
CADMIUM COMPOUND	2570	6.1	-	II	2	√	√	√
CADMIUM COMPOUND	2570	6.1	-	III	3	√	√	√
ALKYLSULPHURIC ACIDS	2571	8	-	II	2	√	√	√
PHENYLHYDRAZINE	2572	6.1	-	II	2	√	√	√
THALLIUM CHLORATE	2573	5.1	6.1/P	II	2	√	√	√
TRICRESYL PHOSPHATE with more than 3% <i>ortho</i> -isomer	2574	6.1	P	II	2	√	√	√
PHOSPHORUS OXYBROMIDE, MOLTEN	2576	8	-	II	2	√	√	√
PHENYLACETYL CHLORIDE	2577	8	-	II	2	√	√	√
PHOSPHORUS TRIOXIDE	2578	8	-	III	2	√	√	√
PIPERAZINE	2579	8	-	III	2	√	√	√
ALUMINIUM BROMIDE SOLUTION	2580	8	-	III	3	√	√	√
ALUMINIUM CHLORIDE SOLUTION	2581	8	-	III	3	√	√	√
FERRIC CHLORIDE SOLUTION	2582	8	-	III	3	√	√	√
ALKYLSULPHONIC ACIDS, SOLID or ARYLSULPHONIC ACIDS, SOLID with more than 5% free sulphuric acid	2583	8	-	II	2	√	√	√
ALKYLSULPHONIC ACIDS, LIQUID OR ARYLSULPHONIC ACIDS, LIQUID with more than 5% free sulphuric acid	2584	8	-	II	2	√	√	√
ALKYLSULPHONIC ACIDS, SOLID or ARYLSULPHONIC ACIDS, SOLID with not more 5% free sulphuric acid	2585	8	-	III	3	√	√	√



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ALKYLSULPHONIC ACIDS, LIQUID or ARYLSULPHONIC ACIDS, LIQUID with not more 5% free sulphuric acid	2586	8	-	III	3	√	√	√
BENZOQUINONE	2587	6.1	-	II	2	√	√	√
PESTICIDES, SOLID, TOXIC, N.O.S.	2588	6.1	-	I	2	√	√	X
PESTICIDES, SOLID, TOXIC, N.O.S.	2588	6.1	-	II	2	√	√	√
PESTICIDES, SOLID, TOXIC, N.O.S.	2588	6.1	-	III	3	√	√	√
VINYL CHLOROACETATE	2589	6.1	3	II	2	√	√	√
ASBESTOS, CHRYSOTILE	2590	9	-	III	3	√	√	√
XENON, REFRIGERATED LIQUID	2591	2.2	-	-	3	√	√	√
CHLOROTRIFLUOROMETHANE AND TRIFLUOROMETHANE AZEOTROPIC MIXTURE with approximately 60% chlorotrifluoromethane (REFRIGERANT GAS R 503)	2599	2.2	-	-	3	√	√	√
CYCLOBUTANE	2601	2.1	-	-	2	√	√	√
DICHLORODIFLUORO-METHANE AND DIFLUOROETHANE AZEOTROPIC MIXTURE with approximately 74% dichlorodifluoromethane ( REFRIGERANT GAS R 500)	2602	2.2	-	-	3	√	√	√
CYCLOHEPTATRIENE	2603	3	6.1	II	2	√	√	√
BORON TRIFLUORIDE DIETHYL ETHERATE	2604	8	3	I	2	√	√	X
METHOXYMETHYL ISOCYANATE	2605	6.1	3	I	2	√	√	X
METHYL ORTHOSILICATE	2606	6.1	3	I	2	√	√	X
ACROLEIN DIMER, STABILIZED	2607	3	-	III	3	√	√	√
NITROPROPANES	2608	3	-	III	3	√	√	√
TRIALLYL BORATE	2609	6.1	-	III	3	√	√	√
TRIALLYLAMINE	2610	3	8	III	3	√	√	√
PROPYLENE CHLOROHYDRIN	2611	6.1	3	II	2	√	√	√
METHYL PROPYL ETHER	2612	3	-	II	2	√	√	√
METHALLYL ALCOHOL	2614	3	-	III	3	√	√	√
ETHYL PROPYL ETHER	2615	3	-	II	2	√	√	√
TRIIISOPROPYL BORATE	2616	3	-	II	2	√	√	√
TRIIISOPROPYL BORATE	2616	3	-	III	3	√	√	√
METHYLCYCLOHEXANOLS, flammable	2617	3	-	III	3	√	√	√
VINYL TOLUENES, STABILIZED	2618	3	-	III	3	√	√	√
BENZYLDIMETHYLAMINE	2619	8	3	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
AMYL BUTYRATES	2620	3	-	III	3	√	√	√
ACETYL METHYL CARBINOL	2621	3	-	III	3	√	√	√
GLYCIDALDEHYDE	2622	3	6.1	II	2	√	√	√
FIRELIGHTERS, SOLID with flammable liquid	2623	4.1	-	III	3	√	√	√
MAGNESIUM SILICIDE	2624	4.3	-	II	2	√	√	√
CHLORIC ACID, AQUEOUS SOLUTION with not more than 10% chloric acid	2626	5.1	-	II	2	√	√	√
NITRITES, INORGANIC, N.O.S.	2627	5.1	-	II	2	√	√	√
POTASSIUM FLUOROACETATE	2628	6.1	-	I	2	√	√	X
SODIUM FLUOROACETATE	2629	6.1	-	I	2	√	√	X
SELENATES or SELENITES	2630	6.1	-	I	2	√	√	X
FLUOROACETIC ACID	2642	6.1	-	I	2	√	√	X
METHYL BROMOACETATE	2643	6.1	-	II	2	√	√	√
METHYL IODIDE	2644	6.1	-	I	2	√	√	X
PHENACYL BROMIDE	2645	6.1	-	II	2	√	√	√
HEXACHLOROCYCLOPENTADIENE	2646	6.1	-	I	2	√	√	X
MALONONITRILE	2647	6.1	-	II	2	√	√	√
1,2-DIBROMOBUTAN-3-ONE	2648	6.1	-	II	2	√	√	√
1,3-DICHLOROACETONE	2649	6.1	-	II	2	√	√	√
1,1-DICHLORO-1-NITRO-ETHANE	2650	6.1	-	II	2	√	√	√
4,4'-DIAMINODIPHENYLMETHANE	2651	6.1	P	III	3	√	√	√
BENZYL IODIDE	2653	6.1	-	II	2	√	√	√
POTASSIUM FLUROSILICATE	2655	6.1	-	III	3	√	√	√
QUINOLINE	2656	6.1	-	III	2	√	√	√
SELENIUM DISULPHIDE	2657	6.1	-	II	2	√	√	√
SODIUM CHLOROACETATE	2659	6.1	-	III	3	√	√	√
NITROTOLUIDINES (MONO)	2660	6.1	-	III	3	√	√	√
HEXACHLOROACETONE	2661	6.1	-	III	2	√	√	√
DIBROMOMETHANE	2664	6.1	-	III	3	√	√	√
BUTYLTOLUENES	2667	6.1	-	III	3	√	√	√
CHLOROACETONITRILE	2668	6.1	3	I	2	√	√	X
CHLOROCRESOLS SOLUTION	2669	6.1	-	II	2	√	√	√
CHLOROCRESOLS SOLUTION	2669	6.1	-	III	2	√	√	√
CYANURIC CHLORIDE	2670	8	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
AMINOPYRIDINES ( <i>o</i> -, <i>m</i> -, <i>p</i> -)	2671	6.1	-	II	2	√	√	√
AMMONIA SOLUTION relative density between 0.880 and 0.957 at 15°C in water, with more than 10% but not more than 35% ammonia	2672	8	P	III	3	√	√	√
2-AMINO-4-CHLOROPHENTOL	2673	6.1	-	II	2	√	√	√
SODIUM FLUROSILICATE	2674	6.1	-	III	3	√	√	√
STIBINE	2676	2.3	2.1	-	2	√	√	X
RUBIDIUM HYDROXIDE SOLUTION	2677	8	-	II	2	√	√	√
RUBIDIUM HYDROXIDE SOLUTION	2677	8	-	III	2	√	√	√
RUBIDIUM HYDROXIDE	2678	8	-	II	2	√	√	√
LITHIUM HYDROXIDE SOLUTION	2679	8	-	II	2	√	√	√
LITHIUM HYDROXIDE SOLUTION	2679	8	-	III	3	√	√	√
LITHIUM HYDROXIDE MONOHYDRATE	2680	8	-	II	2	√	√	√
CAESIUM HYDROXIDE SOLUTION	2681	8	-	II	2	√	√	√
CAESIUM HYDROXIDE SOLUTION	2681	8	-	III	3	√	√	√
CAESIUM HYDROXIDE	2682	8	-	II	2	√	√	√
AMMONIUM SULPHIDE SOLUTION	2683	8	3/6.1	II	2	√	√	√
3-(DIETHYLAMINO) -PROPYLAMINE	2684	3	8	III	2	√	√	√
N,N-DIETHYLENEDIAMINE	2685	8	3	II	2	√	√	√
2-DIETHYLAMINOETHANOL	2686	8	3	II	2	√	√	√
DICYCLOHEXYLAMMONIUM NITRITE	2687	4.1	-	III	3	√	√	√
1-BROMOPROPANE-3-CHLOROPROPANE	2688	6.1	-	III	3	√	√	√
GLYCEROL- <i>alpha</i> -MONOCHLOROHYDRIN	2689	6.1	-	III	3	√	√	√
<i>N-n</i> -BUTYLIMIDAZOLE	2690	6.1	-	II	2	√	√	√
PHOSPHORUS PENTABROMIDE	2691	8	-	II	2	√	√	√
BORON TRIBROMIDE	2692	8	-	I	2	√	√	X
BISULPHITES, AQUEOUS SOLUTION, N.O.S.	2693	8	-	III	2	√	√	√
TETRAHYDROPHTHALIC ANHYDRIDES with more than 0.05% maleic anhydride	2698	8	-	III	3	√	√	√
TRIFLUOROACETIC ACID	2699	8	-	I	2	√	√	X
1-PENTOL	2705	8	-	II	2	√	√	√
DIMETHYLDIOXANES	2707	3	-	II	2	√	√	√
DIMETHYLDIOXANES	2707	3	-	III	3	√	√	√
BUTYL BENZENES	2709	3	P	III	3	√	√	√
DIPROPYL KETONE	2710	3	-	III	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ACRIDINE	2713	6.1	-	III	3	√	√	√
ZINC RESINATE	2714	4.1	-	III	3	√	√	√
ALUMINIUM RESINATE	2715	4.1	-	III	3	√	√	√
1,4-BUTYNEEDIOL	2716	6.1	-	III	3	√	√	√
CAMPHOR, synthetic	2717	4.1	-	III	3	√	√	√
BARIUM BROMATE	2719	5.1	6.1	II	2	√	√	√
CHROMIUM NITRATE	2720	5.1	-	III	2	√	√	√
COPPER CHLORATE	2721	5.1	-	II	2	√	√	√
LITHIUM NITRATE	2722	5.1	-	III	2	√	√	√
MAGNESIUM CHLORATE	2723	5.1	-	II	2	√	√	√
MANGANESE NITRATE	2724	5.1	-	III	2	√	√	√
NICKEL NITRATE	2725	5.1	-	III	2	√	√	√
NICKEL NITRITE	2726	5.1	-	III	2	√	√	√
THALLIUM NITRATE	2727	6.1	5.1/P	II	2	√	√	√
ZIRCONIUM NITRATE	2728	5.1	-	III	2	√	√	√
HEXACHLOROBENZENE	2729	6.1	-	III	3	√	√	√
NITROANISOLES, LIQUID	2730	6.1	-	III	3	√	√	√
NITROBROMOBENZENES, LIQUID	2732	6.1	-	III	3	√	√	√
AMINES, FLAMMABLE, CORROSIVE, N.O.S. or POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S	2733	3	8	I	2	√	√	X
AMINES, FLAMMABLE, CORROSIVE, N.O.S. or POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S	2733	3	8	II	2	√	√	√
AMINES, FLAMMABLE, CORROSIVE, N.O.S. or POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S	2733	3	8	III	2	√	√	√
AMINES, LIQUID, CORROSIVE, FLAMMABLE,N.O.S. or POLYAMINES LIQUID, CORROSIVE, FLAMMABLE, N.O.S.	2734	8	3	I	2	√	√	X
AMINES, LIQUID, CORROSIVE, FLAMMABLE,N.O.S. or POLYAMINES LIQUID, CORROSIVE, FLAMMABLE, N.O.S.	2734	8	3	II	2	√	√	√
AMINES, LIQUID,CORROSIVE,N.O.S or POLYAMINES, LIQUID, CORROSIVE,N.O.S.	2735	8	-	I	2	√	√	X
AMINES, LIQUID,CORROSIVE,N.O.S or POLYAMINES, LIQUID, CORROSIVE,N.O.S.	2735	8	-	II	2	√	√	√
AMINES, LIQUID,CORROSIVE,N.O.S or POLYAMINES, LIQUID, CORROSIVE,N.O.S.	2735	8	-	III	2	√	√	√
N- BUTYLANILINE	2738	6.1	-	II	2	√	√	√
BUTYRIC ANHYDRIDE	2739	8	-	III	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
<i>n</i> -PROPYL CHLOROFORMATE	2740	6.1	3/8	I	2	√	√	X
BARIUM HYPOCHLORITE with more than 22% available chlorine	2741	5.1	6.1	II	2	√	√	√
CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.	2742	6.1	3/8	II	2	√	√	√
<i>n</i> -BUTYL CHLOROFORMATE	2743	6.1	3/8	II	2	√	√	√
CYCLOBUTYL CHLOROFORMATE	2744	6.1	3/8	II	2	√	√	√
CHLOROMOMETHYL CHLOROFORMATE	2745	6.1	8	II	2	√	√	√
PHENYL CHLOROFORMATE	2746	6.1	8	II	2	√	√	√
<i>tert</i> - BUTYL CYCLOHEXYL CHLOROFORMATE	2747	6.1	-	III	3	√	√	√
2-ETHYLHEXYL CHLOROFORMATE	2748	6.1	8	II	2	√	√	√
TETRAMETHYLSILANE	2749	3	-	I	2	√	√	X
1,3-DICHLOROPROPANOL-2	2750	6.1	-	II	2	√	√	√
DIETHYLTHIOPHOSPHORYL CHLORIDE	2751	8	-	II	2	√	√	√
1,2-EPOXY-3-ETHYLOXY-PROPANE	2752	3	-	III	3	√	√	√
N-ETHYLBENZYL TOLUIDINES, LIQUID	2753	6.1	-	III	3	√	√	√
N-ETHYL TOLUIDINES	2754	6.1	-	II	2	√	√	√
CARBAMATE PESTICIDES, SOLID, TOXIC	2757	6.1	-	I	2	√	√	X
CARBAMATE PESTICIDES, SOLID, TOXIC	2757	6.1	-	II	2	√	√	√
CARBAMATE PESTICIDES, SOLID, TOXIC	2757	6.1	-	III	3	√	√	√
CARBAMATE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2758	3	6.1	I	2	√	√	X
CARBAMATE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2758	3	6.1	II	2	√	√	√
ARSENICAL PESTICIDES, SOLID, TOXIC	2759	6.1	-	I	2	√	√	X
ARSENICAL PESTICIDES, SOLID, TOXIC	2759	6.1	-	II	2	√	√	√
ARSENICAL PESTICIDES, SOLID, TOXIC	2759	6.1	-	III	3	√	√	√
ARSENICAL PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2760	3	6.1	I	2	√	√	X
ARSENICAL PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2760	3	6.1	II	2	√	√	√
ORGANOCHLORINE PESTICIDES, SOLID, TOXIC	2761	6.1	-	I	2	√	√	X
ORGANOCHLORINE PESTICIDES, SOLID, TOXIC	2761	6.1	-	II	2	√	√	√
ORGANOCHLORINE PESTICIDES, SOLID, TOXIC	2761	6.1	-	III	3	√	√	√
ORGANOCHLORINE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2762	3	6.1	I	2	√	√	X
ORGANOCHLORINE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2762	3	6.1	II	2	√	√	√
TRIAZINE PESTICIDES, SOLID, TOXIC	2763	6.1	-	I	2	√	√	X
TRIAZINE PESTICIDES, SOLID, TOXIC	2763	6.1	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
TRIAZINE PESTICIDES, SOLID, TOXIC	2763	6.1	-	III	3	√	√	√
TRIAZINE PESTICIDES LIQUID, FLAMMABLE,TOXIC, flashpoint less than 23oC	2764	3	6.1	I	2	√	√	X
TRIAZINE PESTICIDES LIQUID, FLAMMABLE,TOXIC, flashpoint less than 23oC	2764	3	6.1	II	2	√	√	√
THIOCARBAMATE PESTICIDES, SOLID, TOXIC	2771	6.1	-	I	2	√	√	X
THIOCARBAMATE PESTICIDES, SOLID, TOXIC	2771	6.1	-	II	2	√	√	√
THIOCARBAMATE PESTICIDES, SOLID, TOXIC	2771	6.1	-	III	3	√	√	√
THIOCARBAMATE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2772	3	6.1	I	2	√	√	X
THIOCARBAMATE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2772	3	6.1	II	2	√	√	√
COPPER BASED PESTICIDES, SOLID,TOXIC	2775	6.1	-	I	2	√	√	X
COPPER BASED PESTICIDES, SOLID,TOXIC	2775	6.1	-	II	2	√	√	√
COPPER BASED PESTICIDES, SOLID,TOXIC	2775	6.1	-	III	3	√	√	√
COPPER BASED PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2776	3	6.1	I	2	√	√	X
COPPER BASED PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2776	3	6.1	II	2	√	√	√
MERCURY BASED PESTICIDES, SOLID,TOXIC	2777	6.1	P	I	2	√	√	X
MERCURY BASED PESTICIDES, SOLID,TOXIC	2777	6.1	P	II	2	√	√	√
MERCURY BASED PESTICIDES, SOLID,TOXIC	2777	6.1	P	III	3	√	√	√
MERCURY BASED PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2778	3	6.1/P	I	2	√	√	X
MERCURY BASED PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2778	3	6.1/P	II	2	√	√	√
SUBSTITUTED NITROPHENOL PESTICIDES,SOLID,TOXIC	2779	6.1	-	I	2	√	√	X
SUBSTITUTED NITROPHENOL PESTICIDES,SOLID,TOXIC	2779	6.1	-	II	2	√	√	√
SUBSTITUTED NITROPHENOL PESTICIDES,SOLID,TOXIC	2779	6.1	-	III	3	√	√	√
SUBSTITUTED NITROPHENOL PESTICIDES, LIQUID, FLAMMABLE,TOXIC, flashpoint less than 23oC	2780	3	6.1	I	2	√	√	X
SUBSTITUTED NITROPHENOL PESTICIDES, LIQUID, FLAMMABLE,TOXIC, flashpoint less than 23oC	2780	3	6.1	II	2	√	√	√
BIPYRIDILIUM PESTICIDES, SOLID, TOXIC	2781	6.1	-	I	2	√	√	X
BIPYRIDILIUM PESTICIDES, SOLID, TOXIC	2781	6.1	-	II	2	√	√	√
BIPYRIDILIUM PESTICIDES, SOLID, TOXIC	2781	6.1	-	III	3	√	√	√
BIPYRIDILIUM PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2782	3	6.1	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
BIPYRIDILIUM PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2782	3	6.1	II	2	√	√	√
ORGANOPHOSPHORUS PESTICIDES, SOLID, TOXIC	2783	6.1	-	I	2	√	√	X
ORGANOPHOSPHORUS PESTICIDES, SOLID, TOXIC	2783	6.1	-	II	2	√	√	√
ORGANOPHOSPHORUS PESTICIDES, SOLID, TOXIC	2783	6.1	-	III	3	√	√	√
ORGANOPHOSPHORUS PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2784	3	6.1	I	2	√	√	X
ORGANOPHOSPHORUS PESTICIDES, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	2784	3	6.1	II	2	√	√	√
4-THIAPENTANAL	2785	6.1	-	III	3	√	√	√
ORGANOTIN PESTICIDES ,SOLID,TOXIC	2786	6.1	P	I	2	√	√	X
ORGANOTIN PESTICIDES ,SOLID,TOXIC	2786	6.1	P	II	2	√	√	√
ORGANOTIN PESTICIDES ,SOLID,TOXIC	2786	6.1	P	III	3	√	√	√
ORGANOTIN PESTICIDES, LIQUID,FLAMMABLE,TOXIC, flashpoint less than 23oC	2787	3	6.1/P	I	2	√	√	X
ORGANOTIN PESTICIDES, LIQUID,FLAMMABLE,TOXIC, flashpoint less than 23oC	2787	3	6.1/P	II	2	√	√	√
ORGANOTIN COMPOUND, LIQUID, N.O.S.	2788	6.1	P	I	2	√	√	X
ORGANOTIN COMPOUND, LIQUID, N.O.S.	2788	6.1	P	II	2	√	√	√
ORGANOTIN COMPOUND, LIQUID, N.O.S.	2788	6.1	P	III	3	√	√	√
ACETIC ACID, GLACIAL or ACETIC ACID SOLUTION, more than 80% acid, by mass	2789	8	3	II	2	√	√	√
ACETIC ACID SOLUTION not less than 50% but not more than 80% acid, by mass	2790	8	-	II	2	√	√	√
ACETIC ACID SOLUTION more than 10% and less than 50% acid, by mass	2790	8	-	III	3	√	√	√
FERROUS METAL BORINGS, SHAVINGS, TURNINGS, or CUTTINGS, in a form liable to self-heating	2793	4.2	-	III	3	√	√	√
BATTERIES, WET, FILLED WITH ACID electric storage	2794	8	-	-	3	√	√	√
BATTERIES, WET, FILLED WITH ALKALI electric storage	2795	8	-	-	3	√	√	√
SULPHURIC ACID, with not more than 51% acid or BATTERY FLUID, ACID	2796	8	-	II	2	√	√	√
BATTERY FLUID, ALKALI	2797	8	-	II	2	√	√	√
PHENYLPHOSPHORUS DICHLORIDE	2798	8	-	II	2	√	√	√
PHENYLPHOSPHORUS THIODICHLORIDE	2799	8	-	II	2	√	√	√
BATTERIES,WET, NON-SPILLABLE electric storage	2800	8	-	-	3	√	√	√
DYES, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE,N.O.S.	2801	8	-	I	2	√	√	X
DYES, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE,N.O.S.	2801	8	-	II	2	√	√	√
DYES, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE,N.O.S.	2801	8	-	III	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
COPPER CHLORIDE	2802	8	P	III	3	√	√	√
GALLIUM	2803	8	-	III	3	√	√	√
LITHIUM HYDRIDE, FUSED SOLID	2805	4.3	-	II	2	√	√	√
LITHIUM NITRIDE	2806	4.3	-	I	2	√	√	X
MERCURY	2809	8	6.1	III	2	√	√	√
TOXIC LIQUIDS, ORGANIC, N.O.S.	2810	6.1	-	I	2	√	√	X
TOXIC LIQUIDS, ORGANIC, N.O.S.	2810	6.1	-	II	2	√	√	√
TOXIC LIQUIDS, ORGANIC, N.O.S.	2810	6.1	-	III	2	√	√	√
TOXIC SOLID, ORGANIC, N.O.S.	2811	6.1	-	I	2	√	√	X
TOXIC SOLID, ORGANIC, N.O.S.	2811	6.1	-	II	2	√	√	√
TOXIC SOLID, ORGANIC, N.O.S.	2811	6.1	-	III	2	√	√	√
WATER-REACTIVE SOLID,N.O.S.	2813	4.3	-	I	2	√	√	X
WATER-REACTIVE SOLID,N.O.S.	2813	4.3	-	II	2	√	√	√
WATER-REACTIVE SOLID,N.O.S.	2813	4.3	-	III	2	√	√	√
INFECTIOUS SUBSTANCES, AFFECTING HUMANS	2814	6.2	-	-	2	√	√	X
N-AMINOETHYLPIPERAZINE	2815	8	-	III	3	√	√	√
AMMONIUM HYDROGENDIFLUORIDE SOLUTION	2817	8	6.1	II	2	√	√	√
AMMONIUM HYDROGENDIFLUORIDE SOLUTION	2817	8	6.1	III	3	√	√	√
AMMONIUM POLYSULPHIDE SOLUTION	2818	8	6.1	II	2	√	√	√
AMMONIUM POLYSULPHIDE SOLUTION	2818	8	6.1	III	2	√	√	√
AMYL ACID PHOSPHATE	2819	8	-	III	3	√	√	√
BUTYRIC ACID	2820	8	-	III	3	√	√	√
PHENOL SOLUTION	2821	6.1	-	II	2	√	√	√
PHENOL SOLUTION	2821	6.1	-	III	3	√	√	√
2-CHLOROPYRIDINE	2822	6.1	-	II	2	√	√	√
CROTONIC ACID, SOLID	2823	8	-	III	3	√	√	√
ETHYL CHLOROTHIOFORMATE	2826	8	3/P	II	2	√	√	√
CAPROIC ACID	2829	8	-	III	3	√	√	√
LITHIUM FERROSILICON	2830	4.3	-	II	2	√	√	√
1,1,1-TRICHLOROETHANE	2831	6.1	-	III	3	√	√	√
PHOSPHOROUS ACID	2834	8	-	III	3	√	√	√
SODIUM ALUMINIUM HYDRIDE	2835	4.3	-	II	2	√	√	√
BISULPHATES, AQUEOUS SOLUTION	2837	8	-	II	2	√	√	√



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
BISULPHATES, AQUEOUS SOLUTION	2837	8	-	III	3	√	√	√
VINYL BUTYRATE, STABILIZED	2838	3	-	II	2	√	√	√
ALDOL	2839	6.1	-	II	2	√	√	√
BUTYRALDOXIME	2840	3	-	III	3	√	√	√
DI- <i>n</i> -AMYLAMINE	2841	3	6.1	III	2	√	√	√
NITROETHANE	2842	3	-	III	3	√	√	√
CALCIUM MANGANESE SILICON	2844	4.3	-	III	3	√	√	√
PYROPHORIC LIQUID, ORGANIC, N.O.S.	2845	4.2	-	I	2	√	√	X
PYROPHORIC SOLID, ORGANIC, N.O.S.	2846	4.2	-	I	2	√	√	X
3-CHLOROPROPANOL-1	2849	6.1	-	III	3	√	√	√
PROPYLENE TETRAMER	2850	3	P	III	3	√	√	√
BORON TRIFLUORIDE DIHYDRATE	2851	8	-	II	2	√	√	√
DIPICRYL SULPHIDE, WETTED with not less than 10% water, by mass	2852	4.1	-	I	2	√	√	X
MAGNESIUM FLUOROSILICATE	2853	6.1	-	III	3	√	√	√
AMMONIUM FLUOROSILICATE	2854	6.1	-	III	3	√	√	√
ZINC FLUOROSILICATE	2855	6.1	-	III	3	√	√	√
FLUOROSILICATES, N.O.S.	2856	6.1	-	III	3	√	√	√
REFRIGERATING MACHINES containing non-flammable, non-toxic gases or ammonia solutions (UN 2672)	2857	2.2	-	-	3	√	√	√
ZIRCONIUM , DRY coiled wire, finished metal sheets, strip (thinner than 254 microns but not thinner than 18 microns)	2858	4.1	-	III	3	√	√	√
AMMONIUM METAVANADATE	2859	6.1	-	II	2	√	√	√
AMMONIUM POLYVANADATE	2861	6.1	-	II	2	√	√	√
VANADIUM PENTOXIDE non-fused form	2862	6.1	-	III	3	√	√	√
SODIUM AMMONIUM VANADATE	2863	6.1	-	II	2	√	√	√
POTASSIUM METAVANADATE	2864	6.1	-	II	2	√	√	√
HYDROXYLAMINE SULPHATE	2865	8	-	III	3	√	√	√
TITANIUM TRICHLORIDE MIXTURES	2869	8	-	II	2	√	√	√
TITANIUM TRICHLORIDE MIXTURES	2869	8	-	III	2	√	√	√
ALUMINIUM BOROXYDRIDE	2870	4.2	4.3	I	2	√	√	X
ALUMINIUM BOROXYDRIDE IN DEVICES	2870	4.2	4.3	I	2	√	√	X
ANTIMONY POWDER	2871	6.1	-	III	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
DIBROMOCHLOROPROPANES	2872	6.1	-	II	2	√	√	√
DIBROMOCHLOROPROPANES	2872	6.1	-	III	3	√	√	√
DIBUTYLAMINOETHANOL	2873	6.1	-	III	3	√	√	√
FURFURYL ALCOHOL	2874	6.1	-	III	3	√	√	√
HEXACHLOROPHENE	2875	6.1	-	III	3	√	√	√
RESORCINOL	2876	6.1	-	III	3	√	√	√
TITANIUM SPONGE GRANULES or TITANIUM SPONGE POWDERS	2878	4.1	-	III	2	√	√	√
SELENIUM OXYCHLORIDE	2879	8	6.1	I	2	√	√	X
CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water	2880	5.1	P	II	2	√	√	√
CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water	2880	5.1	P	III	2	√	√	√
METAL CATALYST, DRY	2881	4.2	-	I	2	√	√	X
METAL CATALYST, DRY	2881	4.2	-	II	2	√	√	√
METAL CATALYST, DRY	2881	4.2	-	III	3	√	√	√
INFECTIOUS SUBSTANCE, AFFECTING ANIMALS only	2900	6.2	-	-	2	√	√	X
BROMINE CHLORIDE	2901	2.3	5.1/8	-	2	√	√	X
PESTICIDE, LIQUID,TOXIC, N.O.S.	2902	6.1	-	I	2	√	√	√
PESTICIDE, LIQUID,TOXIC, N.O.S.	2902	6.1	-	II	2	√	√	√
PESTICIDE, LIQUID,TOXIC, N.O.S.	2902	6.1	-	III	2	√	√	√
PESTICIDE, LIQUID,TOXIC,FLAMMABLE, N.O.S. flashpoint not less than 23oC	2903	6.1	3	I	2	√	√	X
PESTICIDE, LIQUID,TOXIC,FLAMMABLE, N.O.S. flashpoint not less than 23oC	2903	6.1	3	II	2	√	√	√
PESTICIDE, LIQUID,TOXIC,FLAMMABLE, N.O.S. flashpoint not less than 23oC	2903	6.1	3	III	2	√	√	√
CHLOROPHENOLATES, LIQUID or PHENOLATES,LIQUID	2904	8	-	III	3	√	√	√
CHLOROPHENOLATES,SOLID or PHENOLATES,SOLID	2905	8	-	III	3	√	√	√
ISOSORBIDE DINITRATE MIXTURE with not less than 60% lactose, mannose, starch or calcium hydrogen phosphate	2907	4.1	-	II	2	√	√	√
RADIOACTIVE MATERIAL, EXCEPTED PACKAGE-EMPTY PACKAGING	2908	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL, EXCEPTED PACKAGE-ARTICLES MANUFACTURED FROM NATURAL URANIUM or DEPLETED URANIUM or NATURAL THORIUM	2909	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL, EXCEPTED PACKAGE-LIMITED QUANTITY OF MATERIAL	2910	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL, EXCEPTED PACKAGE-INSTRUMENTS or ARTICLES	2911	7	-	-	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-1), non fissile or fissile-excepted	2912	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECT (SCO-1 or SCO-II),non fissile or fissile – excepted	2913	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL,TYPE A PACKAGE, non-special form, non fissile or fissile -excepted	2915	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL,TYPE B(U) PACKAGE, non fissile or fissile – excepted	2916	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL,TYPE B(M)PACKAGE, non fissile or fissile – excepted	2917	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL TRANSPORTED UNDER SPECIAL ARRANGEMENT, non fissile or fissile – excepted	2919	7	-	-	2	√	√	X
CORROSIVE LIQUID, FLAMMABLE, N.O.S.	2920	8	3	I	2	√	√	X
CORROSIVE LIQUID, FLAMMABLE, N.O.S.	2920	8	3	II	2	√	√	√
CORROSIVE SOLID, FLAMMABLE, N.O.S.	2921	8	4.1	I	2	√	√	X
CORROSIVE SOLID, FLAMMABLE, N.O.S.	2921	8	4.1	II	2	√	√	√
CORROSIVE LIQUIDS, TOXIC, N.O.S.	2922	8	6.1	I	2	√	√	X
CORROSIVE LIQUIDS, TOXIC, N.O.S.	2922	8	6.1	II	2	√	√	√
CORROSIVE LIQUIDS, TOXIC, N.O.S.	2922	8	6.1	III	2	√	√	√
CORROSIVE SOLIDS, TOXIC, N.O.S.	2923	8	6.1	I	2	√	√	X
CORROSIVE SOLIDS, TOXIC, N.O.S.	2923	8	6.1	II	2	√	√	√
CORROSIVE SOLIDS, TOXIC, N.O.S.	2923	8	6.1	III	2	√	√	√
FLAMMABLE LIQUID, CORROSIVE, N.O.S.	2924	3	8	I	2	√	√	X
FLAMMABLE LIQUID, CORROSIVE, N.O.S.	2924	3	8	II	2	√	√	√
FLAMMABLE LIQUID, CORROSIVE, N.O.S.	2924	3	8	III	2	√	√	√
FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.	2925	4.1	8	II	2	√	√	√
FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.	2925	4.1	8	III	2	√	√	√
FLAMMABLE SOLIDS, TOXIC, ORGANIC, N.O.S.	2926	4.1	6.1	II	2	√	√	√
FLAMMABLE SOLIDS, TOXIC, ORGANIC, N.O.S.	2926	4.1	6.1	III	2	√	√	√
TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.	2927	6.1	8	I	2	√	√	X
TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.	2927	6.1	8	II	2	√	√	√
TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.	2928	6.1	8	I	2	√	√	X
TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.	2928	6.1	8	II	2	√	√	√
TOXIC LIQUID, FLAMMABLE, ORGANIC,N.O.S.	2929	6.1	3	I	2	√	√	X
TOXIC LIQUID, FLAMMABLE, ORGANIC,N.O.S.	2929	6.1	3	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
TOXIC,SOLIDS, FLAMMABLE, ORGANIC, N.O.S.	2930	6.1	4.1	I	2	√	√	X
TOXIC,SOLIDS, FLAMMABLE, ORGANIC, N.O.S.	2930	6.1	4.1	II	2	√	√	√
VANADYL SULPHATE	2931	6.1	-	II	2	√	√	√
METHYL 2-CHLORO-PROPIONATE	2933	3	-	III	3	√	√	√
ISOPROPYL 2-CHLORO-PROPIONATE	2934	3	-	III	3	√	√	√
ETHYL 2-CHLORO-PROPIONATE	2935	3	-	III	3	√	√	√
THIOLACTIC ACID	2936	6.1	-	II	2	√	√	√
<i>alpha</i> - METHYLBENZYL ALCOHOL, LIQUID	2937	6.1	-	III	3	√	√	√
9-PHOSPHABICYCLONONANES (CYCLOOCTADIENE - PHOSPHINES)	2940	4.2	-	II	2	√	√	√
FLUOROANILINES	2941	6.1	-	III	3	√	√	√
2-TRIFLUOROMETHYLANILINE	2942	6.1	-	III	3	√	√	√
TETRAHRO-FURFURYLAMINE	2943	3	-	III	3	√	√	√
<i>N</i> - METHYLBUTHYLAMINE	2945	3	8	II	2	√	√	√
2-AMINO-5-DIETHYLAMINO-PENTANE	2946	6.1	-	III	3	√	√	√
ISOPROPYL CHLOROACETATE	2947	3	-	III	3	√	√	√
3-TRIFLUOROMETHYLANILINE	2948	6.1	-	II	2	√	√	√
SODIUM HYDROSULPHIDE, HYDRATED with not less than 25% water of crystallization	2949	8	-	II	2	√	√	√
MAGNESIUM GRANULES, COATED particle size not less than 149 microns	2950	4.3	-	III	2	√	√	√
5- <i>tert</i> -BUTYL-2 ,4, 6-TRINITRO- <i>m</i> -XYLENE (MUSK XYLENE)	2956	4.1	-	III	2	√	√	√
BORON TRIFLUORIDE DIMETHYL ETHERATE	2965	4.3	3/8	I	2	√	√	X
THIOGLYCOL	2966	6.1	-	II	2	√	√	√
SULPHAMIC ACID	2967	8	-	III	3	√	√	√
MANEB, STABILIZED or MANEB PREPARATION, STABILIZED against self-heating	2968	4.3	P	III	2	√	√	√
CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE	2969	9	-	II	3	√	√	√
RADIOACTIVE MATERIAL,URANIUM HEXAFLUORIDE, FISSILE	2977	7	8	-	2	√	√	X
RADIOACTIVE MATERIAL,URANIUM HEXAFLUORIDE non fissile or fissile - excepted	2978	7	8	-	2	√	√	X
ETHYLENE OXIDE AND PROPYLENE OXIDE MIXTURES with not more than 30% ethylene oxide	2983	3	6.1	I	2	√	√	X
HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 8% but less than 20% hydrogen peroxide (stabilized as necessary)	2984	5.1	-	III	2	√	√	√
CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S.	2985	3	8	II	2	√	√	√
CHLOROSILANES, CORROSIVE,FLAMMABLE, N.O.S.	2986	8	3	II	2	√	√	√
CHLOROSILANES, CORROSIVE, N.O.S.	2987	8	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
CHLOROSILANE, WATER-REACTIVE, FLAMMABLE, CORROSIVE, N.O.S.	2988	4.3	3/8	I	2	√	√	X
LEAD PHOSPHITE, DIBASIC	2989	4.1	-	II	2	√	√	√
LEAD PHOSPHITE, DIBASIC	2989	4.1	-	III	3	√	√	√
LIFE-SAVING APPLIANCES, SELF-INFLATING	2990	9	-	-	3	√	√	√
CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	2991	6.1	3	I	2	√	√	X
CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	2991	6.1	3	II	2	√	√	√
CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	2991	6.1	3	III	2	√	√	√
CARBAMATE PESTICIDE, LIQUID, TOXIC	2992	6.1	-	I	2	√	√	X
CARBAMATE PESTICIDE, LIQUID, TOXIC	2992	6.1	-	II	2	√	√	√
CARBAMATE PESTICIDE, LIQUID, TOXIC	2992	6.1	-	III	3	√	√	√
ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	2993	6.1	3	I	2	√	√	X
ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	2993	6.1	3	II	2	√	√	√
ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	2993	6.1	3	III	2	√	√	√
ARSENICAL PESTICIDE, LIQUID, TOXIC	2994	6.1	-	I	2	√	√	X
ARSENICAL PESTICIDE, LIQUID, TOXIC	2994	6.1	-	II	2	√	√	√
ARSENICAL PESTICIDE, LIQUID, TOXIC	2994	6.1	-	III	3	√	√	√
ORGANOCHLORINE PESTICIDE, LIQUID,TOXIC,FLAMMABLE, flashpoint not less than 23oC	2995	6.1	3	I	2	√	√	X
ORGANOCHLORINE PESTICIDE, LIQUID,TOXIC,FLAMMABLE, flashpoint not less than 23oC	2995	6.1	3	II	2	√	√	√
ORGANOCHLORINE PESTICIDE, LIQUID,TOXIC,FLAMMABLE, flashpoint not less than 23oC	2995	6.1	3	III	2	√	√	√
ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC	2996	6.1	-	I	2	√	√	X
ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC	2996	6.1	-	II	2	√	√	√
ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC	2996	6.1	-	III	3	√	√	√
TRIAZINE PESTICIDE, LIQUID,TOXIC,FLAMMABLE, flashpoint not less than 23oC	2997	6.1	3	I	2	√	√	X
TRIAZINE PESTICIDE, LIQUID,TOXIC,FLAMMABLE, flashpoint not less than 23oC	2997	6.1	3	II	2	√	√	√
TRIAZINE PESTICIDE, LIQUID,TOXIC,FLAMMABLE, flashpoint not less than 23oC	2997	6.1	3	III	2	√	√	√
TRIAZINE PESTICIDE, LIQUID,TOXIC	2998	6.1	-	I	2	√	√	X
TRIAZINE PESTICIDE, LIQUID,TOXIC	2998	6.1	-	II	2	√	√	√
TRIAZINE PESTICIDE, LIQUID,TOXIC	2998	6.1	-	III	3	√	√	√
THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3005	6.1	3	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3005	6.1	3	II	2	√	√	√
THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3005	6.1	3	III	2	√	√	√
THIOCARBAMATE PESTICIDE, LIQUID, TOXIC	3006	6.1	-	I	2	√	√	X
THIOCARBAMATE PESTICIDE, LIQUID, TOXIC	3006	6.1	-	II	2	√	√	√
THIOCARBAMATE PESTICIDE, LIQUID, TOXIC	3006	6.1	-	III	3	√	√	√
COPPER BASED PESTICIDE, LIQUID, TOXIC, INFLAMMABLE, flashpoint not less than 23oC	3009	6.1	3	I	2	√	√	X
COPPER BASED PESTICIDE, LIQUID, TOXIC, INFLAMMABLE, flashpoint not less than 23oC	3009	6.1	3	II	2	√	√	√
COPPER BASED PESTICIDE, LIQUID, TOXIC, INFLAMMABLE, flashpoint not less than 23oC	3009	6.1	3	III	2	√	√	√
COPPER BASED PESTICIDE, LIQUID, TOXIC	3010	6.1	-	I	2	√	√	X
COPPER BASED PESTICIDE, LIQUID, TOXIC	3010	6.1	-	II	2	√	√	√
COPPER BASED PESTICIDE, LIQUID, TOXIC	3010	6.1	-	III	3	√	√	√
MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3011	6.1	3/P	I	2	√	√	X
MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3011	6.1	3/P	II	2	√	√	√
MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3011	6.1	3/P	III	2	√	√	√
MERCURY BASED PESTICIDE, LIQUID, TOXIC	3012	6.1	P	I	2	√	√	X
MERCURY BASED PESTICIDE, LIQUID, TOXIC	3012	6.1	P	II	2	√	√	√
MERCURY BASED PESTICIDE, LIQUID, TOXIC	3012	6.1	P	III	3	√	√	√
SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3013	6.1	3	I	2	√	√	X
SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3013	6.1	3	II	2	√	√	√
SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3013	6.1	3	III	2	√	√	√
SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC	3014	6.1	-	I	2	√	√	X
SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC	3014	6.1	-	II	2	√	√	√
SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC	3014	6.1	-	III	3	√	√	√
BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3015	6.1	3	I	2	√	√	X
BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3015	6.1	3	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3015	6.1	3	III	2	√	√	√
BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC	3016	6.1	-	I	2	√	√	X
BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC	3016	6.1	-	II	2	√	√	√
BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC	3016	6.1	-	III	3	√	√	√
ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3017	6.1	3	I	2	√	√	X
ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3017	6.1	3	II	2	√	√	√
ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3017	6.1	3	III	2	√	√	√
ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC	3018	6.1	-	I	2	√	√	X
ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC	3018	6.1	-	II	2	√	√	√
ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC	3018	6.1	-	III	3	√	√	√
ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint not less than 23oC	3019	6.1	3/P	I	2	√	√	X
ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint not less than 23oC	3019	6.1	3/P	II	2	√	√	√
ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint not less than 23oC	3019	6.1	3/P	III	2	√	√	√
ORGANOTIN PESTICIDE, LIQUID, TOXIC	3020	6.1	P	I	2	√	√	X
ORGANOTIN PESTICIDE, LIQUID, TOXIC	3020	6.1	P	II	2	√	√	√
ORGANOTIN PESTICIDE, LIQUID, TOXIC	3020	6.1	P	III	3	√	√	√
PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. flashpoint not less than 23oC	3021	3	6.1	I	2	√	√	X
PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. flashpoint not less than 23oC	3021	3	6.1	II	2	√	√	√
1,2-BUTYLENE OXIDE STABILIZED	3022	3	-	II	2	√	√	√
2-METHYL-2-HEPTANETHIOL	3023	6.1	3	I	2	√	√	X
COUMARIN DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	3024	3	6.1	I	2	√	√	X
COUMARIN DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23oC	3024	3	6.1	II	2	√	√	√
COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3025	6.1	3	I	2	√	√	X
COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3025	6.1	3	II	2	√	√	√
COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23oC	3025	6.1	3	III	2	√	√	√
COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC	3026	6.1	-	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC	3026	6.1	-	II	2	√	√	√
COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC	3026	6.1	-	III	3	√	√	√
COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC	3027	6.1	-	I	2	√	√	X
COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC	3027	6.1	-	II	2	√	√	√
COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC	3027	6.1	-	III	3	√	√	√
BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE, SOLID electric storage	3028	8	-	III	3	√	√	√
ALUMINIUM PHOSPHIDE PESTICIDE	3048	6.1	-	I	2	√	√	X
CYCLOHEXYL MERCAPTAN	3054	3	-	III	3	√	√	√
2-(2-AMINOETHOXY) ETHANOL	3055	8	-	III	3	√	√	√
<i>n</i> -HEPTALDEHYDE	3056	3	-	III	3	√	√	√
TRIFLUOROACETYL CHLORIDE	3057	2.3	8	-	2	√	√	X
NITROGLYCERIN SOLUTION IN ALCOHOL with more than 1% but not more than 5% nitroglycerin	3064	3	-	II	2	√	√	√
ALCOHOLIC BEVERAGES, with more than 70% alcohol by volume	3065	3	-	II	2	√	√	√
ALCOHOLIC BEVERAGES, with more than 24% but not more than 70% alcohol by volume	3065	3	-	III	3	√	√	√
PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) OR PAINT RELATED MATERIAL (including paint thinning or reducing compound)	3066	8	-	II	2	√	√	√
PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) OR PAINT RELATED MATERIAL (including paint thinning or reducing compound)	3066	8	-	III	3	√	√	√
ETHYLENE OXIDE AND DICHLORODIFLUORO-METHANE MIXTURE with not more than 12.5% ethyle	3070	2.2	-	-	3	√	√	√
MERCAPTANS, LIQUID, TOXIC, FLAMMABLE, N.O.S.	3071	6.1	3	II	2	√	√	√
LIFE-SAVING APPLIANCES, NOT SELF- INFLATING containing dangerous goods as equipment	3072	9	-	-	3	√	√	√
VINYLPYRIDINES, STABILIZED	3073	6.1	3/8	II	2	√	√	√
ENVIRONMENTALLY HAZARDOUS SUBSTANCE ,SOLID, N.O.S.	3077	9	-	III	3	√	√	√
CERIUM turnings or gritty powder	3078	4.3	-	II	2	√	√	√
METHACRYLONITRILE, STABILIZED	3079	6.1	3	I	2	√	√	X
ISOCYANATES, TOXIC, FLAMMABLE, N.O.S or ISOCYANATE SOLUTION, TOXIC, FLAMMABLE, N.O.S	3080	6.1	3	II	2	√	√	√
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,N.O.S.	3082	9	-	III	3	√	√	√
PERCHLORYL FLUORIDE	3083	2.3	5.1	-	2	√	√	X



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
CORROSIVE SOLID, OXIDIZING, N.O.S.	3084	8	5.1	I	2	√	√	X
CORROSIVE SOLID, OXIDIZING, N.O.S.	3084	8	5.1	II	2	√	√	√
OXIDIZING SOLID, CORROSIVE, N.O.S.	3085	5.1	8	I	2	√	√	X
OXIDIZING SOLID, CORROSIVE, N.O.S.	3085	5.1	8	II	2	√	√	√
OXIDIZING SOLID, CORROSIVE, N.O.S.	3085	5.1	8	III	2	√	√	√
TOXIC SOLID, OXIDIZING, N.O.S.	3086	6.1	5.1	I	2	√	√	X
TOXIC SOLID, OXIDIZING, N.O.S.	3086	6.1	5.1	II	2	√	√	√
OXIDIZING SOLID, TOXIC, N.O.S.	3087	5.1	6.1	I	2	√	√	X
OXIDIZING SOLID, TOXIC, N.O.S.	3087	5.1	6.1	II	2	√	√	√
OXIDIZING SOLID, TOXIC, N.O.S.	3087	5.1	6.1	III	2	√	√	√
SELF-HEATING SOLID,ORGANIC, N.O.S.	3088	4.2	-	II	2	√	√	X
SELF-HEATING SOLID,ORGANIC, N.O.S.	3088	4.2	-	III	2	√	√	X
METAL POWDER, FLAMMABLE, N.O.S.	3089	4.1	-	II	2	√	√	√
METAL POWDER, FLAMMABLE, N.O.S.	3089	4.1	-	III	2	√	√	√
LITHIUM METAL BATTERIES (including lithium alloy batteries)	3090	9	-	-	3	√	√	√
LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT or LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT (including lithium alloy batteries)	3091	9	-	-	3	√	√	√
1-METHOXY-2-PROPANOL	3092	3	-	III	3	√	√	√
CORROSIVE LIQUID,OXIDIZING,N.O.S.	3093	8	5.1	I	2	√	√	X
CORROSIVE LIQUID,OXIDIZING,N.O.S.	3093	8	5.1	II	2	√	√	√
CORROSIVE LIQUID, WATER-REACTIVE, N.O.S.	3094	8	4.3	I	2	√	√	X
CORROSIVE LIQUID, WATER-REACTIVE, N.O.S.	3094	8	4.3	II	2	√	√	√
CORROSIVE SOLID, SELF-HEATING, N.O.S	3095	8	4.2	I	2	√	√	X
CORROSIVE SOLID, SELF-HEATING, N.O.S	3095	8	4.2	II	2	√	√	X
CORROSIVE SOLID,WATER-REACTIVE, N.O.S.	3096	8	4.3	I	2	√	√	X
CORROSIVE SOLID,WATER-REACTIVE, N.O.S.	3096	8	4.3	II	2	√	√	√
FLAMMABLE SOLID,OXIDIZING, N.O.S.	3097	4.1	5.1	II	2	√	√	√
FLAMMABLE SOLID,OXIDIZING, N.O.S.	3097	4.1	5.1	III	2	√	√	√
OXIDIZING LIQUID, CORROSIVE, N.O.S.	3098	5.1	8	I	2	√	√	X
OXIDIZING LIQUID, CORROSIVE, N.O.S.	3098	5.1	8	II	2	√	√	√
OXIDIZING LIQUID, CORROSIVE, N.O.S.	3098	5.1	8	III	2	√	√	√
OXIDIZING LIQUID, TOXIC, N.O.S.	3099	5.1	6.1	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
OXIDIZING LIQUID, TOXIC, N.O.S.	3099	5.1	6.1	II	2	√	√	√
OXIDIZING LIQUID, TOXIC, N.O.S.	3099	5.1	6.1	III	2	√	√	√
OXIDIZING SOLID, SELF-HEATING, N.O.S	3100	5.1	4.2	I	2	√	√	X
OXIDIZING SOLID, SELF-HEATING, N.O.S	3100	5.1	4.2	II	2	√	√	X
ORGANIC PEROXIDE TYPE B, LIQUID	3101	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE B, SOLID	3102	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE C, LIQUID	3103	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE C, SOLID	3104	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE D, LIQUID	3105	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE D, SOLID	3106	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE E, LIQUID	3107	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE E, SOLID	3108	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE F, LIQUID	3109	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE F, SOLID	3110	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE B, LIQUID, TEMPERATURE CONTROLLED	3111	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE B, SOLID, TEMPERATURE CONTROLLED	3112	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE C, LIQUID,TEMPERATURE CONTROLLED	3113	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED	3114	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED	3115	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE D, SOLID, TEMPERATURE CONTROLLED	3116	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE E, LIQUID, TEMPERATURE CONTROLLED	3117	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE E , SOLID, TEMPERATURE CONTROLLED	3118	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED	3119	5.2	-	-	2	√	√	X
ORGANIC PEROXIDE TYPE F, SOLID, TEMPERATURE CONTROLLED	3120	5.2	-	-	2	√	√	X
OXIDIZING SOLID, WATER-REACTIVE, N.O.S.	3121	5.1	4.3	I	2	√	√	X
OXIDIZING SOLID, WATER-REACTIVE, N.O.S.	3121	5.1	4.3	II	2	√	√	√
TOXIC LIQUID, OXIDIZING, N.O.S.	3122	6.1	5.1	I	2	√	√	X
TOXIC LIQUID, OXIDIZING, N.O.S.	3122	6.1	5.1	II	2	√	√	√
TOXIC LIQUID, WATER REACTIVES, N.O.S.	3123	6.1	4.3	I	2	√	√	X
TOXIC LIQUID, WATER REACTIVES, N.O.S.	3123	6.1	4.3	II	2	√	√	√
TOXIC SOLID, SELF-HEATING, N.O.S.	3124	6.1	4.2	I	2	√	√	X
TOXIC SOLID, SELF-HEATING, N.O.S.	3124	6.1	4.2	II	2	√	√	X
TOXIC SOLID, WATER-REACTIVE, N.O.S.	3125	6.1	4.3	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
TOXIC SOLID, WATER-REACTIVE, N.O.S.	3125	6.1	4.3	II	2	√	√	√
SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S.	3126	4.2	8	II	2	√	√	X
SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S.	3126	4.2	8	III	2	√	√	X
SELF-HEATING SOLID, OXIDIZING, N.O.S.	3127	4.2	5.1	II	2	√	√	X
SELF-HEATING SOLID, OXIDIZING, N.O.S.	3127	4.2	5.1	III	2	√	√	X
SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.	3128	4.2	6.1	II	2	√	√	X
SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.	3128	4.2	6.1	III	2	√	√	X
WATER-REACTIVE LIQUID, CORROSIVE, N.O.S.	3129	4.3	8	I	2	√	√	X
WATER-REACTIVE LIQUID, CORROSIVE, N.O.S.	3129	4.3	8	II	2	√	√	√
WATER-REACTIVE LIQUID, CORROSIVE, N.O.S.	3129	4.3	8	III	2	√	√	√
WATER-REACTIVE LIQUID, TOXIC, N.O.S.	3130	4.3	6.1	I	2	√	√	X
WATER-REACTIVE LIQUID, TOXIC, N.O.S.	3130	4.3	6.1	II	2	√	√	√
WATER-REACTIVE LIQUID, TOXIC, N.O.S.	3130	4.3	6.1	III	2	√	√	√
WATER-REACTIVE SOLID, CORROSIVE, N.O.S.	3131	4.3	8	I	2	√	√	X
WATER-REACTIVE SOLID, CORROSIVE, N.O.S.	3131	4.3	8	II	2	√	√	√
WATER-REACTIVE SOLID, CORROSIVE, N.O.S.	3131	4.3	8	III	2	√	√	√
WATER-REACTIVE SOLID, FLAMMABLE, N.O.S.	3132	4.3	4.1	I	2	√	√	X
WATER-REACTIVE SOLID, FLAMMABLE, N.O.S.	3132	4.3	4.1	II	2	√	√	√
WATER-REACTIVE SOLID, FLAMMABLE, N.O.S.	3132	4.3	4.1	III	2	√	√	√
WATER-REACTIVE SOLID, OXIDIZING, N.O.S.	3133	4.3	5.1	II	2	√	√	√
WATER-REACTIVE SOLID, OXIDIZING, N.O.S.	3133	4.3	5.1	III	2	√	√	√
WATER-REACTIVE SOLID, TOXIC, N.O.S.	3134	4.3	6.1	I	2	√	√	X
WATER-REACTIVE SOLID, TOXIC, N.O.S.	3134	4.3	6.1	II	2	√	√	√
WATER-REACTIVE SOLID, TOXIC, N.O.S.	3134	4.3	6.1	III	2	√	√	√
WATER-REACTIVE SOLID, SELF-HEATING, N.O.S.	3135	4.3	4.2	I	2	√	√	X
WATER-REACTIVE SOLID, SELF-HEATING, N.O.S.	3135	4.3	4.2	II	2	√	√	X
WATER-REACTIVE SOLID, SELF-HEATING, N.O.S.	3135	4.3	4.2	III	2	√	√	X
TRIFLUOROMETHANE, REFRIGERATED LIQUID	3136	2.2	-	-	2	√	√	√
OXIDIZING SOLID, FLAMMABLE, N.O.S.	3137	5.1	4.1	I	2	√	√	X
ETHYLENE, ACETYLENE AND PROPYLENE MIXTURE REFRIGERATED LIQUID containing at least 71.5% ethylene, with not more than 22.5% acetylene and not more than 6% propylene	3138	2.1	-	-	2	√	√	√
OXIDIZING LIQUID, N.O.S.	3139	5.1	-	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
OXIDIZING LIQUID, N.O.S.	3139	5.1	-	II	2	√	√	√
OXIDIZING LIQUID, N.O.S.	3139	5.1	-	III	2	√	√	√
ALKALOIDS, LIQUID, N.O.S. or ALKALOIDS SALTS, LIQUID, N.O.S.	3140	6.1	-	I	2	√	√	X
ALKALOIDS, LIQUID, N.O.S. or ALKALOIDS SALTS, LIQUID, N.O.S.	3140	6.1	-	II	2	√	√	√
ALKALOIDS, LIQUID, N.O.S. or ALKALOIDS SALTS, LIQUID, N.O.S.	3140	6.1	-	III	2	√	√	√
ANTIMONY COMPOUND, INORGANIC, LIQUID, N.O.S.	3141	6.1	-	III	2	√	√	√
DISINFECTANT, LIQUID, TOXIC, N.O.S.	3142	6.1	-	I	2	√	√	X
DISINFECTANT, LIQUID, TOXIC, N.O.S.	3142	6.1	-	II	2	√	√	√
DISINFECTANT, LIQUID, TOXIC, N.O.S.	3142	6.1	-	III	2	√	√	√
DYE, SOLID, TOXIC, N.O.S. or DYE INTERMEDIATE, SOLID, TOXIC, N.O.S.	3143	6.1	-	I	2	√	√	X
DYE, SOLID, TOXIC, N.O.S. or DYE INTERMEDIATE, SOLID, TOXIC, N.O.S.	3143	6.1	-	II	2	√	√	√
DYE, SOLID, TOXIC, N.O.S. or DYE INTERMEDIATE, SOLID, TOXIC, N.O.S.	3143	6.1	-	III	2	√	√	√
NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.	3144	6.1	-	I	2	√	√	X
NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.	3144	6.1	-	II	2	√	√	√
NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.	3144	6.1	-	III	2	√	√	√
ALKYLPHENOLS, LIQUID, N.O.S. (including C <sub>2</sub> – C <sub>12</sub> homologues)	3145	8	-	I	2	√	√	X
ALKYLPHENOLS, LIQUID, N.O.S. (including C <sub>2</sub> – C <sub>12</sub> homologues)	3145	8	-	II	2	√	√	√
ALKYLPHENOLS, LIQUID, N.O.S. (including C <sub>2</sub> – C <sub>12</sub> homologues)	3145	8	-	III	2	√	√	√
ORGANOTIN COMPOUND, SOLID, N.O.S.	3146	6.1	P	I	2	√	√	X
ORGANOTIN COMPOUND, SOLID, N.O.S.	3146	6.1	P	II	2	√	√	√
ORGANOTIN COMPOUND, SOLID, N.O.S.	3146	6.1	P	III	2	√	√	√
DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID CORROSIVE, N.O.S.	3147	8	-	I	2	√	√	X
DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID CORROSIVE, N.O.S.	3147	8	-	II	2	√	√	√
DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID CORROSIVE, N.O.S.	3147	8	-	III	2	√	√	√
WATER-REACTIVE LIQUID, N.O.S.	3148	4.3	-	I	2	√	√	X
WATER-REACTIVE LIQUID, N.O.S.	3148	4.3	-	II	2	√	√	√
WATER-REACTIVE LIQUID, N.O.S.	3148	4.3	-	III	2	√	√	√
HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE with acid (s), water and not more than 5% peroxyacetic acid, STABILIZED	3149	5.1	8	II	2	√	√	√
DEVICES, SMALL, HYDROCARBON GAS POWERED or HYDROCARBON GAS REFILLS FOR SMALL DEVICES with release device	3150	2.1	-	-	2	√	√	√
POLYHALOGENATED BIPHENYLS, LIQUID OR POLYHALOGENATED TERPHENYLS, LIQUID	3151	9	P	II	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
POLYHALOGENATED BIPHENYLS, SOLID OR POLYHALOGENATED TERPHENYLS, SOLID	3152	9	P	II	3	√	√	√
PERFLUORO (METHYL VINYL ETHER)	3153	2.1	-	-	2	√	√	√
PERFLUORO (ETHYL VINYL ETHER)	3154	2.1	-	-	2	√	√	√
PENTACHLOROPHENOL	3155	6.1	P	II	2	√	√	√
COMPRESSED GAS, OXIDIZING, N.O.S.	3156	2.2	5.1	-	2	√	√	√
LIQUEFIED GAS, OXIDIZING, N.O.S.	3157	2.2	5.1	-	2	√	√	√
GAS, REFRIGERATED LIQUID, N.O.S.	3158	2.2	-	-	2	√	√	√
1,1,1, 2-TETRAFLUOROETHANE(REFRIGERANT GAS R 134a)	3159	2.2	-	-	3	√	√	√
LIQUEFIED GAS, TOXIC, FLAMMABLE, N.O.S.	3160	2.3	2.1	-	2	√	√	X
LIQUEFIED GAS, FLAMMABLE, N.O.S.	3161	2.1	-	-	2	√	√	√
LIQUEFIED GAS,TOXIC, N.O.S.	3162	2.3	-	-	2	√	√	X
LIQUEFIED GAS, N.O.S.	3163	2.2	-	-	3	√	√	√
ARTICLES, PRESSURISED, PNEUMATIC or HYDRAULIC (containing non-flammable gas)	3164	2.2	-	-	3	√	√	√
AIRCRAFT HYDRAULIC POWER UNIT FUEL TANK (containing a mixture of anhydrous hydrazine and methylhydrazine) (M86 fuel)	3165	3	6.1/8	I	2	√	√	√
ENGINE, INTERNAL COMBUSTION or VEHICLE, FLAMMABLE GAS POWERED or VEHICLE, FLAMMABLE LIQUID POWERED or ENGINE, FUEL CELL, FLAMMABLE GAS POWERED or ENGINE, FUEL CELL, FLAMMABLE LIQUID POWERED or VEHICLE, FUEL CELL, FLAMMABLE GAS POWERED or VEHICLE, FUEL CELL, FLAMMABLE LIQUID POWERED	3166	9	-	-	3	√	√	√
GAS SAMPLE, NON-PRESSURIZED, FLAMMABLE, N.O.S. not refrigerated liquid	3167	2.1	-	-	2	√	√	√
GAS SAMPLE, NON-PRESSURIZED, TOXIC, FLAMMABLE, N.O.S. not refrigerated liquid	3168	2.3	2.1	-	2	√	√	X
GAS SAMPLE, NON-PRESSURIZED, TOXIC, N.O.S. not refrigerated liquid	3169	2.3	-	-	2	√	√	X
ALUMINIUM SMELTING BY-PRODUCTS or ALUMINIUM REMELTING BY-PRODUCTS	3170	4.3	-	II	2	√	√	√
ALUMINIUM SMELTING BY-PRODUCTS or ALUMINIUM REMELTING BY-PRODUCTS	3170	4.3	-	III	2	√	√	√
BATTERY-POWERED VEHICLE or BATTERY-POWERED EQUIPMENT	3171	9	-	-	3	√	√	√
TOXINS EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S	3172	6.1	-	I	2	√	√	X
TOXINS EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S	3172	6.1	-	II	2	√	√	√
TOXINS EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S	3172	6.1	-	III	2	√	√	√
TITANIUM DISULPHIDE	3174	4.2	-	III	2	√	√	√
SOLID CONTAINING FLAMMABLE LIQUID,N.O.S.	3175	4.1	-	II	2	√	√	√
FLAMMABLE SOLID,ORGANIC,MOLTEN,N.O.S.	3176	4.1	-	II	2	√	√	√
FLAMMABLE SOLID,ORGANIC,MOLTEN,N.O.S.	3176	4.1	-	III	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
FLAMMABLE SOLID,INORGANIC, N.O.S.	3178	4.1	-	II	2	√	√	√
FLAMMABLE SOLID,INORGANIC, N.O.S.	3178	4.1	-	III	2	√	√	√
FLAMMABLE SOLID,TOXIC, INORGANIC, N.O.S.	3179	4.1	6.1	II	2	√	√	√
FLAMMABLE SOLID,TOXIC, INORGANIC, N.O.S.	3179	4.1	6.1	III	2	√	√	√
FLAMMABLE SOLID,CORROSIVE,INORGANIC, N.O.S.	3180	4.1	8	II	2	√	√	√
FLAMMABLE SOLID,CORROSIVE,INORGANIC, N.O.S.	3180	4.1	8	III	2	√	√	√
METAL SALTS OF ORGANIC COMPOUNDS FLAMMABLE, N.O.S.	3181	4.1	-	II	2	√	√	√
METAL SALTS OF ORGANIC COMPOUNDS FLAMMABLE, N.O.S.	3181	4.1	-	III	2	√	√	√
METAL HYDRIDES, FLAMMABLE, N.O.S.	3182	4.1	-	II	2	√	√	√
METAL HYDRIDES, FLAMMABLE, N.O.S.	3182	4.1	-	III	2	√	√	√
SELF-HEATING LIQUID,ORGANIC,N.O.S.	3183	4.2	-	II	2	√	√	X
SELF-HEATING LIQUID,ORGANIC,N.O.S.	3183	4.2	-	III	2	√	√	X
SELF-HEATING LIQUID,TOXIC,ORGANIC,N.O.S.	3184	4.2	6.1	II	2	√	√	X
SELF-HEATING LIQUID,TOXIC,ORGANIC,N.O.S.	3184	4.2	6.1	III	2	√	√	X
SELF-HEATING LIQUID,CORROSIVE,ORGANIC,N.O.S.	3185	4.2	8	II	2	√	√	X
SELF-HEATING LIQUID,CORROSIVE,ORGANIC,N.O.S.	3185	4.2	8	III	2	√	√	X
SELF-HEATING LIQUID,INORGANIC, N.O.S.	3186	4.2	-	II	2	√	√	X
SELF-HEATING LIQUID,INORGANIC, N.O.S.	3186	4.2	-	III	2	√	√	X
SELF-HEATING LIQUID,TOXIC,INORGANIC,N.O.S.	3187	4.2	6.1	II	2	√	√	X
SELF-HEATING LIQUID,TOXIC,INORGANIC,N.O.S.	3187	4.2	6.1	III	2	√	√	X
SELF-HEATING LIQUID,CORROSIVE,INORGANIC, N.O.S.	3188	4.2	8	II	2	√	√	X
SELF-HEATING LIQUID,CORROSIVE,INORGANIC, N.O.S.	3188	4.2	8	III	2	√	√	X
METAL POWDER, SELF-HEATING,N.O.S.	3189	4.2	-	II	2	√	√	X
METAL POWDER, SELF-HEATING,N.O.S.	3189	4.2	-	III	2	√	√	X
SELF-HEATING SOLID, INORGANIC,N.O.S.	3190	4.2	-	II	2	√	√	X
SELF-HEATING SOLID, INORGANIC,N.O.S.	3190	4.2	-	III	2	√	√	X
SELF-HEATING SOLID,TOXIC,INORGANIC,N.O.S.	3191	4.2	6.1	II	2	√	√	X
SELF-HEATING SOLID,TOXIC,INORGANIC,N.O.S.	3191	4.2	6.1	III	2	√	√	X
SELF-HEATING SOLID,CORROSIVE,INORGANIC,N.O.S.	3192	4.2	8	II	2	√	√	X
SELF-HEATING SOLID,CORROSIVE,INORGANIC,N.O.S.	3192	4.2	8	III	2	√	√	X
PYROPHORIC LIQUID, INORGANIC, N.O.S.	3194	4.2	-	I	2	√	√	X
PYROPHORIC SOLID, INORGANIC, N.O.S.	3200	4.2	-	I	2	√	√	X
ALKALINE EARTH METAL ALCOHOLATES, N.O.S.	3205	4.2	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ALKALINE EARTH METAL ALCOHOLATES, N.O.S.	3205	4.2	-	III	2	√	√	√
ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.	3206	4.2	8	II	2	√	√	X
ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.	3206	4.2	8	III	2	√	√	X
METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.	3208	4.3	-	I	2	√	√	X
METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.	3208	4.3	-	II	2	√	√	√
METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.	3208	4.3	-	III	2	√	√	√
METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING,N.O.S.	3209	4.3	4.2	I	2	√	√	X
METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING,N.O.S.	3209	4.3	4.2	II	2	√	√	X
METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING,N.O.S.	3209	4.3	4.2	III	2	√	√	X
CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	3210	5.1	-	II	2	√	√	√
CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	3210	5.1	-	III	2	√	√	√
PERCHLORATES,INORGANIC, AQUEOUS SOLUTION, N.O.S.	3211	5.1	-	II	2	√	√	√
PERCHLORATES,INORGANIC, AQUEOUS SOLUTION, N.O.S.	3211	5.1	-	III	2	√	√	√
HYPOCHLORITES, INORGANIC, N.O.S.	3212	5.1	-	II	2	√	√	√
BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	3213	5.1	-	II	2	√	√	√
BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	3213	5.1	-	III	2	√	√	√
PERMANGANATES, INORGANIC, AQUEOUS SOLUTION,N.O.S.	3214	5.1	-	II	2	√	√	√
PERSULPHATES, INORGANIC, N.O.S.	3215	5.1	-	III	2	√	√	√
PERSULPHATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	3216	5.1	-	III	2	√	√	√
NITRATES, INORGANIC,AQUEOUS SOLUTION, N.O.S.	3218	5.1	-	II	2	√	√	√
NITRATES, INORGANIC,AQUEOUS SOLUTION, N.O.S.	3218	5.1	-	III	2	√	√	√
NITRITES, INORGANIC, AQUEOUS SOLUTION,N.O.S.	3219	5.1	-	II	2	√	√	√
NITRITES, INORGANIC, AQUEOUS SOLUTION,N.O.S.	3219	5.1	-	III	2	√	√	√
PENTAFLUOROETHANE (REFRIGERANT GAS R 125)	3220	2.2	-	-	3	√	√	√
SELF-REACTIVE LIQUID TYPE B	3221	4.1	-	-	2	√	√	X
SELF-REACTIVE SOLID TYPE B	3222	4.1	-	-	2	√	√	X
SELF-REACTIVE LIQUID TYPE C	3223	4.1	-	-	2	√	√	X
SELF-REACTIVE SOLID TYPE C	3224	4.1	-	-	2	√	√	X
SELF-REACTIVE LIQUID TYPE D	3225	4.1	-	-	2	√	√	X
SELF-REACTIVE SOLID TYPE D	3226	4.1	-	-	2	√	√	X
SELF-REACTIVE LIQUID TYPE E	3227	4.1	-	-	2	√	√	X
SELF-REACTIVE SOLID TYPE E	3228	4.1	-	-	2	√	√	X
SELF-REACTIVE LIQUID TYPE F	3229	4.1	-	-	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
SELF-REACTIVE SOLID TYPE F	3230	4.1	-	-	2	√	√	X
SELF-REACTIVE LIQUID TYPE B, TEMPERATURE CONTROLLED	3231	4.1	-	-	2	√	√	X
SELF-REACTIVE SOLID TYPE B, TEMPERATURE CONTROLLED	3232	4.1	-	-	2	√	√	X
SELF-REACTIVE LIQUID TYPE C, TEMPERATURE CONTROLLED	3233	4.1	-	-	2	√	√	X
SELF-REACTIVE SOLID TYPE C, TEMPERATURE CONTROLLED	3234	4.1	-	-	2	√	√	X
SELF-REACTIVE LIQUID TYPE D, TEMPERATURE CONTRLLED	3235	4.1	-	-	2	√	√	X
SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED	3236	4.1	-	-	2	√	√	X
SELF-REACTIVE LIQUID TYPE E, TEMPERATURE CONTROLLED	3237	4.1	-	-	2	√	√	X
SELF-REACTIVE SOLID TYPE E, TEMPERATURE CONTROLLED	3238	4.1	-	-	2	√	√	X
SELF-REACTIVE LIQUID TYPE F, TEMPERATURE CONTROLLED	3239	4.1	-	-	2	√	√	X
SELF-REACTIVE SOLID TYPE F, TEMPERATURE CONTROLLED	3240	4.1	-	-	2	√	√	X
2-BROMO-2-NITROPROPANE-1, 3-DIOL	3241	4.1	-	III	2	√	√	√
AZODICARBONAMIDE	3242	4.1	-	II	2	√	√	√
SOLIDS CONTAINING TOXIC LIQUID,N.O.S.	3243	6.1	-	II	2	√	√	√
SOLIDS CONTAINING CORROSIVE LIQUID,N.O.S.	3244	8	-	II	2	√	√	√
GENETICALLY MODIFIED MICROORGANISMS or GENETICALLY MODIFIED ORGANISMS	3245	9	-	-	2	√	√	X
METHANESULPHONYL CHLORIDE	3246	6.1	8	I	2	√	√	X
SODIUM PEROXOBORATE, ANHYDROUS	3247	5.1	-	II	2	√	√	√
MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	3248	3	6.1	II	2	√	√	√
MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	3248	3	6.1	III	2	√	√	√
MEDICINE, SOLID, TOXIC,N.O.S.	3249	6.1	-	II	2	√	√	√
MEDICINE, SOLID, TOXIC,N.O.S.	3249	6.1	-	III		√	√	√
CHLOROACETIC ACID, MOLTEN	3250	6.1	8	II	2	√	√	√
ISOSORBIDE-5-MONONITRATE	3251	4.1	-	III	2	√	√	√
DIFLUOROMETHANE (REFRIGERANT GAS R 32)	3252	2.1	-	-	2	√	√	√
DISODIUM TRIOXOSILICATE	3253	8	-	III	3	√	√	√
TRIBUTYLPHOSPHANE	3254	4.2	-	I	2	√	√	X
<i>tert</i> -BUTYL HYPOCHLORITE	3255	4.2	8	I	2	√	√	X
ELEVATED TEMPERATURE LIQUID, FLAMMABLE, N.O.S. with flashpoint above 60°C, at or above its flashpoint	3256	3	-	III	2	√	√	√
ELEVATED TEMPERATURE LIQUID, N.O.S. at or above 100°C and below it flashpoint (including molten metals, molten salts, etc.)	3257	9	-	III	2	√	√	√



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ELEVATED TEMPERATURE SOLID, N.O.S at or above 240oC	3258	9	-	III	2	√	√	√
AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.	3259	8	-	I	2	√	√	X
AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.	3259	8	-	II	2	√	√	√
AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.	3259	8	-	III	2	√	√	√
CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	3260	8	-	I	2	√	√	X
CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	3260	8	-	II	2	√	√	√
CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	3260	8	-	III	2	√	√	√
CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	3261	8	-	I	2	√	√	X
CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	3261	8	-	II	2	√	√	√
CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	3261	8	-	III	2	√	√	√
CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	3262	8	-	I	2	√	√	X
CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	3262	8	-	II	2	√	√	√
CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	3262	8	-	III	2	√	√	√
CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	3263	8	-	I	2	√	√	X
CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	3263	8	-	II	2	√	√	√
CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	3263	8	-	III	2	√	√	√
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	3264	8	-	I	2	√	√	X
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	3264	8	-	II	2	√	√	√
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	3264	8	-	III	2	√	√	√
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S	3265	8	-	I	2	√	√	X
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S	3265	8	-	II	2	√	√	√
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S	3265	8	-	III	2	√	√	√
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	3266	8	-	I	2	√	√	X
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	3266	8	-	II	2	√	√	√
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	3266	8	-	III	2	√	√	√
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	3267	8	-	I	2	√	√	X
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	3267	8	-	II	2	√	√	√
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	3267	8	-	III	2	√	√	√
SAFETY DEVICES, electrically initiated	3268	9	-	-	3	√	√	√
POLYESTER RESIN KIT	3269	3	-	II	2	√	√	√
POLYESTER RESIN KIT	3269	3	-	III	2	√	√	√
NITROCELLULOSE MEMBRANE FILTERS with not more than 12.6% nitrogen, by dry mass	3270	4.1	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ETHERS, N.O.S.	3271	3	-	II	2	√	√	√
ETHERS, N.O.S.	3271	3	-	III	3	√	√	√
ESTERS, N.O.S.	3272	3	-	II	2	√	√	√
ESTERS, N.O.S.	3272	3	-	III	3	√	√	√
NITRILES, FLAMMABLE, TOXIC, N.O.S.	3273	3	6.1	I	2	√	√	X
NITRILES, FLAMMABLE, TOXIC, N.O.S.	3273	3	6.1	II	2	√	√	√
ALCOHOLATES SOLUTION, N.O.S. in alcohol	3274	3	8	II	2	√	√	√
NITRILES, TOXIC, FLAMMABLE, N.O.S.	3275	6.1	3	I	2	√	√	X
NITRILES, TOXIC, FLAMMABLE, N.O.S.	3275	6.1	3	II	2	√	√	√
NITRILES, LIQUID, TOXIC, N.O.S.	3276	6.1	-	I	2	√	√	X
NITRILES, LIQUID, TOXIC, N.O.S.	3276	6.1	-	II	2	√	√	√
NITRILES, LIQUID, TOXIC, N.O.S.	3276	6.1	-	III	2	√	√	√
CHLOROFORMATES, TOXIC, CORROSIVE, N.O.S.	3277	6.1	8	II	2	√	√	√
ORGANOPHOSPHOROUS COMPOUND, LIQUID, TOXIC, N.O.S.	3278	6.1	-	I	2	√	√	X
ORGANOPHOSPHOROUS COMPOUND, LIQUID, TOXIC, N.O.S.	3278	6.1	-	II	2	√	√	√
ORGANOPHOSPHOROUS COMPOUND, LIQUID, TOXIC, N.O.S.	3278	6.1	-	III	2	√	√	√
ORGANOPHOSPHOROUS COMPOUND, TOXIC, FLAMMABLE, N.O.S.	3279	6.1	3	I	2	√	√	X
ORGANOPHOSPHOROUS COMPOUND, TOXIC, FLAMMABLE, N.O.S.	3279	6.1	3	II	2	√	√	√
ORGANOARSENIC COMPOUND, LIQUID, N.O.S.	3280	6.1	-	I	2	√	√	X
ORGANOARSENIC COMPOUND, LIQUID, N.O.S.	3280	6.1	-	II	2	√	√	√
ORGANOARSENIC COMPOUND, LIQUID, N.O.S.	3280	6.1	-	III	2	√	√	√
METAL CARBONYLS, LIQUID, N.O.S.	3281	6.1	-	I	2	√	√	X
METAL CARBONYLS, LIQUID, N.O.S.	3281	6.1	-	II	2	√	√	√
METAL CARBONYLS, LIQUID, N.O.S.	3281	6.1	-	III	2	√	√	√
ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S.	3282	6.1	-	I	2	√	√	X
ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S.	3282	6.1	-	II	2	√	√	√
ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S.	3282	6.1	-	III	2	√	√	√
SELENIUM COMPOUND, SOLID, N.O.S.	3283	6.1	-	I	2	√	√	X
SELENIUM COMPOUND, SOLID, N.O.S.	3283	6.1	-	II	2	√	√	√
SELENIUM COMPOUND, SOLID, N.O.S.	3283	6.1	-	III	2	√	√	√
TELLURIUM COMPOUND, N.O.S.	3284	6.1	-	I	2	√	√	X
TELLURIUM COMPOUND, N.O.S.	3284	6.1	-	II	2	√	√	√
TELLURIUM COMPOUND, N.O.S.	3284	6.1	-	III	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
VANADIUM COMPOUND, N.O.S.	3285	6.1	-	I	2	√	√	X
VANADIUM COMPOUND, N.O.S.	3285	6.1	-	II	2	√	√	√
VANADIUM COMPOUND, N.O.S.	3285	6.1	-	III	2	√	√	√
FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.	3286	3	6.1/8	I	2	√	√	X
FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.	3286	3	6.1/8	II	2	√	√	√
TOXIC LIQUID, INORGANIC, N.O.S.	3287	6.1	-	I	2	√	√	X
TOXIC LIQUID, INORGANIC, N.O.S.	3287	6.1	-	II	2	√	√	√
TOXIC LIQUID, INORGANIC, N.O.S.	3287	6.1	-	III	2	√	√	√
TOXIC SOLID, INORGANIC, N.O.S.	3288	6.1	-	I	2	√	√	X
TOXIC SOLID, INORGANIC, N.O.S.	3288	6.1	-	II	2	√	√	√
TOXIC SOLID, INORGANIC, N.O.S.	3288	6.1	-	III	2	√	√	√
TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.	3289	6.1	8	I	2	√	√	X
TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.	3289	6.1	8	II	2	√	√	√
TOXIC SOLID, CORROSIVE, INORGANIC, N.O.S.	3290	6.1	8	I	2	√	√	X
TOXIC SOLID, CORROSIVE, INORGANIC, N.O.S.	3290	6.1	8	II	2	√	√	√
CLINICAL WASTE, UNSPECIFIED, N.O.S. or (BIO) MEDICAL WASTE, N.O.S. or REGULATED MEDICAL WASTE, N.O.S.	3291	6.2	-	II	2	√	√	X
BATTERIES, CONTAINING SODIUM or CELLS, CONTAINING SODIUM	3292	4.3	-	-	2	√	√	√
HYDRAZINE, AQUEOUS SOLUTION with not more 37% hydrazine, by mass	3293	6.1	-	III	3	√	√	√
HYDROGEN CYANIDE, SOLUTION IN ALCOHOL with not more than 45 % hydrogen cyanide	3294	6.1	3/P	I	2	√	√	X
HYDROCARBONS, LIQUID, N.O.S.	3295	3	-	I	2	√	√	X
HYDROCARBONS, LIQUID, N.O.S.	3295	3	-	II	2	√	√	√
HYDROCARBONS, LIQUID, N.O.S.	3295	3	-	III	2	√	√	√
HEPTAFLUOROPROPANE (REFRIGERANT GAS R 227)	3296	2.2	-	-	3	√	√	√
ETHYLENE OXIDE AND CHLOROTETRAFLUOROETHANE MIXTURE with not more than 8.8% ethylene oxide	3297	2.2	-	-	3	√	√	√
ETHYLENE OXIDE AND PENTAFLUOROETHANE MIXTURE with not more than 7.9% ethylene oxide	3298	2.2	-	-	3	√	√	√
ETHYLENE OXIDE AND TETRAFLUOROETHANE MIXTURE with not more 5.6% ethylene oxide	3299	2.2	-	-	3	√	√	√
ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with more than 87% ethylene oxide	3300	2.3	2.1	-	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
CORROSIVE LIQUID, SELF-HEATING,N.O.S.	3301	8	4.2	I	2	√	√	X
CORROSIVE LIQUID, SELF-HEATING,N.O.S.	3301	8	4.2	II	2	√	√	X
2-DIMETHYLAMINOETHYL ACRYLATE	3302	6.1	-	II	2	√	√	√
COMPRESSED GAS, TOXIC, OXIDIZING, N.O.S.	3303	2.3	5.1	-	2	√	√	X
COMPRESSED GAS, TOXIC, CORROSIVE, N.O.S.	3304	2.3	8	-	2	√	√	X
COMPRESSED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.	3305	2.3	2.1/8	-	2	√	√	X
COMPRESSED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.	3306	2.3	5.1/8	-	2	√	√	X
LIQUEFIED GAS,TOXIC,OXIDIZING,N.O.S.	3307	2.3	5.1	-	2	√	√	X
LIQUEFIED GAS,TOXIC,CORROSIVE,N.O.S.	3308	2.3	8	-	2	√	√	X
LIQUEFIED GAS,TOXIC,FLAMMABLE,CORROSIVE,N.O.S.	3309	2.3	2.1/8	-	2	√	√	X
LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.	3310	2.3	5.1/8	-	2	√	√	X
GAS,REFRIGERATED LIQUID,OXIDIZING, N.O.S.	3311	2.2	5.1	-	3	√	√	√
GAS,REFRIGERATED LIQUID,FLAMMABLE,N.O.S.	3312	2.1	-	-	2	√	√	√
ORGANIC PIGMENTS, SELF-HEATING	3313	4.2	-	II	2	√	√	X
ORGANIC PIGMENTS, SELF-HEATING	3313	4.2	-	III	2	√	√	X
PLASTICS MOULDING COMPOUND in dough, sheet or extruded rope form, evolving flammable vapour	3314	9	-	III	2	√	√	√
CHEMICAL SAMPLE, TOXIC	3315	6.1	-	I	2	√	√	X
CHEMICAL KIT or FIRST AID KIT	3316	9	-	II	3	√	√	√
CHEMICAL KIT or FIRST AID KIT	3316	9	-	III	3	√	√	√
2-AMINO-4, 6-DINITROPHENOL, WETTED with not less than 20% water by mass	3317	4.1	-	I	2	√	√	X
AMMONIA SOLUTION relative density less than 0.880 at 15oC in water, with more than 50% ammonia	3318	2.3	8/P	-	2	√	√	X
NITROGLYCERIN MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 2% but not more than 10% nitroglycerin, by mass	3319	4.1	-	II	2	√	√	√
SODIUM BOROHRIDE AND SODIUM HYDROXIDE SOLUTION with not more than 12% sodium borohydrde and not more than 40% sodium hydroxide, by mass	3320	8	-	II	3	√	√	√
SODIUM BOROHRIDE AND SODIUM HYDROXIDE SOLUTION with not more than 12% sodium borohydrde and not more than 40% sodium hydroxide, by mass	3320	8	-	III	2	√	√	√
RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY(LSA-II),non fissile or fissile-excepted	3321	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL,LOW SPECIFIC ACTIVITY(LSA-III),non fissile or fissile-excepted	3322	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL,TYPE C PACKAGE, non fissile or fissile - excepted	3323	7	-	-	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY(LSA-II),FISSILE	3324	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY(LSA-III),FISSILE	3325	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-I or SCO-II),FISSILE	3326	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL,TYPE A PACKAGE,FISSILE, non-special form	3327	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL,TYPE B(U) PACKAGE,FISSILE	3328	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL,TYPE B(M)PACKAGE,FISSILE	3329	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL,TYPE C PACKAGE,FISSILE	3330	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL,TRANSPORTED UNDER SPECIAL ARRANGEMENT,FISSILE	3331	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL,TYPE A PACKAGE,SPECIAL FORM, non fissile or fissile-excepted	3332	7	-	-	2	√	√	X
RADIOACTIVE MATERIAL,TYPE A PACKAGE,SPECIAL FORM,FISSILE	3333	7	-	-	2	√	√	X
MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE,LIQUID, FLAMMABLE, N.O.S.	3336	3	-	I	2	√	√	X
MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE,LIQUID, FLAMMABLE, N.O.S.	3336	3	-	II	2	√	√	√
MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE,LIQUID, FLAMMABLE, N.O.S.	3336	3	-	III	2	√	√	√
REFRIGERANT GAS R 404A	3337	2.2	-	-	3	√	√	√
REFRIGERANT GAS R 407A	3338	2.2	-	-	3	√	√	√
REFRIGERANT GAS R 407B	3339	2.2	-	-	3	√	√	√
REFRIGERANT GAS R 407C	3340	2.2	-	-	3	√	√	√
THIOUREA DIOXIDE	3341	4.2	-	II	2	√	√	√
THIOUREA DIOXIDE	3341	4.2	-	III	2	√	√	√
XANTHATES	3342	4.2	-	II	2	√	√	√
XANTHATES	3342	4.2	-	III	2	√	√	√
NITROGLYCERIN MIXTURE,DESENTISED,LIQUID,FLAMMABLE,N.O.S. with not more than 30% nitroglycerin, by mass	3343	3	-	-	2	√	√	√
PENTAERYTHRIT TETRANITRATE (PENTAERYTHRITOL TETRANITRATE; PETN) MIXTURE, DESENSITIZED,SOLID, N.O.S. with more than 10% but not more than 20% PETN, by mass	3344	4.1	-	II	2	√	√	√
PHENOXYACETIC ACID DERIVATIVE PESTICIDES, SOLID,TOXIC	3345	6.1	-	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
PHENOXYACETIC ACID DERIVATIVE PESTICIDES, SOLID,TOXIC	3345	6.1	-	II	2	√	√	√
PHENOXYACETIC ACID DERIVATIVE PESTICIDES, SOLID,TOXIC	3345	6.1	-	III	3	√	√	√
PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID,FLAMMABLE,TOXIC flashpoint less than 23o	3346	3	6.1	I	2	√	√	X
PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID,FLAMMABLE,TOXIC flashpoint less than 23o	3346	3	6.1	II	2	√	√	√
PHENOXYACETIC ACID DERIVATIVE PESTICIDES, LIQUID, TOXIC,FLAMMABLE, flashpoint not less than 23oC	3347	6.1	3	I	2	√	√	X
PHENOXYACETIC ACID DERIVATIVE PESTICIDES, LIQUID, TOXIC,FLAMMABLE, flashpoint not less than 23oC	3347	6.1	3	II	2	√	√	√
PHENOXYACETIC ACID DERIVATIVE PESTICIDES, LIQUID, TOXIC,FLAMMABLE, flashpoint not less than 23oC	3347	6.1	3	III	2	√	√	√
PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID,TOXIC	3348	6.1	-	I	2	√	√	X
PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID,TOXIC	3348	6.1	-	II	2	√	√	√
PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID,TOXIC	3348	6.1	-	III	3	√	√	√
PYRETHROID PESTICIDE,SOLID,TOXIC	3349	6.1	-	I	2	√	√	X
PYRETHROID PESTICIDE,SOLID,TOXIC	3349	6.1	-	II	2	√	√	√
PYRETHROID PESTICIDE,SOLID,TOXIC	3349	6.1	-	III	3	√	√	√
PYRETHROID PESTICIDE,LIQUID,FLAMMABLE,TOXIC, flashpoint less than 23oC	3350	3	6.1	I	2	√	√	X
PYRETHROID PESTICIDE,LIQUID,FLAMMABLE,TOXIC, flashpoint less than 23oC	3350	3	6.1	II	2	√	√	√
PYRETHROID PESTICIDE,LIQUID,TOXIC,FLAMMABLE, flashpoint not less than 23oC	3351	6.1	3	I	2	√	√	X
PYRETHROID PESTICIDE,LIQUID,TOXIC,FLAMMABLE, flashpoint not less than 23oC	3351	6.1	3	II	2	√	√	√
PYRETHROID PESTICIDE,LIQUID,TOXIC,FLAMMABLE, flashpoint not less than 23oC	3351	6.1	3	III	2	√	√	√
PYRETHROID PESTICIDE,LIQUID,TOXIC	3352	6.1	-	I	2	√	√	X
PYRETHROID PESTICIDE,LIQUID,TOXIC	3352	6.1	-	II	2	√	√	√
PYRETHROID PESTICIDE,LIQUID,TOXIC	3352	6.1	-	III	3	√	√	√
INSECTICIDE GAS,FLAMMABLE,N.O.S.	3354	2.1	-	-	2	√	√	√
INSECTICIDE GAS,TOXIC,FLAMMABLE,N.O.S.	3355	2.3	2.1	-	2	√	√	X
OXYGEN GENERATOR, CHEMICAL	3356	5.1	-	-	2	√	√	√
NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, N.O.S. with not more than 30% nitroglycerin, by mass	3357	3	-	II	2	√	√	√
REFRIGERATING MACHINES containing flammable, non-toxic, liquefied gas	3358	2.1	-	-	2	√	√	√
FUMIGATED CARGO TRANSPORT UNIT	3359	9	-	-	3	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
FIBRES, VEGETABLE, DRY	3360	4.1	-	-	3	√	√	√
CHLOROSILANES, TOXIC, CORROSIVE, N.O.S	3361	6.1	8	II	2	√	√	√
CHLOROSILANES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S	3362	6.1	3/8	II	2	√	√	√
DANGEROUS GOODS IN MACHINERY or DANGEROUS GOODS IN APPARATUS	3363	9	-	-	3	√	√	√
TRINITROPHENOL (PICRIC ACID), WETTED with not less than 10% water, by mass	3364	4.1	-	I	2	√	√	X
TRINITROCHLOROBENZENE (PICRYL CHLORIDE), WETTED with not less than 10% water, by mass	3365	4.1	-	I	2	√	√	X
TRINITROTOLUENE (TNT), WETTED with not less than 10% water, by mass	3366	4.1	-	I	2	√	√	X
TRINITROBENZENE, WETTED with not less than 10% water, by mass	3367	4.1	-	I	2	√	√	X
TRINITROBENZOIC ACID, WETTED with not less than 10% water, by mass	3368	4.1	-	I	2	√	√	X
SODIUM DINITRO – o - CRESOLATE, WETTED with not less than 10% water, by mass	3369	4.1	6.1/P	I	2	√	√	X
UREA NITRATE, WETTED with not less than 10% water, by mass	3370	4.1	-	I	2	√	√	X
2-METHYLBUTANAL	3371	3	-	II	2	√	√	√
BIOLOGICAL SUBSTANCE, CATEGORY B	3373	6.2	-	-	2	√	√	X
ACETYLENE, SOLVENT FREE	3374	2.1	-	-	2	√	√	√
AMMONIUM NITRATE EMULSION or SUSPENSION or GEL intermediate for blasting explosives	3375	5.1	-	II	2	√	√	√
4-NITROPHENYLHYDRAZINE, with not less than 30% water, by mass	3376	4.1	-	I	2	√	√	X
SODIUM PERBORATE MONOHYDRATE	3377	5.1	-	III	2	√	√	√
SODIUM CARBONATE PEROXYHYDRATE	3378	5.1	-	II	2	√	√	√
SODIUM CARBONATE PEROXYHYDRATE	3378	5.1	-	III		√	√	√
DESENSITIZED EXPLOSIVE, LIQUID, N.O.S.	3379	3	-	I	2	√	√	X
DESENSITIZED EXPLOSIVE, SOLID, N.O.S.	3380	4.1	-	I	2	√	√	X
TOXIC BY INHALATION LIQUID, N.O.S. with an LC <sub>50</sub> lower than or equal to 200 mL/m <sup>3</sup> and saturated vapour concentration greater than or equal to 500LC <sub>50</sub>	3381	6.1	-	I	2	√	√	X
TOXIC BY INHALATION LIQUID, N.O.S. with an LC <sub>50</sub> lower than or equal to 1000 mL/m <sup>3</sup> and saturated vapour concentration greater than or equal to 10LC <sub>50</sub>	3382	6.1	-	I	2	√	√	X
TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. with an LC <sub>50</sub> lower than or equal to 200 mL/m <sup>3</sup> and saturated vapour concentration greater than or equal to 500LC <sub>50</sub>	3383	6.1	3	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
TOXIC BY INHALATION LIQUID,FLAMMABLE, N.O.S. with an LC <sub>50</sub> lower than or equal to 1000 mL/m <sup>3</sup> and saturated vapour concentration greater than or equal to 10LC <sub>50</sub>	3384	6.1	3	I	2	√	√	X
TOXIC BY INHALATION LIQUID,WATER-REACTIVE, N.O.S. with an LC <sub>50</sub> lower than or equal to 200 mL/m <sup>3</sup> and saturated vapour concentration greater than or equal to 500LC <sub>50</sub>	3385	6.1	4.3	I	2	√	√	X
TOXIC BY INHALATION LIQUID,WATER-REACTIVE, N.O.S. with an LC <sub>50</sub> lower than or equal to 1000 mL/m <sup>3</sup> and saturated vapour concentration greater than or equal to 10LC <sub>50</sub>	3386	6.1	4.3	I	2	√	√	X
TOXIC BY INHALATION LIQUID,OXIDIZING, N.O.S. with an LC lower than or equal to 200 mL/m <sup>3</sup> and saturated vapour concentration greater than or equal to 500LC <sub>50</sub>	3387	6.1	5.1	I	2	√	√	X
TOXIC BY INHALATION LIQUID,OXIDIZING, N.O.S. with an LC lower than or equal to 1000 mL/m <sup>3</sup> and saturated vapour concentration greater than or equal to 10LC <sub>50</sub>	3388	6.1	5.1	I	2	√	√	X
TOXIC BY INHALATION LIQUID,CORROSIVE, N.O.S. with an LC lower than or equal to 200 mL/m <sup>3</sup> and saturated vapour concentration greater than or equal to 500LC <sub>50</sub>	3389	6.1	8	I	2	√	√	X
TOXIC BY INHALATION LIQUID,CORROSIVE, N.O.S. with an LC <sub>50</sub> lower than or equal to 1000 mL/m <sup>3</sup> and saturated vapour concentration greater than or equal to 10LC <sub>50</sub>	3390	6.1	8	I	2	√	√	X
ORGANOMETALLIC SUBSTANCE,SOLID,PYROPHORIC	3391	4.2	-	I	2	√	√	X
ORGANOMETALLIC SUBSTANCE,LIQUID,PYROPHORIC	3392	4.2	-	I	2	√	√	X
ORGANOMETALLIC SUBSTANCE,SOLID,PYROPHORIC, WATER-REACTIVE	3393	4.2	4.3	I	2	√	√	X
ORGANOMETALLIC SUBSTANCE,LIQUID,PYROPHORIC, WATER-REACTIVE	3394	4.2	4.3	I	2	√	√	X
ORGANOMETALLIC SUBSTANCE,SOLID,WATER-REACTIVE	3395	4.3	-	I	2	√	√	X
ORGANOMETALLIC SUBSTANCE,SOLID,WATER-REACTIVE	3395	4.3	-	II	2	√	√	√
ORGANOMETALLIC SUBSTANCE,SOLID,WATER-REACTIVE	3395	4.3	-	III	2	√	√	√
ORGANOMETALLIC SUBSTANCE,SOLID,WATER-REACTIVE, FLAMMABLE	3396	4.3	4.1	I	2	√	√	X



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ORGANOMETTALLIC SUBSTANCE,SOLID,WATER-REACTIVE, FLAMMABLE	3396	4.3	4.1	II	2	√	√	√
ORGANOMETTALLIC SUBSTANCE,SOLID,WATER-REACTIVE, FLAMMABLE	3396	4.3	4.1	III	2	√	√	√
ORGANOMETALLIC SUBSTANCE,SOLID WATER-REACTIVE, SELF-HEATING	3397	4.3	4.2	I	2	√	√	X
ORGANOMETALLIC SUBSTANCE,SOLID WATER-REACTIVE, SELF-HEATING	3397	4.3	4.2	II	2	√	√	X
ORGANOMETALLIC SUBSTANCE,SOLID WATER-REACTIVE, SELF-HEATING	3397	4.3	4.2	III	2	√	√	X
ORGANOMETALLIC SUBSTANCE,LIQUID WATER-REACTIVE	3398	4.3	-	I	2	√	√	X
ORGANOMETALLIC SUBSTANCE,LIQUID WATER-REACTIVE	3398	4.3	-	II	2	√	√	√
ORGANOMETALLIC SUBSTANCE,LIQUID WATER-REACTIVE	3398	4.3	-	III	2	√	√	√
ORGANOMETTALLIC SUBSTANCE,LIQUID,WATER-REACTIVE, FLAMMABLE	3399	4.3	3	I	2	√	√	X
ORGANOMETTALLIC SUBSTANCE,LIQUID,WATER-REACTIVE, FLAMMABLE	3399	4.3	3	II	2	√	√	√
ORGANOMETTALLIC SUBSTANCE,LIQUID,WATER-REACTIVE, FLAMMABLE	3399	4.3	3	III	2	√	√	√
ORGANOMETALLIC SUBSTANCE,SOLID,SELF-HEATING	3400	4.2	-	II	2	√	√	X
ORGANOMETALLIC SUBSTANCE,SOLID,SELF-HEATING	3400	4.2	-	III	2	√	√	X
ALKALI METAL AMALGAM, SOLID	3401	4.3	-	I	2	√	√	X
ALKALI EARTH METAL AMALGAM, SOLID	3402	4.3	-	I	2	√	√	X
POTASSIUM METAL ALLOYS, SOLID	3403	4.3	-	I	2	√	√	X
POTASSIUM SODIUM ALLOYS, SOLID	3404	4.3	-	I	2	√	√	X
BARIUM CHLORATE SOLUTION	3405	5.1	6.1	II	2	√	√	√
BARIUM CHLORATE SOLUTION	3405	5.1	6.1	III	2	√	√	√
BARIUM PERCHLORATE SOLUTION	3406	5.1	6.1	II	2	√	√	√
BARIUM PERCHLORATE SOLUTION	3406	5.1	6.1	III	2	√	√	√
CHLORATE AND MAGNESIUM CHLORITE MIXTURE SOLUTION	3407	5.1	-	II	2	√	√	√
CHLORATE AND MAGNESIUM CHLORITE MIXTURE SOLUTION	3407	5.1	-	III	2	√	√	√
LEAD PERCHLORATE SOLUTION	3408	5.1	6.1/P	II	2	√	√	√
LEAD PERCHLORATE SOLUTION	3408	5.1	6.1/P	III	2	√	√	√
CHLORONITROBENZENES, LIQUID	3409	6.1	-	II	2	√	√	√
4-CHLORO-o-TOLUIDINES HYDROCHLORIDE SOLUTION	3410	6.1	-	III	3	√	√	√
<i>beta</i> -NAPHTHYLAMINE SOLUTION	3411	6.1	-	II	2	√	√	√
<i>beta</i> -NAPHTHYLAMINE SOLUTION	3411	6.1	-	III	3	√	√	√
FORMIC ACID with not less than 10% but not more than 85% acid by mass	3412	8	-	II	2	√	√	√
FORMIC ACID with not less than 5% but less than 10% acid by mass	3412	8	-	III	3	√	√	√
POTASSIUM CYANIDE SOLUTION	3413	6.1	P	I	2	√	√	X
POTASSIUM CYANIDE SOLUTION	3413	6.1	P	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
POTASSIUM CYANIDE SOLUTION	3413	6.1	P	III	3	√	√	√
SODIUM CYANIDE SOLUTION	3414	6.1	P	I	2	√	√	X
SODIUM CYANIDE SOLUTION	3414	6.1	P	II	2	√	√	√
SODIUM CYANIDE SOLUTION	3414	6.1	P	III	3	√	√	√
SODIUM FLUORIDE SOLUTION	3415	6.1	-	III	3	√	√	√
CHLOROACETOPHENONE, LIQUID	3416	6.1	-	II	2	√	√	√
XYLYL BROMIDE, SOLID	3417	6.1	-	II	2	√	√	√
2,4-TOLUYLENEDIAMINE SOLUTION	3418	6.1	-	III	3	√	√	√
BORON TRIFLUORIDE ACETIC ACID COMPLEX, SOLID	3419	8	-	II	2	√	√	√
BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, SOLID	3420	8	-	II	2	√	√	√
POTASSIUM HYDROGEN DIFLUORIDE SOLUTION	3421	8	6.1	II	2	√	√	√
POTASSIUM HYDROGEN DIFLUORIDE SOLUTION	3421	8	6.1	III	2	√	√	√
POTASSIUM FLUORIDE SOLUTION	3422	6.1	-	III	3	√	√	√
TETRAMETHYLAMMONIUM HYDROXIDE, SOLID	3423	8	-	II	2	√	√	√
AMMONIUM DINITRO- <i>o</i> -CRESOLATE SOLUTION	3424	6.1	P	II	2	√	√	√
AMMONIUM DINITRO- <i>o</i> -CRESOLATE SOLUTION	3424	6.1	P	III	3	√	√	√
BROMOACETIC ACID, SOLID	3425	8	-	II	2	√	√	√
ACRYLAMIDE SOLUTION	3426	6.1	-	III	3	√	√	√
CHLOROBENZYL CHLORIDES, SOLID	3427	6.1	P	III	3	√	√	√
3-CHLORO-4-METHYLPHENYL ISOCYANATE, SOLID	3428	6.1	-	II	2	√	√	√
CHLOROTOLUIDINES, LIQUID	3429	6.1	-	III	3	√	√	√
XYLENOLS, LIQUID	3430	6.1	-	II	2	√	√	√
NITROBENZOTRIFLUORIDES, SOLID	3431	6.1	P	II	2	√	√	√
POLYCHLORINATED BIPHENYLS, SOLID	3432	9	P	II	2	√	√	√
NITROCRESOLS, LIQUID	3434	6.1	-	III	3	√	√	√
HEXAFLUOROACETONE HYDRATE, SOLID	3436	6.1	-	II	2	√	√	√
CHLOROCRESOLS, SOLID	3437	6.1	-	II	2	√	√	√
<i>alpha</i> -METHYLBENZYL ALCOHOL, SOLID	3438	6.1	-	III	3	√	√	√
NITRILES, SOLID, TOXIC, N.O.S.	3439	6.1	-	I	2	√	√	X
NITRILES, SOLID, TOXIC, N.O.S.	3439	6.1	-	II	2	√	√	√
NITRILES, SOLID, TOXIC, N.O.S.	3439	6.1	-	III	2	√	√	√
SELENIUM COMPOUND, LIQUID, N.O.S.	3440	6.1	-	I	2	√	√	X
SELENIUM COMPOUND, LIQUID, N.O.S.	3440	6.1	-	II	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
SELENIUM COMPOUND,LIQUID,N.O.S.	3440	6.1		III	2	√	√	√
CHLORODINITROBENZENES,SOLID	3441	6.1	P	II	2	√	√	√
DICHLOROANILINES,SOLID	3442	6.1	P	II	2	√	√	√
DINITROBENZENES,SOLID	3443	6.1	-	II	2	√	√	√
NICOTINE HYDROCHLORIDE,SOLID	3444	6.1	-	II	2	√	√	√
NICOTINE SULPHATE,SOLID	3445	6.1	-	II	2	√	√	√
NITROTOLUENES,SOLID	3446	6.1	-	II	2	√	√	√
NITROXYLENES,SOLID	3447	6.1	-	II	2	√	√	√
TEAR GAS SUBSTANCE,SOLID,N.O.S.	3448	6.1	-	I	2	√	√	X
TEAR GAS SUBSTANCE,SOLID,N.O.S.	3448	6.1	-	II	2	√	√	√
BROMOBENZYL CYANIDES,SOLID	3449	6.1	-	I	2	√	√	X
DIPHENYLCHLOROARSINE,SOLID	3450	6.1	P	I	2	√	√	X
TOLUIDINES,SOLID	3451	6.1	P	II	2	√	√	√
XYLIDINES,SOLID	3452	6.1	-	II	2	√	√	√
PHOSPHORIC ACID,SOLID	3453	8	-	III	3	√	√	√
DINITROTOLUENES,SOLID	3454	6.1	P	II	2	√	√	√
CRESOLS,SOLID	3455	6.1	8	II	2	√	√	√
NITROSYLSULPHURIC ACID,SOLID	3456	8	-	II	2	√	√	√
CHLORONITROTOLUENES,SOLID	3457	6.1	P	III	3	√	√	√
NITROANISOLES,SOLID	3458	6.1	-	III	3	√	√	√
NITROBROMOBENZENES,SOLID	3459	6.1	-	III	3	√	√	√
N -ETHYLBENZYL TOLUIDINES,SOLID	3460	6.1	-	III	3	√	√	√
TOXINS EXTRACTED FROM LIVING SOURCES,SOLID,N.O.S.	3462	6.1	-	I	2	√	√	X
TOXINS EXTRACTED FROM LIVING SOURCES,SOLID,N.O.S.	3462	6.1	-	II	2	√	√	√
TOXINS EXTRACTED FROM LIVING SOURCES,SOLID,N.O.S.	3462	6.1	-	III	2	√	√	√
PROPIONIC ACID, with not less than 90% acid by mass	3463	8	3	II	2	√	√	√
ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S	3464	6.1	-	I	2	√	√	X
ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S	3464	6.1	-	II	2	√	√	√
ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S	3464	6.1	-	III	2	√	√	√
ORGANOARSENIC COMPOUND,SOLID N.O.S	3465	6.1	-	I	2	√	√	X
ORGANOARSENIC COMPOUND,SOLID N.O.S	3465	6.1	-	II	2	√	√	√
ORGANOARSENIC COMPOUND,SOLID N.O.S	3465	6.1	-	III	2	√	√	√
METAL CARBONYLS,SOLID,N.O.S.	3466	6.1	-	I	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
METAL CARBONYLS,SOLID,N.O.S.	3466	6.1	-	II	2	√	√	√
METAL CARBONYLS,SOLID,N.O.S.	3466	6.1	-	III	2	√	√	√
ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.	3467	6.1	-	I	2	√	√	X
ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.	3467	6.1	-	II	2	√	√	√
ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.	3467	6.1	-	III	2	√	√	√
HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM or HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM CONTAINED IN EQUIPMENT or HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM PACKED WITH EQUIPMENT	3468	2.1	-	-	2	√	√	√
PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning or reducing compound)	3469	3	8	I	2	√	√	X
PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning or reducing compound)	3469	3	8	II	2	√	√	√
PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning or reducing compound)	3469	3	8	III	2	√	√	√
PAINT, CORROSIVE, FLAMMABLE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, CORROSIVE, FLAMMABLE (including paint thinning or reducing compound)	3470	8	3	II	2	√	√	√
HYDROGENDIFLUORIDES SOLUTION, N.O.S	3471	8	6.1	II	2	√	√	√
HYDROGENDIFLUORIDES SOLUTION, N.O.S	3471	8	6.1	III	2	√	√	√
CROTONIC ACID, LIQUID	3472	8	-	III	3	√	√	√
FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT containing flammable liquids	3473	3	-	-	3	√	√	√
1-HYDROXYBENZOTRIAZOLE MONOHYDRATE	3474	4.1	-	I	2	√	√	X
ETHANOL AND GASOLINE MIXTURE or ETHANOL AND MOTOR SPIRIT MIXTURE or ETHANOL AND PETROL MIXTURE, with more than 10% ethanol	3475	3	-	II	2	√	√	√
FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing water-reactive substances	3476	4.3	-	-	2	√	√	√
FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing corrosive substances	3477	8	-	-	2	√	√	√



**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
equal to 200mL/m <sup>3</sup> and saturated vapour concentration greater than or equal to 500 LC <sub>50</sub>	3490	6.1	4.3/3	I	2	√	√	X
TOXIC BY INHALATION LIQUID, WATER-REACTIVE, FLAMMABLE, N.O.S. with an LC <sub>50</sub> lower than or equal to 1000mL/m <sup>3</sup> and saturated vapour concentration greater than or equal to 10 LC <sub>50</sub>	3491	6.1	4.3/3	I	2	√	√	X
PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC	3494	3	6.1	I	2	√	√	X
PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC	3494	3	6.1	II	2	√	√	√
PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC	3494	3	6.1	III	2	√	√	√
IODINE	3495	8	6.1	III	2	√	√	√
BATTERIES, NICKEL – METAL HYDRIDE	3496	9	-	-	3	√	√	√
KRILL MEAL	3497	4.2	-	II	3	√	√	√
KRILL MEAL	3497	4.2	-	III	3	√	√	√
IODINE MONOCHLORIDE, LIQUID	3498	8	-	II	2	√	√	√
CAPACITOR, ELECTRIC DOUBLE LAYER (with an energy storage capacity greater than 0.3Wh)	3499	9	-	-	3	√	√	√
CHEMICAL UNDER PRESSURE, N.O.S.	3500	2.2	-	-	2	√	√	√
CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.	3501	2.1	-	-	2	√	√	√
CHEMICAL UNDER PRESSURE, TOXIC, N.O.S.	3502	2.2	6.1	-	2	√	√	√
CHEMICAL UNDER PRESSURE, CORROSIVE, N.O.S.	3503	2.2	8	-	2	√	√	√
CHEMICAL UNDER PRESSURE, FLAMMABLE, TOXIC, N.O.S.	3504	2.1	6.1	-	2	√	√	√
CHEMICAL UNDER PRESSURE, FLAMMABLE, CORROSIVE, N.O.S.	3505	2.1	8	-	2	√	√	√
MERCURY CONTAINED IN MANUFACTURED ARTICLES	3506	8	6.1	-	3	√	√	√
URANIUM HEXAFLUORIDE, RADIOACTIVE MATERIAL, EXCEPTED PACKAGE, less than 0.1 kg per package, non-fissile or fissile-excepted	3507	8	7	I	2	√	√	X
CAPACITOR ASYMMETRIC (with an energy storage capacity greater than 0.3 Wh)	3508	9	-	-	2	√	√	√
ADSORBED GAS, FLAMMABLE, N.O.S	3510	2.1	-	-	2	√	√	√
ADSORBED GAS, N.O.S	3511	2.2	-	-	2	√	√	√
ADSORBED GAS, TOXIC, N.O.S	3512	2.3	-	-	2	√	√	X
ADSORBED GAS, OXIDIZING, N.O.S	3513	2.2	5.1	-	2	√	√	√
ADSORBED GAS, TOXIC, FLAMMABLE, N.O.S	3514	2.3	2.1	-	2	√	√	X
ADSORBED GAS, TOXIC, OXIDIZING, N.O.S	3515	2.3	5.1	-	2	√	√	X

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ADSORBED GAS, TOXIC, CORROSIVE, N.O.S	3516	2.3	8	-	2	√	√	X
ADSORBED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S	3517	2.3	2.1/8	-	2	√	√	X
ADSORBED GAS, OXIDIZING, CORROSIVE, N.O.S	3518	2.3	5.1/8	-	2	√	√	X
BORON TRIFLUORIDE, ADSORBED	3519	2.3	8	-	2	√	√	X
CHLORINE, ADSORBED	3520	2.3	5.1/8	-	2	√	√	X
SILICON TETRAFLUORIDE, ADSORBED	3521	2.3	8	-	2	√	√	X
ARSINE, ADSORBED	3522	2.3	2.1	-	2	√	√	X
GERMANE, ADSORBED	3523	2.3	2.1	-	2	√	√	X
PHOSPHORUS PENTAFLUORIDE, ADSORBED	3524	2.3	8	-	2	√	√	X
PHOSPHINE, ADSORBED	3525	2.3	2.1	-	2	√	√	X
HYDROGEN SELENIDE, ADSORBED	3526	2.3	2.1	-	2	√	√	X
ROCKET MOTORS	510	1.4C	-	-	1	√	√	X
POLYESTER RESIN KIT, solid base material	3527	4.1	-	II	2	√	√	√
POLYESTER RESIN KIT, solid base material	3527	4.1	-	III	3	√	√	√
ENGINE, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED or ENGINE, FUEL CELL, FLAMMABLE LIQUID POWERED or MACHINERY, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED or MACHINERY, FUEL CELL, FLAMMABLE LIQUID POWERED	3528	3	-	-	3	√	√	√
ENGINE, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED or ENGINE, FUEL CELL, FLAMMABLE GAS POWERED or MACHINERY, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED or MACHINERY, FUEL CELL, FLAMMABLE GAS POWERED	3529	2.1	-	-	3	√	√	√
ENGINE, INTERNAL COMBUSTION or MACHINERY, INTERNAL COMBUSTION	3530	9	-/P	-	3	√	√	√
POLYMERIZING SUBSTANCE, SOLID, STABILIZED, N.O.S.	3531	4.1	-	III	3	√	√	√
POLYMERIZING SUBSTANCE, LIQUID, STABILIZED, N.O.S.	3532	4.1	-	III	3	√	√	√
POLYMERIZING SUBSTANCE, LIQUID, STABILIZED, N.O.S.	3533	4.1	-	III	3	√	√	√
POLYMERIZING SUBSTANCE, LIQUID, TEMPERATURE CONTROLLED, N.O.S.	3534	4.1	-	III	3	√	√	√
TOXIC SOLID, FLAMMABLE, INORGANIC, N.O.S	3535	6.1	4.1	I	2	√	√	√
TOXIC SOLID, FLAMMABLE, INORGANIC, N.O.S	3535	6.1	4.1	II	2	√	√	√
LITHIUM BATTERIES INSTALLED IN CARGO TRANSPORT UNIT lithium ion batteries or lithium metal batteries	3536	9	-	-	3	√	√	√
ARTICLES CONTAINING FLAMMABLE GAS, N.O.S	3537	2.1	see 2.0.6.6	-	2	√	√	√
ARTICLES CONTAINING NON-FLAMMABLE GAS, NON TOXIC GAS, N.O.S	3538	2.2	see 2.0.6.6	-	2	√	√	√
ARTICLES CONTAINING TOXIC GAS, N.O.S	3539	2.3	see 2.0.6.6	-	2	√	√	√
ARTICLES CONTAINING FLAMMABLE LIQUID, N.O.S	3540	3	see 2.0.6.6	-	2	√	√	√
ARTICLES CONTAINING FLAMMABLE SOLID, N.O.S	3541	4.1	see 2.0.6.6	-	2	√	√	√

**BINTULU PORT DANGEROUS GOODS ACCEPTANCE LIST AMENDMENT 39-18**

PROPER SHIPPING NAME	UN. NO	IMO CLASS	SUB.	PG	BPA GROUP	IMP	EXP	T/S
			HAZARD(S)					
ARTICLE CONTAINING A SUBSTANCE LIABLE TO SPONTANEOUS COMBUSTION, N.O.S	3542	4.2	see 2.0.6.6	-	2	√	√	√
ARTICLES CONTAINING A SUBSTANCE WHICH EMITS FLAMMABLE GAS IN CONTACT WITH WATER, N.O.S	3543	4.3	see 2.0.6.6	-	2	√	√	√
ARTICLE CONTAINING OXIDIZING SUBSTANCE, N.O.S	3544	5.1	see 2.0.6.6	-	2	√	√	√
ARTICLE CONTAINING ORGANIC PEROXIDE, N.O.S	3545	5.2	see 2.0.6.6	-	2	√	√	√
ARTICLE CONTAINING TOXIC SUBSTANCE, N.O.S	3546	6.1	see 2.0.6.6	-	2	√	√	√
ARTICLE CONTAINING CORROSIVE SUBSTANCE, N.O.S	3547	8	see 2.0.6.6	-	2	√	√	√
ARTICLE CONTAINING MISCELLANEOUS DANGEROUS GOODS, N.O.S	3548	9	see 2.0.6.6	-	2	√	√	√

LEGEND	DESCRIPTION			
	IMPORT	EXPORT	TRANSHIPMENT	
BPA GROUP	1	DIRECT DELIVERY	DIRECT DELIVERY	
	2	DIRECT DELIVERY	DIRECT DELIVERY	
	3	NORMAL DELIVERY / ACCEPTED FOR STORAGE	NORMAL DELIVERY/ ACCEPTED FOR STORAGE	
√	ALLOWED FOR IMPORT	ALLOWED FOR EXPORT	ALLOWED FOR TRANSHIPMENT	
X	NOT ALLOWED FOR IMPORT	NOT ALLOWED FOR EXPORT	NOT ALLOWED FOR TRANSHIPMENT	

For the following IMO Classes, requires permits / approvals from other government agencies:

IMO Class 1 (Ammunition/weapon) : PDRM

IMO Class 6.2 : Ministry of Health

IMO Class 7 : Atomic Energy Licensing Board

Waste (Except IMO Class 7) : Department of Environment